
The

Stock articles of India

Complete

Häfele

Compact







	1	
e e L	ever Handles	1
) @ P	ull Handles / Flush Handles	2
7 7 9 H	inges	3
M M	ortise Locks / Knob Locksets	4
₩ = = E	uro Profile Cylinders	5
M	ortising Jig	6
D	oor Control Devices	7
P	anic Exit Devices	8
Ti 🕰 📗 Ti	mber / Metal Door Seals	9
↓ V	oor Accessories / Window Friction Stays & /indow Bolt System	10
	oilet Partition Hardware	11
P.	atch Fittings	12
T	winPro Inter Locking Glazing System	13
s s	hower Cubicle Fittings & Glass Door Acces.	14
G	lass Door Locks	15





Manufacturer - Independent

Modern buildings are intelligent and radiate emotion. As living, interactive centerpieces, they are the provider of important services. They represent an inter-disciplinary creation made by specialists. Location strategists bring in their far-sightedness, politicians provide guidelines and maintain order, investors calculate profitability, environmental specialists exercise their responsibilities, designers comply with challenging design requirements, architects, integrate styles, functionality, knowledge and art, planners take care of professional construction management and engineers are responsible for infrastructure, technology and safety.

Managing Director, Sibylle Thierer

As a partner for project hardware, architectural fittings and locking systems, Häfele has access to a global range of new hardware ideas, developments and tried-and-tested systems. The Häfele project hardware range consists of Häfele's Startec range of architectural hardware along with the choicest hardware brands from major global manufacturers and made-to-measure project hardware technology.



Häfele's systems expertise in project business provides what the market needs. Häfele is an expert in seeking out intelligent, innovative hardware solutions with maximum benefit for all parties concerned. The Häfele project specialists are an integral part of the entire set-up, thinking along networked lines and operating on a global level.

Häfele's project customers have access to an international range of Architectural Hardware consisting of a vast range of product items. This catalogue takes you through some of these products which have been specially put together for your market.

Alongside this wide range of architectural hardware, Häfele also has a giant product range of furniture and interior fitting systems. More than 100,000 items for the interior fittings sector have been catalogued by Häfele worldwide. The fact that about 10,000 new items are added every year is a testament to the way in which the product range is kept up to date. The hardware and fittings systems that Häfele uses and combines in projects consist of Architectural Hardware and Furniture Fittings. The combination of both areas of expertise along with the inclusion of a vibrant range of kitchen fittings, appliances, lighting and bathroom fittings, is particularly welcome in areas such as hotel infrastructure, office organization, living comfort and kitchen installations.





Dear Customer

I am very proud to be able to present you with the **15**th edition of our **Architectural Hardware Fitting's Catalogue**. As you can see it comes in a much handler format and is structured clearer so that you can find the fitting you are looking for easier and faster. You will find a lot of new and exciting fittings in this new catalogue - the majority of which are now available ex stock in our Logistics & Distribution Centres located in different parts of South Asia. These are attractive, hard wearing and reliable products which will make your building look good and which will perform their function well for many years to come - we quarantee it!

Since the last edition of this catalogue the building industry in South Asia has grown with blinding speed. The initial momentum has clearly grown into a fully blown boom. Building methods are also improving and - thankfully with that the quality of building materials which are being used. The trend of using better quality and more sophisticated hardware fittings has also picked up and the value they add to a building and its interiors is now better understood.

Hafele India has grown beyond our wildest dreams with regional offices in most metros in India. In addition to this we now have four flagship Design Showrooms in four major metros: Mumbai, New Delhi, Bangalore and Kolkata. The company has recently established a firm presence in Sri Lanka by way of a branch office together with three Design Showrooms and a well-networked Distribution Centre. Our employee base has only multiplied in the last few years with a competent sales presence across India as well as in Sri Lanka, Nepal, Bhutan and Bangladesh. We will continue to grow our team in 2016 to provide better and more services to our customers.

So please enjoy this handy guide for quality hardware fittings and let us have any recommendations in regard to products which you want us to add or any other improvements you would like to see in the services we provide.

As always the HAFELE Team is looking forward to being at your service.

Warmest regards

Jürgen Wolf

Managing Director

Häfele India Pvt. Ltd.

One Stop Shop





























One-Stop-Shop: Quality means being able to offer our customers the largest range of hardware fittings in the world. With almost 150,000 articles HAFELE is your One-Stop Shop destination for all your home interior requirements including Door hardware, Kitchen and Furniture fittings, Lighting, Appliances and Sanitary Solutions. HAFELE provides a choice suiting everybody's application and budget with unparalleled technical competence and service.





Häfele project customers can rely on industry - specific and project - specific services - Project customers have it easy at Häfele. Not only do they benefit from a fantastic selection of hardware and hardware solutions, but also have access to a useful range of services. Aglobal network of Häfele project specialists is available for providing them with advice, which is particularly important in international projects where, e.g. the architects come from Canada, the property owners come from the United Arab Emirates and the suppliers come from all over the world. Project-related services such as impartial tendering, the working out of locking plans, the sampling of products and CAD programs are prime examples of areas that have been perfectly developed.



Some Indian References Hotels & Resorts



Intercontinental Marine Drive, Mumbai



Taj Residency, Bangalore



The Tai Mahal Palace & Tower, Mumbai



J W Marriott, Mumbai



Le Meridien, Bangalore



Hyatt Regency, Kolkata



Taj President, Mumbai



Tai Palace Hotel, New Delhi



Grand Hyatt, Mumbai

Hotels and Resorts - Häfele has an impressive list of hotel and resort project references with varying size, scope and category; from three to five stars. We thank the property developers, architects and operators for putting their faith in Häfele. The few examples shown demonstrate our ability to meet diverse requirements.











Hollow Lever Handles

Features

- Complies to EN 1906:2010 Grade 2
- Suitable for fire resistant & smoke control doors
- Door thickness 38 mm- 55 mm
- 100000 cycle tested

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.556	SS Matt
903.92.557	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.566	SS Matt
903.92.567	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.576	SS Matt
903.92.577	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.646	SS Matt
903.92.647	SS Polished

Special Order

Hollow Lever Handles

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.586	SS Matt
903.92.587	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.596	SS Matt
903.92.597	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.606	SS Matt
903.92.607	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.616	SS Matt
903.92.617	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.696	SS Matt
903.92.697	SS Polished

Solid Lever Handles

Lever Handle on Rose Cylinder escutcheon



Article No.	Finish
903.92.626	SS Matt
903.92.627	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.92.636	SS Matt
903.92.637	SS Polished

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish	
903.92.656	SS Matt	
903.92.657	SS Polished	

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish	
903.92.666	SS Matt	
903.92.667	SS Polished	

Lever Handle on Rose & Cylinder escutcheon



Article No. Finish		Finish
	903.92.676	SS Matt
	903.92.677	SS Polished

Stainless Steel Lever Handles SS 304 HAFELE

Solid Lever Handles

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish	
903.92.686	SS Matt	
903.92.687	SS Polished	

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish	
903.92.716	SS Matt	
903.92.717	SS Polished	

BASTA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.058*	SS Matt

Non Fire Rated

Narrow Lever Handles (Hollow)

Lever Handle on Rose & Cylinder escutcheon





Article No.	Finish	
902.92.964*	SS Matt	

*Non Fire Rated

Special Order

Narrow Lever Handles (Hollow)

Lever Handle on Rose & Cylinder escutcheon



	Article No.	Finish
9	902.92.966*	SS Matt
	*Non Fire Rated	

Lever Handle on Rose & Cylinder escutcheon



	Article No.	Finish
8	902.92.968*	SS Matt
	*Non Fire Rated	

Lever Handle on Rose & Cylinder escutcheon



0	Article No.	Finish
U	902.92.974*	SS Matt
	*Non Fire Pated	

Lever Handle on Rose & Cylinder escutcheon



	Article No.	Finish
	902.92.976*	SS Matt
L	*Non Fire Rated	

Lever Handle on Rose & Cylinder escutcheon

Handle Type: L Shape				
d		Article No.	Finish	
•		903.92.122	SS Matt	
		903.92.123	SS Polis	

*Non Fire Rated

Narrow Lever Handles (Hollow)

Lever Handle on Rose & Cylinder escutcheon



*Non Fire Rated

Lever Handle on Rose & Cylinder escutcheon 72 mm C/C



Oval Rose



Article No.	Finish
902.50.280	SS Matt
902.50.281	SS Polish
902.50.283	Antique Brass
902.50.288	Brass Polish

Oval Escutcheon



Article No.	Einich
Article No.	FIIIISII
902.52.280	SS Matt
902.52.281	SS Polish
902.52.283	Antique Brass
902.52.288	Brass Polish

Stock Available

Dimensional data not binding. We reserve the right to alter specifications without notice.

High Grade SS 316 Stainless Steel Lever Handles



Solid Lever Handles

Features

- High grade SS 316 Stainless Steel Lever Handles
- High corrosion resistance
- Passed 700 hrs of salt spray test

ELLE

Lever handle on square rose And euro profile cylinder escutcheon (SS 316)



Article No.	Finish
903.99.208	SS Matt

FREDA

Lever handle on square rose and euro Profile cylinder escutcheon (SS 316)



Article No.	Finish
903.99.214	SS Matt

MEGAN

Lever handle on round rose and euro euro profile cylinder Escutcheon (SS 316)



Article No.	Finish
903.99.215	SS Matt

Special Order

Solid Lever Handles

MAXINE

Lever handle on round rose And euro profile cylinder escutcheon (SS 316)





Article No.	Finish
903.99.216	SS Matt

OLIVER

Lever handle on round rose and euro Profile cylinder escutcheon (SS 316)



Article No.	Finish
903.99.217	SS Matt

VISIO

Lever handle on square rose And euro profile cylinder escutcheon (SS 316)



Article No.	Finish
903.99.185	SS Matt

Solid Lever Handles

PETRA SQUARE

Lever handle on square rose and euro Profile cylinder escutcheon (SS 316)





Article No.	Finish
903.99.193	SS Matt

SWIFT

Lever handle on round rose and euro euro profile cylinder Escutcheon (SS 316)





Article No.	Finish
903.99.194	SS Matt

Stainless Steel Lever Handles SS 304 HAFELE Accessories

Escutcheons

Toilet Escutcheon (Thumb Turn & Emergency Release + Indicator)






Article No.	Finish
902.53.922	SS Matt

Extended Spindle 125mm



Article No.	Finish
909.46.03001	Zinc Plated

Heso Spindle



Article No.	Finish	Size
909.46.03002	Zinc Plated	125 mm
903.46.03005	Zinc Plated	100 mm

Single Spindle (62mm)



Article No.	Description
909.87.04001	Single Spindle (Half)

Special Order

Escutcheons

Rose and escutcheon Finish: SS Matt





Article No.	Description
903.99.664	Round
903.99.66401	Square

Grub screw



Article No.	Description
909.46.03006	Grub Screw M6 stepped

Back to back screw



Article No.	Description
101.20.00002	Back to back screw
101.20.0003	Screw Cap

Snib & Release



Article No.	Description
902.53.92204	Snib & Release with indicator
902.53.92214	Snib & Release without indicator

Snib & Release





Article No.	Description
902.53.92205	Snib & Release with indicator
902.53.92215	Snib & Release without indicator





Article No.	Description
902.53.92206	Snib & Release with indicator
902.53.92216	Snib & Release without indicator







Article No.	Description
902.53.92207	Snib & Release
902.53.92217	Snib & Release with indicator

Stock Available

Dimensional data not binding. We reserve the right to alter specifications without notice.

Solid Stainless Steel Lever Handles SS 304



Solid Lever Handles

EKON

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.049	SS Matt

KOOM

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.051	SS Matt

SENSU

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.050	SS Matt

LIRBAN

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.053	SS Matt

Special Order

Solid Lever Handles

CABANA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.330	SS Matt

TICO

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.462	SS Matt

COLE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.882	SS Pol. / SS Matt

COLE Square

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.883	SS Matt

Solid Lever Handles

COLE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.456	SS Pol./(Bronze) Knurled

COLE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.458	SS Pol./Nylon Black

COLE Square

Lever Handle on Rose & Cylinder escutcheon



Alticle No.	1 1111311
903.99.459	SS Pol./Nylon Black

Solid Stainless Steel Lever Handle SS 304

HAFELE

Solid Lever Handles

Features

- · Corrosion resistance, passed 500 hrs of salt spray test.
- Solid lever handles SS 304 machined for seamless finish

COLE Square

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.455	SS Pol./(Bronze)

TRIGO

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.98.434	SS Matt
903.98.435	SS Polished

VISIO Square

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.98.436	SS Polished

Special Order

Solid Lever Handles

FREDA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.98.543	SS Matt

BELLA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.98.545	SS Matt
903.98.546	SS Polished

CUBANA CURVE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.800	SS Matt

CUBANA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.801	SS Matt

Solid Lever Handles

ADRIANA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
903.99.802	SS Matt

COLE WOOD



Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80002	SS Matt / Burmese Teak Wood
903.99.80012	SS Polished / Burmese Teak Wood

GRANDE



Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80003	SS Matt
903.99.80013	SS Polished

Stock Available

Dimensional data not binding. We reserve the right to alter specifications without notice.

Solid Stainless Steel Lever Handle SS 304



Solid Lever Handles

BALLET

Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80004	SS Matt
903.99.80014	SS Polished

PETRA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80005	SS Matt
903.99.80015	SS Polished

PETRA DUAL

Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80006	SS Matt/ Black PU

Special Order

Solid Lever Handles

MARION

Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80007	SS Matt
903.99.80017	SS Polished

ELANOR

Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
903.99.80008	SS Matt
903.99.80018	SS Polished

AMAIRA

Lever Handle on Rose & Cylinder escutcheon Black leather grip



Article No.	Material/finish
903.99.80001	SS Matt
903.99.80011	SS Polished

HAFELE



Brass Lever Handles

5 Years Surface Finish Warranty

5 Years Operational Warranty

ENZIAN

Enzian, Brass Lever Handle with Rose and Escutcheons,







Article No.	Finish
901.78.572	Brass Polish
901.78.573	Nickel Matt
901.78.574	Antique Brass
901.78.575	Polished Chrome

ARNIKA

Arnika, Brass Lever Handle with Rose and Escutcheons. Brass Polish



Dimensional data not binding. We reserve the right to alter specifications without notice.





Article No.	Finish
901.78.576	Brass Polish
901.78.577	Nickel Matt
901.78.578	Antique Brass
901.78.579	Polished Chrome

Special Order



CARLIINA

Carliina, Brass Lever Handle with Rose and Escutcheons, Brass Polish



Finish
Brass Polish
Nickel Matt
Antique Brass
Polished Chrome

AURIKEL

Aurikel, Brass Lever Handle with Rose and Escutcheons, Brass Polish









Article No.	Finish
901.78.584	Brass Polish
901.78.585	Nickel Matt
901.78.586	Antique Brass
901.78.587	Polished Chrome

HAFELE Designer Handles from MANITAL Italy



Brass Lever Handles

ATENA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.99.261	Chrome Polished / Chrome Matt
901.99.910	Polished Brass
901.98.015	Satin Brass/ Polished Brass
901.99.568	Satin Nickel/Nickel
901.99.915	Satin Chrome
901.99.26105	Black Chrome

ELIS

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.99.936	Chrome
901.99.938	Chrome Matt
901.99.934	Polished Brass
901.99.93602	Satin Brass
901.99.939	Satin Nickel
901.99.93605	Black Chrome

Special Order

Brass Lever Handles

SALINA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.99.958	Chrome Polished
901.99.96003	Chrome Matt
901.99.960	Satin Brass/ Polished Brass
901.99.546	Satin Nickel/Nickel
901.99.962	Satin Chrome
901.99.96005	Black Chrome

DUNE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.01.608	Polished Brass
901.99.92401	Satin Brass
901.99.924	Chrome Plated
901.99.92402	Satin Bronze
901.99.932	Satin Chrome
901.99.92403	Satin Nickel

Brass Lever Handles

DUNE Square

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.99.255	Chrome Polished
901.99.256	Chrome Matt

QUADRA Square

Lever Handle on Rose & Cylinder escutcheon



Article No.	(Wood) Finish
901.99.259	Chrome Matt/Wenge

QUADRA Square

Lever Handle on Rose & Cylinder escutcheon



Article No.	(Wood) Finish
901.99.257	Chrome Pol./Pear

QUADRA

Lever Handle on Rose & Cylinder escutcheon



Article No.	(Wood) Finish
901.99.956	Chrome Matt/Wenge

MANITAL

Designer Handles from MANITAL Italy

Brass Lever Handles

ARCO

Lever Handle on Rose with euro Cylinder escutcheon



Article No.	Finish
901.99.24801	Polished Brass
901.99.24802	Satin Brass
901.99.248	Chrome Plated
901.99.24803	Satin Bronze
901.99.249	Satin Chrome
901.99.24804	Satin Nickel

MORPHOS

Dimensional data not binding. We reserve the right to alter specifications without notice.

Lever Handle on Rose with euro profile Cylinder escutcheon



Article No.	Finish
901.99.250	Chrome Plated
901.99.25001	Satin Chrome
901.99.250	Satin Chrome/ Chrome Plated
901.99.25004	Satin Nickel
901.99.25003	Satin Nickel/Nickel

Brass Lever Handles

SIENA

Lever Handle on Rose with euro profile Cylinder escutcheon



Article No.	Finish
901.78.39501	Polished Brass
901.78.39502	Satin Brass
901.78.395	Chrome Plated
901.78.39503	Satin Bronze
901.78.39504	Satin Chrome
901.78.39505	Satin Nickel
901.78.39506	Black Chrome

CARMEN

Lever Handle on Rose & Cylinder escutcheon



Article No.	
901.98.643	Chrome Polished with Red Insert

SPOON

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.98.644	Chrome Matt

Brass Lever Handles

WIND

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.98.646	Chrome Matt
901.98.647	Chrome Polished

ERICA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.99.670	Chrome Polished
901.99.672	Chrome Matt

LOGOS

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.98.648	Nickel Matt

Stock Available

Special Order

HAFELE Designer Handles from MANITAL Italy



Brass Lever Handles

VOLA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.98.649	Nickel Matt

BOHEME

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.78.40002	Chrome Polish / Brass Polish
901.78.400	Chrome Polish
901.78.40001	Polish Brass
901.78.40003	Black Chrome / Polish Brass
901.78.40005	Satin Nickel / Polish Brass

Brass Lever Handles

ALAMARO

Lever Handle on Rose & Cylinder escutcheon



Article No.	Material/finish
901.78.37701	Polished Brass
901.78.37702	Satin Brass
901.78.377	Chrome Plated
901.78.37705	Satin Nickel
901.78.37704	Satin Chrome
901.78.37703	Satin Bronze

LUNA

Lever Handle on rose & cylinder escutcheon



Article No.	Material/finish
901.78.39801	Polished Brass
901.78.39802	Satin Brass
901.78.398	Chrome Plated
901.78.39803	Satin Nickel
901.78.39804	Satin Chrome
901.78.39805	Satin Bronze

Brass Lever Handles

SLIM

Lever Handle on rose & cylinder escutcheon PVD



Article No.	Material/finish
901.78.37806	Satin Chrome PVD / Crystal
901.78.37805	Satin Chrome PVD / Light Topaz
901.78.37807	Satin Chrome PVD / Fuchsia
901.78.37802	Polished Brass PVD/ Crystal
901.78.37801	Polished Brass PVD/ Light Topaz
901.78.37803	Polished Brass PVD/ Saphire
901.78.37804	Polished Brass PVD/ Fuchsia
901.78.37810	Gun Metal PVD / Crystal
901.78.37809	Gun Metal PVD / Light Topaz
901.78.37811	Gun Metal PVD / Saphire
901.78.37812	Gun Metal PVD / Fuchsia

Special Order

Dimensional data not binding. We reserve the right to alter specifications without notice



Designer Handles from MANITAL Italy



Brass Lever Handles

IMOLA

Lever Handle on rose & cylinder escutcheon PVD



Article No.	Material/finish
901.78.41401	Polished Brass
901.78.41401	Satin Brass
901.78.414	Chrome Plated
901.78.41403	Satin Bronze
901.78.41404	Satin Chrome
901.78.41405	Satin Nickel

Brass Lever Handles

DERBY



Article No.	Finish
901.78.41501	Polished Brass
901.78.41502	Satin Brass
901.78.415	Chrome Plated
901.78.41503	Satin Bronze
901.78.41504	Satin Chrome
901.78.41505	Satin Nickel

DALI

Dimensional data not binding. We reserve the right to alter specifications without notice.

Lever Handle on rose & cylinder escutcheon PVD



Article No.	Finish
901.78.38401	Polished Brass
901.78.38406	Black Chrome
901.78.384	Chrome Plated
901.78.38405	Satin Nickel/Nickel
901.78.38403	Satin Brass/Pol. Brass
901.78.38404	Satin Chrome

AMELETO

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.78.38301	Polished Brass
901.78.38302	Black Chrome
901.78.383	Chrome Plated
901.78.38303	Satin Nickel/Nickel
901.78.38304	Satin Brass/Pol. Brass
901.78.38305	Satin Chrome

Special Order

Lever Handles

ATLANTA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.82.175	Brushed Chrome
904.92.311	Silver
904.92.311	Steel

ATHINAI

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
900.82.368	Polished chrome with brushed stainless steel
900.82.362	Brushed with polished chrome
900.82.363	Brushed chrome

BERGEN

Lever Handle on Rose & Cylinder escutcheon



1	Article No.	Finish
ç	900.82.073	Chrome Polished / Alum. Steel Matt

Special Order

Lever Handles

PHOENIX

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
900.82.290	Chrome Polished / Chrome Matt

MARSEILLE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
904.92.170	Steel
904.92.171	Bronze
905.92.481	Silver

VITORIA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.82.754	Brushed chrome
901.82.752	Polished chrome
900.92.888	Polished brass
900.92.885	Polished brass with Resista
905.82.071	Silver

Lever Handles

GENOVA

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.82.732	Chrome Polished / Chrome Matt

MONTE CARLO

Lever Handle on Rose & Cylinder escutcheon



901.82.742 Chrome Pol./ Chrome Matt	Article No.	Finish
Chrome Matt	001 82 7/2	Chrome Pol./
	901.02.742	Chrome Matt

CANNES

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.82.252	Brushed chrome
901.82.254	Polished chrome
901.82.251	Polished brass



Designer Handles from HOPPE Switzerland

HXFELE

Lever Handles

HOUSTON

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish	
900.92.075	Chrome Matt	
900.92.077	Chrome Polished	

NEW YORK

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
904.92.033	Steel
904.92.032	Silver

LUXEMBOURG

Dimensional data not binding. We reserve the right to alter specifications without notice.

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
905.82.229	Steel
905.82.221	Silver

Special Order

Lever Handles

VANCOUVER

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
904.92.034	Aluminium Silver

SINGAPORE

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.92.137	Brass Traditional Antiqua

BRUXELLES

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
900.92.154	Chrome Matt

STOCKHOLM



Article No.	Finish
905.82.039	Silver

Lever Handles

TOKYO



Article No.	Finish
905.82.201	Silver
905.82.202	Champagne
905.82.209	Steel
900.82.004	Brushed Chrome
900.82.008	Polished Brass

VERONA



Article No.	Finish
904.92.391	Silver
904.92.39101	Champagne
904.92.39102	Bronze
904.92.399	Steel
900.82.874	Brushed Chrome
900.82.875	Pol.Chrome
900.82.871	Pol. Brass

Stock Available

www.hafeleindia.com 1.14



Designer Handles from HOPPE Switzerland HAFELE

Lever Handles



Lever Handles

DUBLIN



ACAPULCO	
3	

Article No.	Finish
904.92.17306	Silver
904.92.17305	Satin Chrome

Article No.	Finish
900.92.157	Chrome Matt

IBIZA



Article No.	Finish
904.92.17301	Silver
904.92.17302	Pol. Chrome

operational guarantee

MARIBOR



Article No.	Finish
904.92.17303	Silver
904.92.17304	Pol. Chrome

Special Order



Zinc Alloy Lever Handles

HAFELE

Lever Handles

S-CUBE

Lever Handle on Square Rose & Cylinder escutcheon



Article No.	Finish
901.98.650	Chrome Polished
901.98.651	Chrome Matt

GIO

Lever Handle on Rose & Cylinder escutcheon



Article No.	Finish
901.98.652	Chrome Polished
901.98.653	Chrome Matt

TAU

Dimensional data not binding. We reserve the right to alter specifications without notice.

Lever Handle on Rose with euro profile cylinder escutcheon



Article No.	Finish
901.99.462	Chrome Polished

Special Order

Lever Handles

SATA

Lever Handle on Square Rose & Cylinder escutcheon



Article No.	Finish
901.98.654	Chrome Polished
901.98.655	Chrome Matt

LINO

Lever Handle on Square Rose & Cylinder escutcheon



Article No.	Finish
901.98.656	Chrome Polished
901.98.657	Chrome Matt

DEEP

Lever Handle on Rose with euro profile cylinder escutcheon



Article No.	Finish
901.99.464	Chrome Polished /
	Black

Lever Handles

KUA

Lever Handle on Square Rose & Cylinder escutcheon



Article No.	Finish
901.98.658	Chrome Polished
901.98.659	Chrome Matt

FISH

Lever Handle on Square Rose & Cylinder escutcheon



Article No.	Finish
901.98.660	Chrome Polished
901.98.661	Chrome Matt









SS Pull Handles SS 304

HAFELE

SS Pull Handles

Pull Handle Back to Back Fixing, Finish: SS Matt



Article No.	Size (mm)
903.01.601	19 Ø x 150 C/C
903.01.602	19 Ø x 200 C/C
903.05.700	25 Ø x 300 C/C
903.01.614	25 Ø x 400 C/C
903.01.626	30 Ø x 600 C/C
903.01.62601	30 Ø x 900 C/C
903.01.62602	32 Ø x 1200 C/C

Pull Handle Back to Back Fixing, Drilling Hole 13mm \varnothing for glass doors.

Finish: SS Matt



* Special length available on request

Dimensional data not binding. We reserve the right to after specifications without notice.

Article No.	Size (mm)
903.01.70311	19 Ø x 200 C/C 300 O/A
903.01.703	25 Ø x 200 C/C 300 O/A
903.01.704	25 Ø x 300 C/C 400 O/A
903.05.710	25 Ø x 400 C/C 550 O/A
903.01.712	25 Ø x 900 C/C 1200 O/A
903.01.715	32 Ø x 1200 C/C 1500 O/A
903.01.718	32 Ø x 1500 C/C 1800 O/A

SS Pull Handles

Pull Handle Back to Back Fixing, Finish: SS Matt



Article No.	Size (mm)
903.05.730	32 Ø x 300 C/C

Pull Handle Back to Back Fixing, Size: SS Matt



ı	Article No.	
	903.05.740	25 Ø x 308 x 308 x 400 C/C

Pull Handle Back to Back Fixing, Finish: SS Matt



Article No.	Size (mm)
903.05.750	32 Ø x 400 C/C

Pull Handle Back to Back Fixing, Finish: SS Matt



Article No.	Size (mm)
903.05.760	25 Ø x 400 C/C

SS Pull Handles

Pull Handle Back to Back Fixing, Drilling Hole 13mm Ø for Glass doors.

Finish: SS Matt



Article No.	Size (mm)
903.00.370	25 x 300 C/C
903.00.372	25 x 400 C/C

S Shape Pull Handle Back to Back Finish: SS Matt



Article No.	Size (mm)
903.01.70421	25 Ø x 400 C/C

H45 angled pull handle Finish: SS Matt



Article No.	Size (mm)
903.01.70412	25 Ø, 300 C/C, 500 O/A
903.01.70413	25 Ø, 500 C/C, 700 O/A

Stock Available

Special Order

HAFELE

SS Pull Handles SS 304

StarTec

SS Pull Handles

C Shape Pull Handle Back to Back



Article No.	Size (mm)
903.05.73001	25 Ø, 300 C/C

Crank Pull Handle Back to Back Finish: SS Matt



Article No.	Size (mm)
903.07.90011	22 Ø, 300 C/C
903.07.90012	25 Ø, 400 C/C
903.07.90013	32 Ø, 600 C/C

Arc Hollow Pull Handle Finish: SS Matt



Article No.	Size (mm)
903.03.72001	25 Ø, 300 C/C

Special Order

SS Pull Handles

Pull Handle Back to Back Fixing, (25 Sq x 25 Rd) Drilling Hole 13mm Ø for Glass doors. Finish: SS Matt



Article No.	Size (mm)
903.19.703	300 C/C
903.19.704	400 C/C
903.19.706	600 C/C

Pull Handle Back to Back Fixing (25 Rd x 25 Sq) Drilling Hole 13mm Ø for Glass doors Finish: SS Matt



Article No.	Size (mm)
903.19.713	300 C/C
903.19.714	400 C/C
903.19.716	600 C/C

SS Pull Handles

Pull Handle Back to Back Fixing, (32 x 32mm) Drilling Hole 13mm Ø for Glass doors Finish: SS Matt



Article No.	Size (mm)
903.19.734	450 C/C
903.19.736	600 C/C
903.19.739	900 C/C

Pull Handle Back to Back Fixing, (25 x 25 x 12mm) Drilling Hole 13mm Ø for Glass doors Finish: SS Matt



Article No.	Size (mm)
903.19.744	400 C/C 550 O/A
903.19.746	600 C/C 750 O/A



SS Pull Handles

Pull Handle Back to Back Fixing, (32 x 25 x 25mm) Drilling Hole 13mm Ø for Glass doors Finish: SS Matt



Article No.	Size (mm)
903.19.723	300 C/C, 400 O/A
903.19.724	400 C/C, 550 O/A
903.19.726	600 C/C, 750 O/A

Square Base Pull Handle Back to Back Fixing, (25 x25 x25 x10mm) Drilling Hole 13mm Ø for Glass doors



Article No.	Size (mm)
903.01.743	300 C/C
903.01.744	400 C/C
903.01.746	600 C/C

SS Pull Handles SS 304

SS Pull Handles

Round Base Pull Handle Back to Back Fixing, (25 x 22 x 10mm) Drilling Hole 13mm Ø for Glass doors.

Finish: SS Matt



Article No.	Size (mm)
903.01.753	300 C/C, 350 O/A
903.01.754	400 C/C, 450 O/A
903.01.756	600 C/C, 650 O/A

Pull Handle Flat Top Drilling Hole 13mm Ø for Glass doors.

Finish: SS Matt



Article No.	Size (mm)
903.08.223	28 x 430 x 6 thick 300 C/C
903.08.224	28 x 580 x 6 thick 450 C/C

SS Pull Handles

Pull Handle Dia 22 with flat end. Drilling Hole 13mm Ø for Glass doors.

HXFELE

Finish: SS Matt



Article No.	Size (mm)
903.08.214	400 C/C, 490 O/A
903.08.216	600 C/C, 690 O/A

Solid Pull Handle Back to Back Fixing, 20mm Ø x 515 x 400mm c/c Drilling Hole 13mm Ø for glass doors.



Article No.	Size
903.12.602	SS Matt
903.12.603	SS Polished

Stock Available

Special Order

Dimensional data not binding. We reserve the right to alter specifications without notice



SS Pull Handles

Solid Pull Handle Back to Back Fixing, 16mm Ø (22mm Boss) x 360, 300mm C/C Drilling Hole 13mm Ø for Glass doors.



Article No.	Finish
903.12.610	SS Matt
903.12.611	SS Polished

Pull Handle Bolt Through Fixing, Finish: SS Matt



Article No.	Size (mm)
903.05.770	19 x 150
903.05.771	19 x 200
903.05.772	19 x 250

Special Order

SS Pull Handles

Pull Handle Bolt Through Fixing, Drilling Hole 13mm Ø for Glass doors.

Finish: SS Matt



Article No. Size (mm)	
903.05.780	19 x 150
903.05.781	19 x 200
903.05.782	19 x 250

Pull handles with lock



Article No.	Finish
903.04.136	SS Matt

SS Pull Handles

HXFELE

Pull handles with lock



Article No.	Finish
903.52.090	SS Matt

Pull handle back to back fixing



Article No.	Finish
903.01.75301	SS Matt/ Black Leather
903.01.75302	SS Matt/ Black Leather
903.01.75303	SS Matt/ Black Leather
903.01.75304	SS Matt/ Black Leather





SS Pull Handles SS 304

HXFELE

SS Round Handle

SS Round Flush Handle Finish: SS Matt



Article No.	Size	
902.01.400	50mm Ø	
902.01.402	85mm Ø	

65mm Round Glass Flush Handle, Finish: SS Matt

Base Material: Stainless Steel

304



Article No.	Size	
981.20.100	For 8mm Glass	
981.20.102	For 10/12mm Glass	

65mm Round Glass Flush Handle. Finish: SS Matt

Base Material: Stainless Steel 304



Article No.		
981.20.110	For 8mm Glass	
981.20.112	For 10/12mm Glass	

Special Order

SS Flush Handles

SS Oval Flush Handle

Finish: SS Matt



Article No.	Size
902.01.410	102 x 50mm
902.01.412	150 x 54mm

SS Rectangle Flush Handle

Finish: SS Matt



Article No.	
902.01.420	102 x 50mm
902.01.422	150 x 54mm

SS Rectangle Flush Handle Finish: SS Matt



Article No.	Size
902.01.430	150 x 75mm











Ball Bearing Butt Hinge



Features

- For Wooden Doors
- 2 High Performance Ball Bearings
- Suitable for DIN Left & DIN Right Hand

Technical Data

- Maximum Door Weight for 3 Hinges
- Knuckle Diameter 14mm
- Material Thickness 2, 2,5, 3mm
- Finish: SS Matt

102 X 76 (4" X 3")

Article No.	Material Thickness	Finish
926.13.003	3mm	SS Matt
926.83.31001	3mm	Antique Brass
926.83.31002	3mm	Brass Polish
926.83.33001	3mm	SS Polish
926.83.31003	3mm	SS Matt (With Metal Screw)
926.83.280	2mm	SS Matt
926.83.28001	2mm	Antique Brass
926.83.28002	2mm	Brass Polish
926.83.28003	2mm	SS Polish

127 X 76 (5" X 3")

' '			
Article No	Material Thickness	Finish	
926.35.81	3 3mm	SS Matt	
926.35.85	3 3mm	SS Matt (With Metal Door Screws)	
926.83.37	2.5mm	SS Matt	
926.83.36	2.5mm	SS Matt (With Metal Door Screws)	

127 X 89 (5" X 3.5")

Article No.	Material Thickness	Finish
926.14.403	3mm	SS Matt
926.83.48001	3mm	Antique Brass
926.83.48002	3mm	Brass Polish
926.83.48003	3mm	SS Polish
926.35.873	3mm	SS Matt (With Metal Screw)
926.35.823	2.5mm	SS Matt
926.35.826	2.5mm	SS Matt (With Metal Door Screws)

Special Order





Single Action Spring Hinge



Features

- For Wooden Frames
- Spring Speed can be Adjusted & Locked in Position

Technical Data

- Maximum Door Weight for 3 Hinges 40kg
- Knuckle Diameter 19mm
- Material Thickness 3mm
- Cutting Depth 3.15mm
- Finish: SS Matt

Article No.	Size
926.34.010	102 x 102 x 3mm

Single Action Swing Hinge



Features

- For Wooden Frames
- For Flush Interior Doors
- 90° Swing Action
- Suitable for DIN Left & DIN Right Hand

Technical Data

- Maximum Door Weight for 3 Hinges 40kg
- Knuckle Diameter 19mm
- Material Thickness 2mm
- Finish: SS Matt

Article No.	Size
927.93.003	152mm

Hinges

Double Action Swing Hinge



Features

- For Wooden Frames
- For Flush Interior Doors
 - 180° Swing Action
- Suitable for DIN Left & DIN Right Hand

Technical Data

- Maximum Door Weight for 3 Hinges 40kg
- Knuckle Diameter 19mm
- Material Thickness 2mm
- Finish: SS Matt

Article No.	Size
927.97.030	152mm

Lift Off Rising Hinge



Features

- For Wooden Frames
- For Flush Doors
- With Straight Pin

Technical Data

- Max. Door Weight for 3 Hinges 40kg
- Knuckle Diameter 16mm
- Material Thickness 2mm
- Cutting Depth 2,15mm

Article No.	Size	Handing
926.79.003	102 x 76 x 2mm	DIN Left
926.79.103	102 x 76 x 2mm	DIN Right

Hinges

Lift off Falling Hinge



	0:	
Article No.	Size	Handing
926.79.203	102 x 76 x 2mm	DIN Left
926.79.303	102 x 76 x 2mm	DIN Right

Dimensional data not binding. We reserve the right to alter specifications without notice



Ball Bearing Butt Hinge for windows



Features:

- For Flush wooden or metal interior doors
- 2 High performance ball bearings
- Material: SS 304 Grade
- Material Thickness: 2, 2.5mm
- Flange Shape: Square
- Finish: SS Matt

Article No.	Size	Finish
926.35.103	76 x 59 x 2.5mm	SS Matt
926.83.50001	76x59x 2.5mm (SS304)	SS Polish
926.83.50002	76x59x 2.5mm (SS304)	Polish Brass
926.83.50003	76x59x 2.5mm (SS304)	Antique Brass

Article No.	Size	Finish
926.83.490	76 x 59 x 2mm	SS Matt
926.83.50011	76x59x 2mm (SS304)	SS Polished
926.83.50012	76x59x 2mm (SS304)	Polished Brass
926.83.50013	76x59x 2mm (SS304)	Antique Brass

Dimensional data not binding. We reserve the right to alter specifications without notice.

Hinges

Butt Hinge (without ball bearing) for windows



Features:

- For Flush wooden or metal interior doors
- Without ball bearings
- Material: SS 304 Grade
- Material Thickness: 2mm
- Flange Shape: Square
- Finish: SS Matt

Article No.	Size
926.35.203	76 x 59 x 2mm

Special Order





Concealed Hinge



Features

- For Flush Interior Doors
- Maximum Opening Angle 180°
- For Wooden Doors
- Suitable for DIN Left & DIN Right Hand

Technical Data

Material : Zinc Alloy

Concealed Hinge

Article No.	Size (mm)	Weight*	Finish
341.18.223	40.00		Polish Chrome
341.18.123	13x60 - 19-24	10 kg	Antique Brass
341.18.423			Satin Chrome
341.18.225	16x69 -		Polish Chrome
341.18.125	25-27	20 kg	Antique Brass
341.18.425			Satin Chrome
341.18.227	19x95.2-		Polish Chrome
341.18.127	28-34	30 kg	Antique Brass
341.18.427			Satin Chrome
341.18.229	05 440		Polish Chrome
341.18.129	25x116 - 35-38	50 kg	Antique Brass
341.18.429			Satin Chrome
341.18.231			Polish Chrome
341.18.131	28x118 - 38-43	70 kg	Antique Brass
341.18.431	30-43		Satin Chrome
341.18.233	0.4.40=		Polish Chrome
341.18.133	34x137- 44-52	90 kg	Antique Brass
341.18.433			Satin Chrome

^{*}Weight per pair of hinge

Hinges

Concealed Hinge KUBICA K6200 Three-dimensionally adjustable



Features:

- For wooden frames
- For flush interior doors
- For concealed fixing
- Height ±1mm, side ±1mm, depth ±1mm
- 180° opening angle
- Material : Zinc Alloy

Technical Data

Max. door weight with 3 hinges: 40 kg,

Size: 95mm

Min. door thickness: 30 mm Door width: 600-1000 mm Door height: 2100-2700 mm

Fixing

Diameter of cutter: 12 mm Cutting height: 95 mm

Article No.	Finish
927.91.544	Chrome Matt

Concealed Hinge KUBICA K6700 Three-dimensionally adjustable



Features

- For wooden frames
- For flush interior doors
- For concealed fixing
- Height ±1,5mm, side ±1mm, depth ±1mm
- ▶ 180° opening angle
- Material : Zinc Alloy

Technical Data

Max. door weight with 3 hinges: 60kg,

Size: 111.5mm

Min. door thickness: 40mm Door width: 600-1000mm Door height: 2100-2700mm

Fixina

Diameter of cutter: 12mm Cutting height: 111.5mm

Article No.	Finish
927.91.554	Chrome Matt

Special Order



Dimensional data not binding. We reserve the right to alter specifications without notice











Project Mortise Locks

Mortise Cylinder lock, 55mm Backset, 24mm forend, 72mm centres



- Heavy Duty Springing
- Anti Corrosive Plating
- Double Throw Deadbolt
- Case Size: 84 X 165mm
- Stainless Steel Dead Bolt & Latch

911.02.124 SS Matt	

Mortise Cylinder Deadlock, 55mm Backset, 24mm Forend



- Anti Corrosive Plating
- Case Size: 84 x 95mm
- Stainless Steel Dead Bolt

Article No.	Finish
911.22.551	SS Matt

Mortise Cylinder Dead lock, 55mm Backset, 24mm forend,



- Anti Corrosive Plating
- Double Throw Deadbolt
- Case Size: 84 x 165mm
- Stainless Steel Dead Bolt

Article No.	Finish
911.22.550	SS Matt

Special Order

Project Mortise Locks

Mortise Toilet Lock, 55mm Backset, 24mm Forend, 78mm centres



- Anti Corrosive Plating
- Single Throw Deadbolt
- Case Size: 84 X 165mm
- Stainless Steel Dead Bolt & Latch

Article No.	Finish
911.02.149	SS Matt

Mortise Latch Lock, 55mm Backset, 24mm Forend



- Heavy Duty Springing
- Anti Corrosive Plating
- Case Size: 84 X 86mm
- Stainless Steel Latch

Article No.	Finish
911.23.351	SS Matt

Mortise Latch Lock, 55mm Backset, 24mm Forend



- Heavy Duty Springing
- Anti Corrosive Plating
- Case Size: 84 X 165mm
- Stainless Steel Latch

Article No.	Finish
911.23.350	SS Matt

Project Mortise Locks

Standard Roller Bolt Mortise Lock - 55mm Backset



- Standard Roller Bolt Mortise Locks
- According to EN 12209 Grade 3, DIN 18251-1
- Suitable for external fire and smoke doors
- Roller latch lock for double action doors with floor springs.

Technical Data

- 45 mm backset
- 85 mm distance
- Case size: 74 mm x 170 mm

Article No.	Finish
911.24.008	SS Matt

Mortise Toilet Deadlock



- Standard bathroom deadbolt mortise lock
- According to EN 12209
 Grade 3
- For wooden or steel doors
- For single-leaf doors
- Deadbolt lock operated with turn and release

Technical Data

- 8mm follower
- 55mm backset
- Case Size: 84mm x 95mm

Article No.	Finish
911.22.511	SS Matt



Dimensional data not binding. We reserve the right to alter specifications without notice



Project Mortise Locks

Mortise Cylinder lock, 24mm forend, 85mm centres



- Heavy Duty Springing
- Anti Corrosive Plating
- Double Throw Deadbolt
- · Case Size:

74 x 170mm for 45mm BS 89 x 170mm for 60mm BS

 Stainless Steel Dead Bolt & Latch

Article No.	Finish	Backset
911.02.165	SS Matt	45mm
911.02.161	SS Matt	60mm

Residential Mortise Locks

Mortise Cylinder Lock, 55mm Backset, 24mm Forend,72mm Centres



- Anti Corrosive Plating
- Double Throw Deadbolt
- Reversible latch

We reserve the right to alter specifications without notice.

Dimensional data not binding.

Article No.	Finish
911.02.12301	SS Matt

Special Order

Project Mortise Locks

Mortise Cylinder Lock



- Standard Residential Mortise Lock
- According to EN 12209Grade 3
- For wooden or steel doors
- For single-leaf doors
- Zinc alloy latch & deadbolt
- Stainless steel forend
- 5 year warranty (on functionality of the lock)

Technical Data

• Case size: 84 mm x165 mm

- 8 mm follower
- 55 mm backset
- 72 mm centres

Article No.	Finish
911.02.164	SS Matt

Narrow Mortise Locks Backset- 25 mm Centre Distance - 85 mm



Article No.	Finish
900.00.35807	SS Matt

Project Mortise Locks

Narrow Mortise Locks Backset- 30 mm Centre Distance - 92 mm



Narrow Dead Lock Backset- 35 mm



Sliding Double Hook Lock



- Standard Bathroom Deadbolt Mortise Lock
- According to EN 12209
 Grade 3
- For wooden or steel doors
- For single-leaf doors

Technical Data

- 40mm backset
- 22mm forend
- Case size : 69mm x 95mm

Article No.	Finish
911.26.277	SS Matt

Stock Available

4.02

Sliding Mortise Locks

Standard Sliding Single Hook Mortise Locks



- Standard Sliding Single Hook Mortise Locks
- According to EN 12209 Grade 3
- For sliding doors
- Suitable for external fire and smoke doors
- Use with Häfele Range of Classic Straight Sliding Door System

Technical Data

- 55 mm backset
- 20 mm forened
- Case Size: 85 mm x 92 mm

Article No.	Finish
911.26.292	SS Matt



Feature

- For Wooden Doors
- Prepared for Profile Cylinder
- With Hook Bolt
- Backset 55mm

Article No.	Finish
911.26.330	Stainless Steel

Sliding Mortise Locks



Feature

- For Wooden Doors
- Prepared for Profile Cylinders
- With Hook Bolt
- With Pull Handle and Push Button on lock forend
- Push Button to Release Pull Handle
- Backset 55mm

Article No.	Finish	
911.26.350	Stainless Steel	



Feature

- For Wooden Doors
- Prepared for Profile Cylinder
- With Hook Bolt
- Backset 50mm

Article No.	Finish
911.26.096	Nickel Plated

Sliding Door locks



Feature

- For Wooden Doors
- Prepared for Profile Cylinder
- With Hook Bolt
- Backset 50mm

Supplied with

- Mortise Lock
- Striking Plate
- Pair of Flush Handles
- Front Handle

Article No.	Finish	
911.26.084	Nickel Plated Matt	



Feature

- For Wooden Doors
- Bathroom / WC
- With Hook Bolt
- Backset 50mm Supplied with
- Mortise Lock
- Striking Plate
- Pair of Flush Handles
- Set of Fastening material

Article No.	Finish
911.26.092	Nickel Plated Matt

Special Order

Stock Available

Dimensional data not binding. We reserve the right to alter specifications without notice.

Sliding Door Locks



Features:

Material: Stainless Steel, latch and key brass For wooden door Suitable for DIN left and DIN right hand Without MK and GMK function

Supplied with:

- 1 Mortise lock
- 1 Forend plate
- 1 pair Flush handles
- 1 Set of fixing material

Technical data:

For door thickness: 35-50mm Backset (a): 45mm For Entrance:

Article No.	Finish
911.26.412	Nickel Plated
911.26.411	Antique Brass

For Bathroom:

Dimensional data not binding. We reserve the right to alter specifications without notice.

Article No.	Finish	
911.26.422	Nickel Plated	
911.26.421	Antique Brass	

Knob Lockset



Features:

For flush wooden or steel doors Suitable for door leaf thickness 35-45 mm cylinder with 5 pin tumblers

Supplied with:

- 1 Knob lockset
- 1 Latch
- 1 Striking plate
- 1 Assembly key
- 1 Set of fixing material
- 1 Set of installation instructions


Technical data:

Backset 60mm

Knob for Bathroom/ WC Doors

Outside: Knob with emergency release slot

Inside: Knob with push button




Article No.	Finish
911.64.219	SS Matt (US 32 D)
911.64.312	SS Matt (US 32 D)

Knob Lockset

Knob Lockset for Entrance and Office Doors

Outside: Key knob with Cylinder Inside: Knob with push button



l	Article No.	Finish	
	911.64.215	SS Matt (US 32 D)	
	911.64.291	SS Matt (US 32 D)	



Article No.	Finish	Backset
911.64.292	Knob lock, function: entry, PB	70mm
911.64.313	Knob lock, Function: privacy, PB	70mm



-		
Article No.	Finish	Backset
911.64.293	Knob lock, function: entry, AC	70mm
911.64.314	Knob lock, Function: privacy, AC	70mm

Stock Available

Special Order



Knob Locksets



Article No.	Finish	Backset
911.64.294	Knob lock, Function: entry, AB	70mm
911.64.315	Knob lock, Function: privacy, AB	70mm



Article No.	Finish	Backset
911.64.232	Knob lock, Function: entry, Oil Rubbed Bronze	70mm
911.64.233	Knob lock, Function: privacy, Oil Rubbed Bronze	70mm

Lever Locksets

Tubular lever lock BS: 60mm or 70mm adjustable





Antique Brass





Satin Nickel

Antique Copper

Oddil Mickel		
Article No.	Finish	Function
489.10.186	SS Matt	Entrance
489.10.187	Brass Polish	Entrance
489.10.188	Antique Brass	Entrance
489.10.189	Antique Copper	Entrance
489.10.190	SS Matt	Privacy
489.10.191	Brass Polish	Privacy
489.10.192	Antique Brass	Privacy
489.10.193	Antique Copper	Privacy

Special Order



Dimensional data not binding. We reserve the right to alter specifications without notice.

HXFELE

Rim Latch Locks

Secure Vertibolt lock with dimple key, 5 keys



Article No.	Door Thickness (mm)	Finish
911.58.250	30-85	Satin
911.58.251	30-85	Antique Brass

Hale Safety latch Lock with regular key, 3 keys



Article No.	Door Thickness (mm)	Finish
911.58.254	30-85 (Inside)	Satin
911.58.255	30-85 (Inside)	Antique Brass
911.58.245	30-85 (Outside)	Antique Brass
911.58.246	30-85 (Outside)	Satin

Vigor Night Latch Lock with Knob on Inside with Dimple key, 5 keys



Article No.	Door Thickness (mm)	Finish
911.58.258	30-85	Satin
911.58.259	30-85	Antique Brass

Special Order

Rim Latch Locks

Gallant Premium Night Latch Lock with Dimple key, 5 keys





Article No.	Door Thickness (mm)	Finish
911.58.262	30-85	Satin
911.58.263	30-85	Antique Brass

Vigor Night Latch Lock with Knob on Inside with regular key, 3 keys



Article No.	Door Thickness (mm)	Finish
911.58.266	30-85	Satin
911.58.267	30-85	Antique Brass











Euro Profile Cylinders

Euro Profile Double Cylinder, Keved different



Master keyed Cylinder are available on request

Article No.	Finish	
916.96.008	Polished Brass	
916.96.006	Nickel Matt	
Size	: 63mm	
916.96.018	Polished Brass	
916.96.016	Nickel Matt	
Size: 71mm		
916.96.028	Polished Brass	
916.96.026	Nickel Matt	
Size: 40+40=80mm		
916.96.038	Polished Brass	
916.96.036	Nickel Matt	
Size: 45+45=90mm		
916.96.048	Polished Brass	
916.96.046	Nickel Matt	
Size: 50+50=100mm		

Euro Profile Cylinders

Euro Profile Single Cylinder, Keyed Different (Key one side)



Master keyed Cylinder are available on request

Article No.	Finish
916.96.108	Polished Brass
916.96.106	Nickel Matt
Siz	ze: 30+10=40mm
916.96.118	Polished Brass
916.96.116	Nickel Matt
Size: 35+10=45mm	
916.96.128	Polished Brass
916.96.126	Nickel Matt
Size: 40+10=50mm	
916.96.138	Polished Brass
916.96.136	Nickel Matt
Size: 45+10=55mm	
916.96.148	Polished Brass
916.96.146	Nickel Matt
Size: 50+10=60mm	

Euro Profile Cylinders

Euro Profile Single Cylinder with Thumb turn (No kev)



Article No.	Finish
916.96.208	Polished Brass
916.96.206	Nickel Matt
Siz	ze: 30+10=40mm
916.96.218	Polished Brass
916.96.216	Nickel Matt
Siz	ze: 35+10=45mm
916.96.228	Polished Brass
916.96.226	Nickel Matt
Size: 40+10=50mm	
916.96.238	Polished Brass
916.96.236	Nickel Matt
Siz	ze: 45+10=55mm
916.96.248	Polished Brass
916.96.246	Nickel Matt
Size: 50+10=60mm	

Special Order

Stock Available

5.01

Dimensional data not binding. We reserve the right to alter specifications without notice.



Euro Profile Cylinder

Euro Profile Thumb Turn Cylinders, Keyed different (key outside + Thumb turn inside)



Master keyed Cylinder are available on request

·		
Article No.	Finish	
916.96.308	Polished Brass	
916.96.306	Nickel Matt	
Size:	30+30=60mm	
916.96.318	Polished Brass	
916.96.316	Nickel Matt	
Size: 71mm		
916.96.328	Polished Brass	
916.96.326	Nickel Matt	
Size:	40+40=80mm	
916.96.338	Polished Brass	
916.96.336	Nickel Matt	
Size: 45+45=90mm		
916.96.348	Polished Brass	
916.96.346	Nickel Matt	
Size: 50+50=100mm		

Euro Profile Cylinder

Euro Profile Toilet Cylinder (No Key) Thumb turn inside + Emergency release outside)



Article No.	Finish	
916.96.408	Polished Brass	
916.96.406	Nickel Matt	
Size:	30+30=60mm	
916.96.418	Polished Brass	
916.96.416	Nickel Matt	
Size: 71mm		
916.96.428	Polished Brass	
916.96.426	Nickel Matt	
Size: 40+40=80mm		
916.96.438	Polished Brass	
916.96.436	Nickel Matt	
Size: 45+45=90mm		
916.96.448	Polished Brass	
916.96.446	Nickel Matt	
Size: 50+50=100mm		

Toilet Indicator Bolt

Thumb Turn inside & Emergency Release + Indicator Outside with 60 mm spindle suitable for maximum door thickness 50 mm





Article No.	Finish
911.22.404	St. Steel Matt

Toilet Deadbolt Lock

Toilet Deadbolt lock 8mm Spindle



Article No.	Finish
911.22.380	SS Matt

Shaft Door Lock

Shaft Door Lock, 5mm Spindle



Article No.	Finish
911.22.405	SS Matt

Locking Sleeve



Article No.	Finish
234.59.994	Nickel Matt

Allen key for shaft door lock



Article No.	Finish
911.22.40501	SS Matt

Stock Available



Dimensional data not binding. We reserve the right to alter specifications without notice



Euro Profile Computer Key Cylinders

Euro Profile Thumbturn Cylinder, (Thumbturn on inside & Key outside)



Article No.	Size	Finish
916.64.132		Nickel Matt
916.64.131		Brass Matt
916.64.130	60 mm	Polish Brass
916.64.133		Antique Brass
916.64.134		Polish Chrome
916.64.142		Nickel Matt
916.64.141		Brass Matt
916.64.140	70 mm	Polish Brass
916.64.143		Antique Brass
916.64.144		Polish Chrome
916.64.152		Nickel Matt
916.64.151		Brass Matt
916.64.150	80 mm	Polish Brass
916.64.153		Antique Brass
916.64.154		Polish Chrome
916.64.162	90 mm	Nickel Matt
916.64.161		Brass Matt
916.64.160		Polish Brass
916.64.163		Antique Brass
916.64.164		Polish Chrome
916.64.172		Nickel Matt
916.64.171		Brass Matt
916.64.170	100 mm	Polish Brass
916.64.173		Antique Brass
916.64.174		Polish Chrome



Special Order

Dimensional data not binding. We reserve the right to after specifications without notice.



Euro Profile Computer Key Cylinders

Euro Profile Single Cylinder, Keyed Different (Key one side)



Article No.	Size	Finish
916.64.192		Nickel Matt
916.64.191		Brass Matt
916.64.190	40 mm	Polish Brass
916.64.193		Antique Brass
916.64.194		Polish Chrome
916.64.202		Nickel Matt
916.64.201		Brass Matt
916.64.200	50 mm	Polish Brass
916.64.203		Antique Brass
916.64.204		Polish Chrome
916.64.212		Nickel Matt
916.64.211		Brass Matt
916.64.210	61 mm	Polish Brass
916.64.213		Antique Brass
916.64.214		Polish Chrome
916.64.19201	45 mm	Nickel Matt
916.64.19101		Brass Matt
916.64.19001		Polish Brass
916.64.19301		Antique Brass
916.64.19401		Polish Chrome
916.64.20201	55 mm	Nickel Matt
916.64.20101		Brass Matt
916.64.20001		Polish Brass
916.64.20301		Antique Brass
916.64.20401		Polish Chrome

Special Order





Euro Profile Computer Key Cylinders

Euro Profile Double Cylinder, Keyed Different (Key on both sides)



Article No.	Size	Finish
916.64.072		Nickel Matt
916.64.071		Brass Matt
916.64.070	61 mm	Polish Brass
916.64.073		Antique Brass
916.64.074		Polish Chrome
916.64.082	71 mm	Nickel Matt
916.64.081		Brass Matt
916.64.080	70	Polish Brass
916.64.083	70 mm	Antique Brass
916.64.084		Polish Chrome
916.64.092		Nickel Matt
916.64.091		Brass Matt
916.64.090	80 mm	Polish Brass
916.64.093		Antique Brass
916.64.094		Polish Chrome
916.64.102	90 mm	Nickel Matt
916.64.101		Brass Matt
916.64.100		Polish Brass
916.64.103		Antique Brass
916.64.104		Polish Chrome
916.64.112		Nickel Matt
916.64.111		Brass Matt
916.64.110	100 mm	Polish Brass
916.64.113		Antique Brass
916.64.114		Polish Chrome

Special Order



Dimensional data not binding. We reserve the right to after specifications without notice.



Euro Profile High Security Cylinders

Euro Profile ThumbturnCylinder (10 Pins), (Thumbturn on inside & Key outside)



Article No.	Size	Finish
916.96.551	60 mm	Nickel Matt
916.96.553	71 mm	Nickel Matt
916.96.555	80 mm	Nickel Matt
916.96.557	90 mm	Nickel Matt
916.96.559	100 mm	Nickel Matt

Euro Profile Double Cylinder (10 Pins), Keyed different (Key on both sides)



Article No.	Size	Finish
916.96.051	61 mm	Nickel Matt
916.96.053	71 mm	Nickel Matt
916.96.055	80 mm	Nickel Matt
916.96.057	90 mm	Nickel Matt
916.96.059	100 mm	Nickel Matt

Single Cylinder High Security



Article No.	Size	Finish
916.96.151	40 mm	Nickel Matt
916.96.153	45 mm	Nickel Matt
916.96.155	50 mm	Nickel Matt
916.96.157	55 mm	Nickel Matt
916.96.159	60 mm	Nickel Matt

Special Order




Dimensional data not binding. We reserve the right to alter specifications without notice.





Mortising Jig

This Mortise Jig was specially developed for the easy fitting of Mortise Locks. Operated with a normal Electric Drill. Adjustable to all common thicknesses and dimensions. Rapid and clean fitting of mortise locks and bolts for fitting "on the spot"



Article No. Description
001.67.710 Mortise JIG set

Mortise JIG set

A Set Consisting of:

- 1 pc Routing Tool
- •1 pc Shaft 220mm
- •1 pc Carbide wood cutter 17.5 mm
- •1 pc Carbide wood cutter 20.0 mm
- •1 pc Carbide wood cutter 23.8 mm

with Standard case

Mortising Jig

SHAFTS (screw type) spares

Suitable for routing depth upto 90 mm (100 mm without depth stop)



Article No.	Description
001.67.742	220mm Shaft


SHAFTS (screw type) spares

Suitable for routing depth more than 90 mm i.e. routing depth up to 180 mm.



Article No.	Description
01.76.743	295mm Shaft

New version Carbide wood cutter



Article No.	Description
001.67.843	17.5mm Ø Router
001.67.845	20mm Ø Router
001.67.847	22.2mm Ø Router
001.67.849	23.8mm Ø Router
001.67.852	28.6mm Ø Router

Special Order

Mortising Jig

Old version Mortise wood cutters

(Availability till current stocks last. Not for reordering)



Article No.	Description
001.67.718	17.5mm Ø
001.67.720	20.0mm Ø
001.67.724	23mm Ø
001.67.732	31.8mm Ø









Door Closer

HS 3000 Slimline Concealed Door Closer (Fixed sizes).



- 500,000 Cycle tested.
- Hydraulic latching action valve adjustable
- Closing speed valve adjustable
- With fixed back check
- With inter locking hold-open device (not fire rated)
- Suitable for DIN right hand and DIN left hand
- Closing force according to EN 1154

Article No. 931.84.429

Size: EN2

Min. door thickness: 40mm Door width size: 750-850mm Max. door weight: 45 kg Max. door opening angle: 120°

Article No. 931.84.419

Size: EN3

Min. door thickness: 40mm Door width size: 850-950mm Max. door weight: 60 kg Max. door opening angle: 120°

Article No. 931.84.439

Size: EN4

Min. door thickness: 40mm Door width size: 950-1100mm Max. door weight: 80 kg Max. door opening angle: 120°

Door Closer

DCL 33 - Soft Action Concealed Door Closer Adjustable Size EN 2-4



Technical Data:

- 500,000 Cycle tested
- Closing force EN1154
- Adjustable Power 2- 4
- Door width 850-1100mm
- Max. door opening 115°
- Max. door leaf weight 80 kg
 Min. door Thickness 45mm
- Min. door Thickness 45mm

Adjustable Back-Check
 Finish: Aluminium

Article No.	931.84.269*
Article No.	931.84.039#

*Hold Open #With out Hold Open

Size	Door Width	Door Weight
EN2	850 mm	45 kg
EN3	950 mm	60 kg
EN4	1100 mm	80 kg
CAM Efficient		

Door Closer

HS 1100 Surface Mounted EN 2 - 4 Door Closer



Technical Data:

 Adjustable size: 2-4 for doors from 850mm to 1100mm, 45kg to 80kg

Finish: Silver

Article No.	Description
931.84.749	HS 1100 with standard Arm
931.84.759	HS 1100 with hold- open Arm







We reserve the right to alter specifications without notice.

Dimensional data not binding.

EN 1154.1996 + A1.2002

Technical Data:

- ●500,000 Cycle tested
- Closing force complying with EN 1154 2 - 4
- Door width 850-1100mm
- Max. door opening angle approx. 180°
- Max. door leaf weight 60 kg
 Finish: Aluminium

Article No.	Description
931.84.649	With Standard Arm Assembly
931.84.659	With Hold-Open Arm

Note for hold open device: The use of a hold open device or fire resistant and smoke control doors is not permitted.

Special Order

Door Closer

DCL 15 Surface Mounted FN 2 - 4 Door Closer





Technical Data:

- ●500,000 Cycle tested
- ●Closing force complying with EN 1154 2 4
- •Max. door leaf width 1100mm
- Max. door opening angle approx. 180°
- ●Max. door leaf weight 80 kg Finish: Aluminium

Article No.	Description
931.84.629	With Standard Arm Assembly
931.84.639	With Hold-Open Arm

DIY78 Surface Mounted



Dimensional data not binding. We reserve the right to alter specifications without notice.

Article No.	Description
499.30.002	With standard arm, size 2/3/4, for up to 80 kg
499.30.003	With hold open arm, size 2/3/4, for up to 80 kg

Special Order

Door Closer

DCL 51 Surface Mounted EN 2 - 5 Door Closer



Fire tested

Technical Data:

- 500,000 Cycle tested
- Closing force complying with EN 1154 2 - 5 Adjustable Power
- Door width 850-1250mm
- Max. door opening angle approx. 180°
- Max. door leaf weight 110 kg
- Adjustable Back-Check

Finish: Aluminium

Article No.	Description
931.84.829	With Standard Arm Assembly
931.84.669	With Hold-Open Arm

DCL 34
Concealed Door Closer



C € Marked

- Suitable for DIN L and DIN R application
- For Size 3
- Door width </=950mm
- Door weight 60kg
- In compliance with EN 1154:1996/A1:2002

Article No.	Description	
931.84.049	Without hold open	
931.84.279	With hold open	

Door Closer

DCL 21 Surface Door Closer



4.7	
Article No.	Description
931.84.129	With hold open

DCL 65 Surface Door closer with slide arm and track



- Suitable for DIN L and DIN R application
- For Size 2-5
- Door width Max. 1400mm
- Door weight 150kg
- In compliance with EN 1154-1996/A1-2002

Article No.	Description	
931.84.149	Without hold open	

HS1100ST Surface Door Closer



Article No.	Description
931.84.74911	Without hold open
931.84.75911	With hold open

DCL 61 Surface Door Closer



Article No.	Description	
931.84.119	Without hold open	
931.84.139	With hold open	

Door Closer

DCL 55 Concealed Door Closer



Size 2-6 Door Weight – Max.150Kg Door Width – Max.1400mm In compliance with EN 1154:1996/A1:2002

Article No.	Description
931.84.769	DCL 55 with standard arm
931.84.819	DCL 55 with hold- open arm

Saddle Plate For DCL 21DOOR CLOSER



Article No.	Thickness
931.84.90002	10 mm
931.84.90003	12 mm

DCL 83 CAM Surface Door Closer




Article No.	Description
931.84.289	Without hold open
931.84.299	With hold open

Special Order

Door Closer

PERKO - Jamb Concealed Door Closer





Technical Data:


- Concealed enhance aesthetics - reduced opportunity for vandalism
- Door Weight 50.8kg
- Designed for light to medium duty installations
- Tested to withstand 500,000 closing cycles
- The precision engineered chain ensures smooth and lasting service

Article No.	Finish	
931.90.418	Brass Polished	
931.90.412	Chrome Polished	
931.90.414	Chrome Matt	

Door Closer

PERKOMATIC - Jamb Concealed Door Closer







Technical Data :

- Concealed enhance aesthetics - reduced opportunity for vandalism
- Door Weight 75kg
- Designed for light to medium duty installations
- Tested to withstand 500,000 closing cycles
- The precision engineered chain ensures smooth and lasting service


Article No.	Finish	
931.90.408	Brass Polished	
931.90.422	Chrome Polished	
931.90.424	Chrome Matt	

Door Closer

POWERMATIC - Jamb Concealed Door Closer



316 Stainless steel fixed links









Features:

We reserve the right to alter specifications without notice.

Dimensional data not binding.

- Fits in regular thickness 13/4" doors
- CE Marked, controlled. concealed hydraulic door closer
- Fire tested for 90 minuets fire doors
- Door Weight 80kg • Endurance tested to 500.000 closing cycles
- 10 year guarantee
- Adjustable closing speed and power latching action
- Fits in regular thickness 13/4" doors

Article No.	Finish	
931.90.438	Brass Polished	
931.90.432	Chrome Polished	
931.90.434	Satin Chrome	

Special Order

Floor Springs

FS 2100 Floor Spring with 90° Hold open



- Cover Plate in Satin Stainless
 - Tested for 500,000 cycles
- Finish: St. Steel Cover.



Double Action Bottom strap

Technical Data

- Maximum Door Weight 120kg (for size 4)
- Floor Spring Mechanism with Cover
- 70 kg for size 2
- 90 kg for size 3

l	Article No.	Size	Door Width
l	932.79.020	2	750-850mm
	932.79.030	3	850-1000mm
	932.79.040	4	1000-1200mr

Article No.	Description
932.79.090	Double action accessories for Floor Spring suitable for timber doors

Floor Springs

FS 6100 Heavy Duty Floor Spring (for 600 kg)



Special Features :

- Cam & Roller Mechanism
- Unique quidance system ensures doors always return to centre position in double action
- High Efficiency
- Fasy operation and good holding forces
- Suitable for doors upto 400kg (Single Action) and 600kg. (Double Action)
- Maximum Door Width -1400mm from Pivot Point

Construction

- Cast Iron Body for Heavy Duty Performance
- Stainless Steel & Steel Precision Manufactured Internal Components

Article No.	Finish
932.86.000	St. Steel Cover without hold open
932.86.031 St. Steel Cover with hold open	
Supplied with Standard Double	

Single Action Acessory

- Suitable for Floor Springs
- Door weight upto 120Kg
- Includes cover cap

Action Accessories



SS Door Co-ordinator

SS Door Co-ordinator



Features

- In connections with door closer
- For double-leaf doors
- Ensures the correct closing sequence of both doors
- Suitable for DIN left and DIN right hand
- Fixing: Visible in the lintel of the door

Article No.	Finish
931.50.900	SS Matt

300kg Floor Spring with 90° Hold Open **StarTec**





Top Centre



- Cover Plate in Satin Stainless Steel Tested for 500,000 cycles
- Finish: St. Steel Cover

Technical Data:


- Maximum Door Weight 300kg (for size 5&6)
- Floor Spring Mechanism with Cover

Supplied with:

 Double action accessories for wooden doors

Article No.	Size	Door Width
932.79.170	5-6	1500mm


Special Order



- 1. Closing range: 25°-0° (adjusted by valve 2)
- 2. Closing range: 70°-25° (adjusted by valve 1)
- 3. Closing range: 85°-70°(non-adjustable)
- 4. Hold-open: 90°
- 5. Open angle: 125° (maximum)

Features

- Floor mounted by surface fixing (nonexcavating)
- Reduce time and cost taken by installation
- EN1154 compliant
- Over 500000 cycles tested
- Suitable for wooden door with thickness 40mm & up
- Maximum door leaf width: 1050mm
- Maximum door leaf weight: 100kg
- Hold-open at door open angle 90°
- Double action, maximum door open angle: 125°
- Valve adjustment available for closing speed control



>40mm

Ensure the alignment of door panel by adjusting the set screws on the base seat

Article No	Description
981.91.921	Bottom Concealed Door Closer 90° Hold Open

Accessory for fixing

Article No	Description
932.79.090	Accessory for fixing Bottom Concealed Door Closer







SAFEX Panic Exit Device

Panic Exit Device PED 200-Horizontal Lock



- · Area of application: For fire resistant doors
- · Material of touchable mechanism: Steel
- · Colour of cover: Black
- · Finish of touchable mechanism: Powder coated
- · Version: Basic module
- · Standard: EN 1125 in conjunction with approved accessories
- For door width: <1300 mm
- · Door weight: <200 kg
- · Lever follower: 8 mm
- · Colour: Bar: Red
- · Finish: Powder coated

Article No.	Material
901.02.449	Bar: Steel

SAFEX Panic Exit Device

PED 210 Panic Exit Device -Vertical locking action, with key change



- · Area of application: For fire resistant doors
- · Material of touchable mechanism: Steel
- · Colour of cover: Black
- · Finish of touchable mechanism: Powder coated
- · Version: Basic module with vertical locking action
- · Standard: EN 1125 in conjunction with approved accessories
- For door height: <2400 mm
- For door width: <1300 mm
- · Door weight: <200 kg
- · Lever follower: 8 mm
- · Colour: Bar: Red
- · Finish: Powder coated

Article No.	Material
901.02.459	Bar: Steel

SAFEX Panic Exit Device

Grade II Rim Touch Pad Horizontal Panic Exit Device





UL 10C AND UBC 7-2 (1997)

Special Features :

- Conform to ANSI standard grade II A156.3
- UL listed
- 300,000 cycle tested
- · Non-Handed, suitable for both Left and Right hand doors
- · Minimal pressure on device touch pad will retract latch for immediate exit
- · Available both as Fire Rated and Non Fire Rated
- · Suitable for Narrow, Medium or Wide Aluminium, hollow Metal or Wooden Doors
- · External lever trim available Separately
- · Finish: Aluminium

Article No.	Description	
911.52.633	Rim Touch Pad Exit Device, 36"	
Fire Rating: N/A		
911.52.634	Rim Touch Pad Exit Device, 36"	

Fire Rating: 3 Hours

Stock Available

Special Order

Dimensional data not binding. We reserve the right to alter specifications without notice.

HXFEL

SAFEX Panic Exit Device

Grade II Vertical Panic Exit Device



Article No: 911.56.039

Special Features:

- · Maximum door height -2400mm (8 feet)
- Door width 36"
- · Conform to ANSI standard grade II A156.3
- UL listed
- 300,000 cycle tested
- · Non-Handed, suitable for both Left and Right hand doors
- · Minimal pressure on device touch pad will retract latch for immediate exit
- External lever trim available Separately
- Finish: Aluminium (3 hrs fire rated)

Accessories:

We reserve the right to alter specifications without notice

Dimensional data not binding.



- External Trim for Panic Device Entry Function (with key) for door thickness 55 mm
- Entry Function (with Key)

Article No.	Finish
911.56.049	Chrome Matt

Special Order

SAFEX Panic Exit Device



• Rim Cylinder, keyed different for door thickness 55 mm

Article No.	Finish
911.56.046	Chrome Matt

·Alarm Kit, Battery operated to panic device

Article No.	Finish
911.56.048	Aluminium



· Overlapping strike for Double doors

Article No.	
911.56.047	Chrome Matt









Timber / Metal Door Seals

Automatic Drop Down Seal





Fire tested

Special Features:

- 1,000,000 Cycle Tested
- Acoustic


Dimensional data not binding. We reserve the right to alter specifications without notice.

- Medium Temp smoke 200° C Resistant
- Energy, Draught & Dust Protected
- · Light Resistant
- · With Silicon Sealing Component
- · Concealed Fixing
- Suitable for Single & Double Leaf Hinged Door
- Maximum Drop 13mm
- Finish: Aluminium

Article No.	Size	Cut to Size
950.06.301	920mm	820mm
950.06.302	1070mm	920mm
950.06.303	1220mm	1070mm
950.06.304	820mm	600mm
950.06.305	600mm	380mm

Groove Mounted Seals

Internal Door Seal



Special Features:

Protection from cold and droughts

Fixing:

- Striking air 5mm
- Rebate width 12mm
- Groove width 4mm
- Groove depth 7mm

Material:

· Soft PVC

Article No.	Finish	Size
950.07.602	Brown	1 m
950.09.522	Brown	25 m

Timber / Metal Door Seals

Intumescent Fire Seal for Fire Resisting Doors & Frames



Special Features:

- Fire & Hot Smoke Resistant
- Tested to BS 476 Part-22-1987 (30 Minutes)
- Material Flexible PVC Cased
- Fixing Self Adhesive
- Expands and covers gap between door and frame in case of fire

Article No.	Finish
950.06.371	Brown

Compression Silicon Weather Seal

Optional fitting detail

Special Features:

- Seal Material: Silicon Rubber (White, Brown and Black)
- · Weather and Acoustic
- Compression:1 2mm

Application:

Deep Kerf Groove, push-in locking fit on door frames

Article No.	Size
950.07.60201	2500mm

Stock Available


Special Order

9.01



Timber / Metal Door Seals

Self Adhesive Seal



Special Features:

- Seal Material : EPDM closed cell sponge (White, Brown or Grey)
- · Acoustic, Fire & Smoke, Energy
- Gap Coverage: 2 mm (min)-4mm (max)

Application: Around door frames Supplied with

Side seals X 2

Article No.	Finish	Seal Size
950.06.33101	Brown	2 X2500mm

Self Adhesive Seal




- Acoustic
- · Weather Protected
- Protected from Insects &Vermin
- · Energy, Draught & Dust Protected
- · Light Resistant
- Material EDPM
- · Fixing Self Adhesive
- To Cover a Gap from 3-5mm

Article No.	Finish
950.06.331	Brown

Special Order

Timber /Metal Door Seals

Delta Seal™ Acoustic & Smoke **Door Frame Seal**



Special Features:

- Seal Material: PVC
- · Acoustic, Fire & Smoke, Energy FRL & FRR -/240/30 and FD240
- · Gap Coverage: 3mm (min)-5.5 mm (max)

Application: Around rebated frames of single and double broad butt hinged doors (Self Adhesive)


Supplied with

- Side seals X 2
- Top seal X 1

Article No.	Finish	Seal Size
950.35.11101	Brown	2100mm X 2 1000mm X 1

Timber /Metal Door Seals

Reversible Acoustic Door **Bottom Seal**



Special Features:

- Standard Finish: Satin Aluminium
- Seal Material: Silicon Rubber & Aluminium
- · Acoustic, Fire & Smoke, Energy FRL & FRR -/240/60 and FD240
- Tested to over 1,000,000 operating cycles
- · Gap Coverage: 3mm (min)-13mm (max)

Application: Semi Mortised or Face Mounted on single and double butt hinged door


Article No.	Cut to size	Seal Size
950.17.90001	610mm	920 mm
950.17.90002	920mm	1070 mm






Timber / Metal Door Seals

Reversible Acoustic Door **Bottom Seal**





Special Features:

We reserve the right to alter specifications without notice.

Dimensional data not binding.


- Standard Finish: Satin Clear
- · Seal Material: Silicon Rubber and Aluminium
- · Acoustic, Fire & Smoke, Energy FRL & FRR -/240/60 and FD240
- Tested to over 1,000,000 operating cycles
- · Gap Coverage: 3mm (min) -13mm (max)

Application: Fully Mortised on single and double butt hinged door, minimum door thickness 45mm

Article No.	Cut to size	Seal Size
950.17.90003	610mm	920 mm
950.17.90004	920mm	1070 mm

Timber / Metal Door Seals

Nylon Brush Strip Seal with Aluminium Carrier (Solving Draught)



Special Features:


- · Seal Material: Fine, dense, black nylon filaments and Aluminium
- · Standard Finish: Satin Clear
- Gap Coverage : Up to 19mm Application: Door bottoms,

single, double or sliding, double acting (Self Adhesive)

Article No.	Seal Size
950.06.60205	1000mm

Timber /Metal Door Seals

Nylon Brush Strip Seal with Aluminium Carrier (Solving Draught)



Special Features:

- · Seal Material: Fine, dense, black nvlon filaments
- · Standard Finish: Satin Clear
- Gap Coverage : Up to 19mm

Application: Door bottoms, single, double or sliding, double acting, meeting stiles (Self Adhesive)

Article No.	Seal Size
950.06.60204	1000mm

Special Order







Door Accessories

Floor Mounted Door Stopper Zinc Alloy



Article No.	Finish
937.41.308	Brass Polished
937.01.116	Nickel Matt
937.41.302	Chrome Polished

Zinc Alloy Door Stopper



Article No.	Finish
937.53.526	Nickel Matt
937.53.522	Chrome Polished

Door Stopper



Article No.	Finish
937.53.560	SS Matt/ Black Rubber

Floor Mounted Door Stopper

Dimensional data not binding. We reserve the right to alter specifications without notice.



Article No.	Finish
937.53.590	SS Matt

Door Accessories

Floor Mounted Door Stopper Stainless Steel



Article No.	Finish
937.55.140	SS Matt
937.55.141	SS Polished

Floor Mounted Door Stopper



Article No.	Finish
937.51.770	SS Matt

Magnetic Door Stop

Features

With magnetic adhesion mechanism



Article No.	Finish
938.39.010	SS Matt
938.30.011	Antique Brass
938.30.018	Brass Polish

Door Accessories

Wall Mounted Door Stopper



Article No.	Finish
937.13.530	SS Matt

Spring Loaded Security Chain



Article No.	Finish
911.59.089	Brass Polished
911.59.095	Nickel Matt
911.59.091	Chrome Polished

Security Door Guard



н		
	Article No.	Finish
	911.59.156	Nickel Matt
	911.59.158	Brass Polished
	911.59.151	Antique Brass

Security Door Chain



Article No.	Finish
911.59.178	Brass Polished
911.59.172	Chrome Polished

Stock Available

Special Order

www.hafeleindia.com 10.01

Door Accessories

Door Guard with Black Rubber



Article No.	Finish
911.59.044	Brass Polish
911.59.045	Satin Brass
911.59.046	Satin Nickel
911.59.047	Chrome Polish
911.59.048	Antique Brass
911.59.049	Antique Copper

Door Chain with Black Leather



Artic	cle No.	Finish
911.	60.005	Satin Nickel
911.	60.008	Brass Polish
911.	60.007	Antique Brass

Security Door Chain



Article No.	Finish
	Satin Stainless Stee
911.60.015	Polished Stainless Steel
911.60.017	PVD Brass Polished
911.60.018	Antique Brass

Door Accessories

Door Viewer with Flap



Article No.	Finish	
959.03.018	Brass Polished	
959.03.056	Nickel Matt	
959.03.052	Chrome Polished	
Viewing Angle 180° with the Glass Lens		
For Door Thickness 38-60mm		

Door Viewer



Article No.	Finish
959.00.027	Satin Nickel (160°)
959.00.011	Satin Nickel (160°)
959.00.040	Satin Nickel (180°)
959.00.043	Brass Polished (180°)
959.00.044	Antique Brass (180°)
959.00.034	Satin Nickel (180°)
959.00.090	Satin Nickel (200°)
959.00.091	Brass Polished (200°)
959.00.092	Antique Brass (200°)
959.00.104	Satin Nickel (200°)

Engineering Bolt Engineering Bolt with Key, SS Matt



Article No.	Finish
911.62.389	Satin Nickel

Door Accessories



Size: 300 x 100mm

OIZO : OOO X TOOIIIIII	
Push Plate, Plain (without Engraving)	
Article No.	Finish
987.19.300	SS Matt
Push Plate, (Push Printed)	
987.11.300	SS Matt
Pull Plate with Handle (Push Printed)	
987.11.200	SS Matt

Kick Plate / Trolley Plate



Size to be Specified

Article No.	Finish
987.19.310	SS Matt

Lever Action Flush Bolt



Article No.	Finish	
Polished Brass		
911.62.570	19 x 200mm	
911.62.572	19 x 300mm	
Nickel Matt		
911.62.571	19 x 200mm	
911.62.573	19 x 300mm	

Dimensional data not binding. We reserve the right to alter specifications without notice



Door Accessories

Concealed Flush Bolt



Article No.	Size	Finish
911.62.670	190mm	SS Matt
911.62.671	450mm	SS Matt
911.62.672	600mm	SS Matt

Seamless Towerbolt

10mm Rod (SS 304)



Article No.	Finish	Size
911.81.080	SS Matt	6"
911.81.081	SS Matt	8"
911.81.082	SS Matt	10"
911.81.083	SS Matt	12"
911.81.085	SS Matt	18"
911.81.087	SS Matt	24"

Dust proof strike

Dimensional data not binding. We reserve the right to alter specifications without notice.



Finish: SS Matt (304)

\ /	
Article No.	Finish
911.62.577	Brass polished
911.62.158	Nickel Matt

Special Order

Door Accessories

Female Symbol Plate 76mm Ø



Article No.	Finish
987.10.200	SS Matt

Handicapped Symbol Plate 76mm Ø



Article No.	Finish
987.10.300	SS Matt

Unisex Symbol Plate 76mm Ø



Article No.	Finish
987.10.000	SS Matt

Male Symbol Plate 76mm Ø



Article No.	Finish
987.10.100	SS Matt

Door Accessories

Digital Door Viewer

Cosmos



- Viewing Angle: 105°
- Door Thickness: 38 mm 110 mm

	Article No.	Colour
Cosmos	959.23.050	Black
Cygnus	959.23.040	Black

Indicator Bolt

Engineering Bolt with Key

- SS304 Material
- With Indicator outside



Article No.	Finish
911.62.795	SS Matt



Window Friction Hinges

Standard Top Hung and Side Hung








Top Hung

Side Hung

Features:

- · Manufacture from high grade austenitic SS304 grade
- · Composite Steel/Plastic slider for strength
- · Durability and smooth operation
- · Mainly used for light top projecting style domestic windows



• Top Hung Windows

10

Door Accessories

Article No.	Size	A mm	B mm	C mm	Dmm/ Stack height	Max. width	Max. height	Max. weight	Open. Angle
972.05.001	203mm (8")	203	16	18	14	1200	350	11kg	60°
972.05.002	255mm (10")	255	16	18	14	1200	400	16kg	84°
972.05.003	305mm (12")	305	16	18	14.5	1200	550	18kg	85°
972.05.004	356mm (14")	356	16	18	15.5	1200	650	20kg	87°
972.05.015	406mm (16")	406	19	22	16	1200	750	40kg	87°
972.05.017	509mm (20")	509	19	22	16	1200	1000	45kg	42°
972.05.019	609mm (24")	609	19	22	16	1200	1200	50kg	45°

· Side Hung Windows

Article No.	Size	A mm	B mm	C mm	Dmm/ Stack height	Max. width	Max. height	Max. weight	Open. Angle
972.05.003	305mm (12")	305	16	18	14.5	600	1200	18kg	85°
972.05.004	356mm (14")	356	16	18	15.5	650	1200	20kg	87°
972.05.015	406mm (16")	406	19	22	16	700	1200	40kg	87°

Special Order

Window Systems

Window Bolt System



Article No.	Description
970.27.011	Locking Bolts for windows from 800- 1100mm height, Satin Zinc
970.27.014	Locking Bolts for windows from 1100- 1400mm height, Satin Zinc
970.27.017	Locking Bolts for windows from 1400- 1700mm height, Satin Zinc
970.27.020	Locking Bolts for windows from 1700- 2000mm height, Satin Zinc



Article No.	Description
970.27.000	Brass Lock Body, Satin Zinc

Special Order

Window Accessories

Window Bolt System



Article No.	Description			
970.27.030	Locking Plate for Frame Left Hand, Satin Zinc			



Article No.	Description
970.27.031	Locking Plate for Frame Right Hand, Satin Zinc

Window Handles

Window Bolt System



Article No.	Description
70.32.496	Brass Lever Handle 90°Travel locking Right Hand, Nickel Matt
70.32.491	Brass Lever Handle 90° Travel locking Right Hand, Brass Polished
70.32.492	Brass Lever Handle 90° Travel locking Right Hand, Chrome Polished
70.32.486	Brass Lever Handle 90° Travel locking Left Hand, Nickel Matt
70.32.481	Brass Lever Handle 90° Travel locking Left Hand, Brass Polished
70.32.482	Brass Lever Handle 90° Travel locking Left Hand , Chrome Polished
70.32.49111	Brass Lever Handle 90° travel locking right hand, antique ep
70.32.48111	Brass Lever Handle 90° travel locking left hand, antique ep

Stock Available


10.05

Dimensional data not binding. We reserve the right to alter specifications without notice.



Door Accessories

Window Bolt System



We reserve the right to alter specifications without notice.

Dimensional data not binding.









Nylon Partition

Lavabo Nylon Partition Hardware **Fittings**

Self Closing Hinge, Left and Right Hand, Flat Doors

(2 Active + 1 Normal) Man. Door Weight - 25kg Max. Door Width - 700mm



Article No.	Handing	Finish
980.33.003	Left	Black
980.33.013	Right	Black
980.33.005	Left	Grey
980.33.015	Right	Grey

Adjustable Leg for 13mm



Article No.	Finish
980.33.103	Black
980.33.105	Grey

Lockset (Turn & Indicator)



Article No.	Finish
980.33.203	Black
980.33.205	Grey

Special Order

Nylon Partition

Lavabo Nylon Partition Hardware **Fittings**

Angle Bracket (55 x 45mm)



Article No.	Finish
980.33.113	Black
980.33.115	Grey

Header Bar, 32mm ø



Article No.	Finish	Size
980.33.303	Alu. Black	2000mm
980.33.305	Alu. Grey	2000mm
980.33.313	Alu. Black	3000mm
980.33.315	Alu. Grey	3000mm

Wall Bracket with Tube



Article No.	Finish
980.33.323	Black
980.33.325	Grey

Nylon Partition

Lavabo Nylon Partition Hardware **Fittings**

"T" Connector



Article No.	Finish
980.33.333	Black
980.33.335	Grey

"L" Connector



Article No.	Finish
980.33.343	Black
980.33.345	Grey

Panel Holder



Dimensional data not binding. We reserve the right to alter specifications without notice

Article No.	Finish
980.33.353	Black
980.33.355	Grey



Nylon Partition

Lavabo Nylon Partition Hardware Fittings

Door Knob with Bumper



Article No.	Finish
980.33.213	Black
980.33.215	Grey

Coat Hook



Article No.	Finish
980.33.403	Black
980.33.405	Grey

Toilet Paper Holder

Dimensional data not binding. We reserve the right to alter specifications without notice.



Article No.	Finish
980.33.413	Black
980.33.415	Grey

Special Order

Nylon Partition

Lavabo Nylon Partition Hardware Fittings

Aluminium Profile with Black rubber (for 13mm board), 1800mm



Finish
Black
Grey

Stock Available

11.02














Hydraulic Patch Fitting








- 1. Closing range : 25°-0° (adjusted by valve 2)
- 2. Closing range: 70°-25° (adjusted by valve 1)
- 3. Closing range: 85°-70°(non-adjustable)
- 4. Hold-open: 90°
- 5. Open angle: 125° (maximum)


Features

- Floor mounted by surface fixing (non-excavating)
- •Reduce time and cost taken by installation
- ●EN1154 compliant
- •Over 500000 cycles tested
- •Suitable for 10-13.5mm tempered glass use
- Maximum door leaf width: 1050mm
- •Maximum door leaf weight: 100kg
- •Self-positioned when door reaches to initial position
- •Hold-open at door open angle 90°
- •Double action, maximum door open angle: 125°
- •Valve adjustment available for closing speed control
- •Self-closing when door is closed to 85°

Glass cut-out



Drilling Positions on Ground



Application of Gaskets

Thickness of Door	10mm	12mm	13.5mm
Gasket Use	6 pcs	4 pcs	2 pcs

Article No	Description
981.91.920	Hydraulic Patch For 10-13.5 mm Glass Doors SS 304 SS Matt

Special Order



Patch Fittings



 Bottom Patch Fitting for 10 or 12mm Glass

Article No.	Finish
981.00.000	St. Steel Matt
981.00.001	St. Steel Polished



 Top Patch Fitting for 10 or 12mm Glass

Article No.	Finish
981.00.010	St. Steel Matt
981.00.011	St. Steel Polished



 Top Pivots for Doors with Fixed Glass Panels on Top for 10, 12mm Glass (with plate)

Article No.	Finish
981.00.110	St. Steel Matt
981.00.111	St. Steel Polished

Special Order

Patch Fittings



 Top Pivot for doors with fixed glass panel on top & side for 10, 12 glass

Article No.	Finish
981.00.030	St. Steel Matt
981.00.031	St. Steel Polished



 Top Pivot for Doors with Fixed Glass Panel on Top & 90°.
 Connector inside for 10 or 12mm Glass

Handing: Left and Right Hand

Article No.	Finish
Left Hand	
981.00.050	St. Steel Matt
981.00.051	St. Steel Polished
Right Hand	I
981.00.040	St. Steel Matt
981.00.041	St. Steel Polished

Patch Fittings



 Top Pivot for Doors with Fixed Glass Panel on Top & 90°.
 Connector inside for 10 or 12mm Glass Handing: Left and Right Hand

Article No.	Finish	
Left Hand		
981.07.080	St. Steel Matt	
981.07.081	St. Steel Polished	
Right Hand		
981.07.090	St. Steel Matt	
981.07.091	St. Steel Polished	



 Top Pivot for Doors with Fixed Glass Panel On Top & Fin Fitting Inside for Back to Back Doors with 2 Pivots for 10 or 12mm Glass

Article No.	Finish
981.07.100	St. Steel Matt
981.07.101	St. Steel Polished

Patch Fittings



• Hafele bottom patch fitting for double action doors-SSS

Article No.	Material
981.50.010	Aluminium



• Hafele top patch fitting for double action doors-SSS

Article No.	Material
981.50.020	Aluminium



Dimensional data not binding. We reserve the right to alter specifications without notice.

•Hafele fanlight/side panel patch fitting-SSS

Article No.	Material
981.50.040	Aluminium

Special Order

Patch Fittings



 Hafele corner patch lock with PC aperture w/o cylinder-SSS

Article No.	Material
981.50.030	Aluminium



 Hafele fanlight pivot patch fitting for wall fixing-SSS

Article No.	Material
981.50.050	Aluminium

Patch Fittings



HXFELE

• Top Patch for Connecting 2 or 4 Glass Panels for 10 or 12mm

Article No.	Finish
981.00.120	St. Steel Matt
981.00.121	St. Steel Polished



 Top Patch for Fixed Glass Panels on Top & Side 10 or 12mm Glass

Article No.	Finish
981.00.060	St. Steel Matt
981.00.061	St. Steel Polished



· Over Panel Connector with Fin Fittings Connect for 10 or 12mm Glass

Article No.	Finish
981.07.130	St. Steel Matt
981.07.131	St. Steel Polished



Patch Fittings



- Top or Bottom Corner Patch Lock for 10 or 12mm Glass
- Supplied with Euro Profile Double Cylinder

Article No.	Finish
981.00.480	St. Steel Matt
981.00.4010	1 St. Steel Polished



 Top Patch Lock Keeper for 981.00.400/401 Series locks for 10 or 12mm Glass

Article No.	Finish
981.00.470	St. Steel Matt
981.00.471	St. Steel Polished



 Side Connector for Holding Fixed Panels or Support Fin Bracket for 10 or 12mm Glass

Article No.	Finish
981.07.160	St. Steel Matt
981.07.161	St. Steel Polished

Special Order

Patch Fittings



 Glass Clamp for Joining Over Panels & Side Panels to reduce Flexing for 10 or 12mm Glass

Article No.	Finish
981.07.170	St. Steel Matt
981.07.171	St. Steel Polished



 Side Connector to Hold Fixed Panels or Support Fin Bracket for 10 or 12mm Glass

Article No.	Finish
981.07.180	St. Steel Matt
981.07.181	St. Steel Polished



 Centre Patch Lock for 10 or 12mm Glass

	Finish
981.00.41001	St. Steel Matt
981.00.41101	St. Steel Polished

Patch Fittings



• Strike Box for Centre Patch Lock for 10 or 12mm Glass

Article No.	Finish
981.00.420	St. Steel Matt
981.00.421	St. Steel Polished



 Top Pivot with St. Steel Plate for Glass Doors with Wooden Fixed Panel on Top

Article No.	Finish
981.07.280	St. Steel Matt



· Floor Pivot with Bearing

Article No.	Finish
981.07.290	St. Steel Matt


Stock Available

HXFELE

Glass Door Lock Series



Glass to Glass Application





Technical Specifications:

Base Material: SS 304

• Finish: SS Matt

• For Glass Application 8-12 mm • Min. & Max. Width: 600-1000 mm

Min. Weight: 30 kg

Max. Weight with 2 Hinges: 60 kg


Max. Weight with 3 Hinges: 90 kg

No. of keys: 5

• Euro Profile Computerised Cylinders

Article No.	Description	
981.50.164	Square glass door hinge 8-12mm	
981.50.170	Square glass door lock 8-12 mm	
981.50.175	Square glass door strike plate 8-12 mm	

Glass to Wooden Frame Application



Article No.	Description
981.50.164	Square glass door hinge 8-12mm
981.50.170	Square glass door lock 8-12 mm
981.50.17501	Strike plate for timber door




Special Order

Stock Available

Glass Door Lock Series



Glass to Glass Application





Base Material: SS 304

• Finish: SS Matt

For Glass Application 8-12 mm

Min. & Max. Width: 600-1000 mm

Min. Weight: 30 kg

• Max. Weight with 2 Hinges: 60 kg • Max. Weight with 3 Hinges: 90 kg


No. of keys: 5

• Euro Profile Computerised Cylinders



Article No.	Description
981.50.163	Round glass door hinge 8-12 mm
981.50.171	Round Glass Door Lock 8-12 mm
981.50.176	Round glass door strike plate 8-12 mm

Glass to Wooden Frame Application



Article No.	Description
981.50.163	Round glass door hinge 8-12 mm
981.50.171	Round gass door lock 8-12 mm
981.50.17501	Strike plate for timber door




Special Order



Glass Door Lock Series

Glass to Glass Application






- Base Material: SS 304
- Finish: SS Matt
- For Glass Application 8-12 mm
- Min. & Max. Width: 600-1000 mm
- Min. Weight: 30 kg
- Max. Weight with 2 Hinges: 60 kg
- Max. Weight with 3 Hinges: 90 kg
- No. of keys: 5
- Euro Profile Computerised Cylinders



Glass to Wooden Frame Application





Dimensional data not binding. We reserve the right to alter specifications without notice.

Article No.	Description	
981.50.161	Glass door hinge 8-12 mm	
981.50.162	Glass door hinge 8-12 mm	
981.50.172	Glass door lock 8-12 mm	
981.50.177	Glass door strike box 8-12 mm	
911.39.136	Strike plate	ļ

Special Order



Glass Door Sealing Application

Glass Lip






Specifications:

- Glass thickness: 8 14 mm.Min. Max. gap: 2.5-7 mm.
- Length: 3000 mm.
- High strength transparent adhesive.
- Colour: Transparent.
- For all type of glass doors.

Article No.	Description
950.40.00101	Adjustable Glass Lip

Glass Lip Slide




Specifications:

- Glass thickness: 8 12 mm.
- Min. Max. gap: 12- 30 mm.
- Length: 3000 mm.
- High strength transparent adhesive.
- Colour: Transparent.
- For all type of glass sliding doors.

Article No.	Description
950.40.00104	Adjustable Glass Lip for sliding doors







Specifications:

• Glass thickness: 8 - 14 mm.

Article No.	Description
950.40.00114	Glass Lip Template

Glass Cleaning Wipes



Specifications:


Isopropyl alcohol.

Article No.	Description
950.40.00113	Glass Cleaning Wipes

Special Order

Stock Available





Specifications:

- Glass thickness: 10 12 mm.
- Fixing type: Push/Pull.
 Length: 3000 mm.
- Finish: Silver Anodized.
- For all type of glass doors.


Article No.	Description
950.40.00105	Frame seal for 10 mm glass
950.40.00106	Frame seal for 12 mm glass
950.40.00107	Glass to glass seal for 10 mm thickness
950.40.00108	Glass to glass seal for 12 mm thickness
950.40.00109	Floor to glass seal for 10 mm thickness
950.40.00110	Floor to glass seal for 12 mm thickness


Special Order





Glass Door Sealing Application











Article No.	Description	Specifications
950.40.00112	Locker brush for patch	Length: 200 mm Finish: Silver Anodized
950.40.00121	Brush seal for glass door	Length: 1030 mm Finish: Silver Anodized

Special Order



Point Fittings





Top & Bottom Point Fitting

Article No.	Finish
981.20.000	SS Matt - Bottom
981.20.010	SS Matt - Top



Dimensional data not binding. We reserve the right to alter specifications without notice.

•Top Pivot Point Fitting with Fixed Glass on Top

Article No.	Finish
981.20.020	SS Matt

Special Order

Point Fittings

Glass Thickness 10 - 12mm



• Top Pivot Point Fitting with Fixed Glass on Top & Side

Article No.	Finish
981.20.030	SS Matt



 Glass Connector with Fixed Glass on Top & Side

Article No.	Finish
981.20.040	SS Matt

Door width: 900 mm Door weight: 80 kg. Door thikness: 10 - 12 mm

Note: Not recommended for highly traffic area

Glass Connectors



Glass Connector to Wall / Floor

Article No.	Finish
981.20.050	SS Matt

2 Way Glass to Glass Connector 90°

Internal Plate dimension - 52.5mm

Material: Stainless Steel



Article No.	Finish
981.20.060	SS Matt

2 Way Glass to Glass Connector 180°

Internal Plate dimension - 103mm **Material:** Stainless Steel



Article No.	Finish
981.20.070	SS Matt

3 Way Glass to Glass Connector 180°

Material: Stainless Steel



Article No.	Finish
981.20.080	SS Matt

Stock Available

12.11







TwinPro

TwinPro Inter Locking Glazing System



Possible Applications :

- Interior Glass Partitions
- Interior Office Partitions with multitude of panel Inserts, MDF, Lamination, Plywood, Gypsum etc.
- Shop Fronts with maximum visibility and security.
- Fixed Windows.
- Partitions that need relocation and frequent assembly and dismantling.
- Elegant Signages, much easier to assemble and install.

Features:

- Unique Profile Design
- Solid Aluminium Profile
- Unique Self Lock
- Dry Glazing
- EDPM Gaskets
- Minimum Components
- (2 Components Gaskets)
- Economical
- Aesthetics
- Acoustic

Dimensional data not binding. We reserve the right to alter specifications without notice.


Safety and Security

Finish: Silver Anodized

TwinPro

TwinPro Inter Locking Glazing System





Article No.	Description
981.08.000	Single Glazing Profile, Silver Anodized
981.08.013	Gasket for 10mm Glass, Black
981.08.015	Gasket for 12mm Glass, Black
Minimum Packing Length -5.8 Mtr.	

Special Order

Stock Available

13.01











14.01



Shower Hinges

Bellini Series

Wall to Glass Hinge 180° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.002	Chrome Polished
981.35.006	Nickel Matt

Bellini Series

Dimensional data not binding. We reserve the right to alter specifications without notice.

Wall to Glass Hinge 90° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.012	Chrome Polished
981.35.016	Nickel Matt

Shower Hinges

Bellini Series

Glass to Glass Hinge 135° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.032	Chrome Polished
981.35.036	Nickel Matt

Bellini Series

Glass to Glass Hinge 180° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.022	Chrome Polished
981.35.026	Nickel Matt

Shower Hinges

Bellini Series

Glass to Glass Hinge 90° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.042	Chrome Polished
981.35.046	Nickel Matt

BELLINI 90°

Wall to Glass Fix Clamp, 55x90mm for 8 to 10mm Glass



Article No.	Finish
981.35.222	Chrome Polished
981.35.226	Nickel Matt

Kazaa Series: Wall to Glass Hinge 180° for 8, 10 or 12mm Glass Base Material: Stainless Steel Door Width: up to 900mm Max. Door Weight: 45kg for 2 Nos. Hinges



Article No.	Finish
981.09.000	SS Matt
981.09.001	SS Polished

Stock Available

Special Order

www.hafeleindia.com



Shower Hinges

Kazaa Series

Wall to Glass Hinge 90° for 8 10 or 12mm Glass

Base Material:: Stainless Steel Door Width: up to 900mm Max. Door Weight: 45kg for 2 Nos. Hinges



Article No.	Finish
981.09.010	SS Matt
981.09.011	SS Polished

Kazaa Series

Glass to Glass Hinge 135° for 8. 10 or 12mm Glass

Base Material: Stainless Steel Door Width: up to 900mm Max. Door Weight: 45kg for 2 Nos. Hinges



Article No.	Finish
981.09.020	SS Matt
981.09.021	SS Polished

Special Order

Shower Hinges

Kazaa Series

Glass to Glass Hinge 180° for 8, 10 or 12mm Glass

Rase Material: Stainless Steel Door Width: up to 900mm Max. Door Weight: 45kg for 2 Nos. Hinges



Article No.	Finish
981.09.030	SS Matt
981.09.031	SS Polished

Kazaa Series

Glass to Glass Hinge 90° for 8. 10 or 12mm Glass Base Material: Stainless Steel Door Width: up to 900mm Max. Door Weight: 45kg for 2 Nos. Hinges



Article No.	Finish
981.09.040	SS Matt
981.09.041	SS Polished

Kazaa Series 90°

Wall to Glass Fix Clamp for 8- 12mm Glass

Base Material: Stainless Steel



Article No.	Finish
981.35.22201	SS Matt
981.35.22601	SS Polished

Shower Hinges

Alda Series

Wall to Glass Hinge 180° for 8mm or 10mm Glass Rase Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos.

Article No.	Finish
981.35.052	Chrome Polished
981.35.056	Nickel Matt

Alda Series

Wall to Glass Hinge 90° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.062	Chrome Polished
981.35.066	Nickel Matt

We reserve the right to alter specifications without notice

Dimensional data not binding.

Alda Series

Glass to Glass Hinge 135° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.082	Chrome Polished
981.35.086	Nickel Matt





Shower Hinges

Alda Series

Glass to Glass Hinge 180° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.072	Chrome Polished
981.35.076	Nickel Matt

Alda Series

Glass to Glass Hinge 90° for 8mm or 10mm Glass Base Material: Brass Door Width: up to 800mm Max. Door Weight: 35kg for 2 Nos. Hinges



Article No.	Finish
981.35.092	Chrome Polished
981.35.096	Nickel Matt

ALDA 90° Wall to Glass Fix Clamp, 55x90mm for 8 to 10mm Glass

Dimensional data not binding. We reserve the right to alter specifications without notice.



Article No.	Finish
98135232	Chrome Polished
98135236	Nickel Matt

Special Order

Glass Connecters

90° Glass to Glass Bracket for 8 or 10mm Glass

Base Material: Brass



Article No.	Finish
981.35.142	Chrome Polished
981.35.146	Nickel Matt

135° Glass to Glass Bracket for 8 or 10mm Glass

Base Material: Brass



Article No.	Finish
981.35.132	Chrome Polished
981.35.136	Nickel Matt

180° Glass to Glass Bracket for 8 to 10mm Glass Base Material: Brass



Article No.	Finish
981.35.122	Chrome Polished
981.35.126	Nickel Matt

Glass Connecters

90° Wall to Glass Bracket for 8 or 10mm Glass

Rase Material: Brass



Article No.	Finish
981.35.112	Chrome Polished
981.35.116	Nickel Matt

90° Wall to Glass or Floor to Glass Bracket for 8 or 10mm Glass **Base Material:** Brass



Article No.	Finish
981.35.102	Chrome Polished
981.35.106	Nickel Matt

Glass Connecters

Wall to Glass Connector 90° for 8 or 10mm

Base Material: Stainless Steel 304



Article No.	Finish
981.55.000	SS Matt
981.55.001	SS Polished

Wall to Glass Connector 90° for 8 or 10mm **Base Material:** Stainless Steel 304



Article No.	Finish
981.55.020	SS Matt
981.55.021	SS Polished

Glass to Glass Connector 90° for 8 or 10mm **Base Material:** Stainless Steel 304



Article No.	Finish
981.55.010	SS Matt
981.55.011	SS Polished

Special Order

Glass Connecters

Glass to Glass Connector 180° for 8 or 10mm

Base Material: Stainless Steel 304



Article No.	Finish
981.55.030	SS Matt
981.55.031	SS Polished

Glass to Glass Connector 135° for 8 or 10mm **Base Material:** Stainless Steel



Article No.	Finish
981.55.040	SS Matt
981.55.041	SS Polished

Glass Door Seals

Wall Seal with Soft Lip for Glass Size 2400mm



Article No.	Glass Thickness
950.17.800	8mm
950.17.802	10mm


Weather Seal for Used Between Door & Side Panel Opp. Hinge End, Size 2400mm



Article No.	Glass Thickness
950.17.810	8mm
950.17.812	10mm
950.17.814	12mm

Central Glass Seal For Sealing Double Action Door & Wall Size 2400mm We reserve the right to alter specifications without notice.

Dimensional data not binding.





Glass Door Seals

Wall & Bottom Seal for Glass Extruded with Water run off Plate Size 2400mm



Article No.	Glass Thickness
950.17.822	8mm
950.17.824	10mm

180° Magnetic Seal (Supplied in Pairs) Size 2400mm



Article No.	Glass Thickness
950.17.660	8mm
950.17.670	10mm

90° Magnetic Seal (Supplied in Pairs) Size 2400mm



Dimensional data not binding. We reserve the right to alter specifications without notice.

Article No.	Glass Thickness
950.17.830	8mm
950.17.832	10mm

Special Order

Glass Door Seals

135° Magnetic Seal (Supplied in Pairs) Size 2400mm




Article No.	Glass Thickness
950.17.840	8mm
950.17.842	10mm

Shower Door Handles

Towel Bar with Handle Material: Stainless Steel Size: 19mm Ø X 450mm C/C - Towel Bar





Size: 25mm Ø X 450mm C/C -Towel Bar 25mm Ø X 200mm C/C -Pull Handle

Article No.	Finish
980.47.000	SS Matt
980.47.001	SS Polished

Towel Bar with Knob

Base Material: Stainless Steel Size: 19mm Ø X 450mm C/C - Towel Bar



Article No.	Finish
983.13.010	SS Matt
983.13.011	SS Polished

Size: 25mm Ø X 450mm C/C - Towel Bar

Article No.	Finish
980.47.010	SS Matt
980.47.011	SS Polished

Stock Available

14.05

Shower Door Handles

Solid Stainless Steel Towel Bar With Knob 35 x 32 mm Diameter Base Material: Stainless Steel



013

(D)Ø13

Ø13 450/600
DRILLING PATTERN

Article No.	Finish	
Size:12.70 x 12.70 x 25 x 450 mm c/c		
981.20.200	SS Polished	
981.20.201	SS Polished	
Size:12.70 x 12.70 x 25 x 600 mm c/c		
981.20.202	SS Polished	
981.20.203	SS Polished	

Solid Stainless Steel Towel Bar With Knob 35 x 32 mm Diameter



de	450/600	-
Ø13	450/000	Ø13 🖰
DRILLING PA	ATTERN	

Article No.	Finish	
Size:10.0 x 22.0 x 25 x 450 mm c/c		
981.20.220	SS Matt	
981.20.221	SS Polished	
Size: 10.0 x 22.0 x 25 x 600 mm c/c		
981.20.222	SS Matt	
981.20.223	SS Polished	

Special Order

Shower Door Handles

Solid Stainless Steel Towel Bar With Knob square 35 x 25 mm Diameter



Ø13(

DRILLING PATTERN		
Article No. Finish		
Size: 25.0 x	10.0 x 465 mm c/c	
981.20.210	SS Matt	
981.20.211	SS Polished	
Size: 25.0 x	10.0 x 615 mm c/c	

 981.20.212
 SS Matt

 981.20.213
 SS Polished

Back to Back Knob for Shower Doors

Base Material: Stainless Steel 304 Size: 32 x 40mm Suitable for 6mm to 10mm Glass



Article No.	Finish	
981.20.130	SS Matt	
981.20.131	SS Polished	

Back to Back Knob for Shower Doors

Base Material: Brass Size: 40mm X 24.3mm Suitable for 6mm to 10mm Glass



Article No.	Finish	
981.07.302	Chrome Polished	
981.07.306	Nickel Matt	

Shower Door Handles

Back to Back Knob for Shower

Base Material: Stainless Steel

Size: 38 x 40mm

Suitable for 6 - 10mm Glass



Size 38mm x 40mm		
Article No.	Finish	
981.20.122	SS Matt	
981.20.123	SS Polished	
Size 32mm x 40mm		
981.20.120	SS Matt	
981.20.121	981.20.121 SS Polished	

Stock Available

reserve the right to alter specifications without notice.

We

Dimensional data not binding.



Shower Header Bars



Wall support to Header Bar



Article No.	Finish	
981.20.500	SS Matt	
981.20.501	SS Polished	

Glass end support for header Bar



Article No.	Finish	
981.20.510	SS Matt	
981.20.511	SS Polished	

Dimensional data not binding. We reserve the right to alter specifications without notice.

Shower Header Bars

Glass middle support for Header Bar



Article No.	Finish
981.20.520	SS Matt
981.20.521	SS Polished

90° Connector for 19mm Rod



Article No.	Finish	
981.20.530	SS Matt	
981.20.531	SS Polished	

19mm SS Rod for Header Bar Finish: SS Matt



Size (mm)	Finish
1200	SS Matt
1200	SS Pol.
2000	SS Matt
2000	SS Pol.
3000	SS Matt
3000	SS Pol.
	(mm) 1200 1200 2000 2000 3000

Shower Header Bars

Shower Rail Connector



Article No.	Finish
981.52.141	SS Matt



Article No.	Finish
981.52.161	SS Matt



Article No.	Finish
981.52.171	SS Matt



Article No.	Finish
981.52.181	SS Matt

Stock Available

Special Order

www.hafeleindia.com 14.07











Glass Door Locks

Sliding Door Lock Suitable for 10 or 12mm Glass Base Material: Brass



Article No.	Finish
911.26.202	Chrome Polished
911.26.206	Nickel Matt

Strike Box for Double Door Suitable for 10, 12mm Glass



Article No.	Finish
911.26.212	Chrome Polished
911.26.216	Nickel Matt

Flush Handles for Sliding Glass Doors, Suitable for 10 or 12mm Glass

Base Material: Stainless Steel 304



Article No.	Finish
981.20.140	SS Matt
981.20.141	SS Polished

Special Order

Glass Door Locks

Sliding Door Lock with Cylinder Suitable for 10 or 12mm Glass Base Material: Aluminium



Article No.	Finish
911.26.097	Silver Colour

Double Door Strike for Sliding Door Lock

Base Material: Aluminium



Article No.	Finish
911.26.098	Silver Colour

WC Indicator Lock for Glass Doors for Single Doors (8 - 12 mm Glass)



Article No.	Finish
911.12.045	Chrome Polished
911.12.046	Satin Chrome Polished

Glass Door Locks

WC Indicator Lock for Glass Doors for Double Door (8 -12 mm Glass)



Article No.	Finish
911.12.047	Chrome Polished
911.12.048	Satin Chrome Polished

Indicator Lock Without Cut-Out on Glass for Single Door (8 - 10 mm Glass) Material: Brass



Article No.	Finish
981.42.902	Chrome Polished
981.42.906	Nickel Matt

Stock Available

15.01



Glass Door Locks

Indicator Lock Without Cut-Out on Glass for Double Door (8 - 10 mm Glass) Material: Brass



Article No.	Finish		
981.42.912	Chrome Polished		
981.42.916	Nickel Matt		

Side Mounted Deadbolt Lock Without Cut-Out in Glass simply clamps on Suitable for 10, 12mm Glass



Article No.	Finish		
981.07.320	Chrome Polished		
981.07.321	Nickel Matt		

Glass Door Locks

Lock Keeper for 981.07.336/332 Series Lock Without Cut-Out in Glass - simply clamps on Suitable for 10, 12mm Glass



Article No.	Finish
981.07.336	Chrome Polished
981.07.332	Nickel Matt

Special Order



Imprint

conditions of sale.

Tel.: +91 22 6142 6100

This catalogue is only intended for use by the recipient.

All constituents of the catalogue are the property of Häfele.

Reprint of the catalogue or extracts thereof, reprinting or imitation of the illustrations or imitation of the design is forbidden.

The technical representations and dimensional information in this catalogue are non-binding, including those in the illustrations and

drawings. Right reserved to make design improvements. All dimensions in mm unless otherwise specified. No liability accepted for printing errors and mistakes made during

the production of the catalogue. All deliveries will be made in accordance with Häfele terms and

Issued by: Häfele India Pvt. Ltd.

Office no.03, Building "A", BETA, I Think Techno Campus, Off J.V.L.R

Kanjurmarg Station, Kanjurmarg (E) Mumbai-400042.

Fax: +91 22 6702 0531 Internet: www.hafeleindia.com Email: info@hafeleindia.com

September 2016 © by Häfele India.

All rights reserved.

Printed in Mumbai.

Mumbai Design Centre:

#2, Filix Building, Opp. Asian Paints, L.B.S. Marg, Bhandup (West), Mumbai 400 078. Tel.: 022 25969660 / 2594 7305 / 25969787 Timings: Monday to Saturday: 10am - 7pm Sunday: 11am - 6pm.

Mumbai Corporate Office:

Hafele India Pvt. Ltd., Office No. 03, Building "A", BETA. I Think Techno Campus, Off J.V.L.R. Kanjurmarg Station, Kanjurmarg East Mumbai - 400042 Tel.: 022 6142 6100

• Fax: 022 6702 0531

New Delhi Design Centre:

Hafele India Pvt. Ltd., D-89, 1st Floor, Okhla Phase - 1, New Delhi 110 020 Tel.: 011-66574999 • Fax: 011-41605482.

Bangalore Design Centre:

Hafele India Pvt. Ltd., "Shiv Manor", No. 2/1, Langford Road, Shanthi Nagar, Bangalore 560 027. Tel.: 080 4132 6116 • Fax: 080 4132 6226

Hyderabad Design Centre:

Hafele India Pvt. Ltd., Park Side 8-2-348/3/4, Road No. 3. Above Almond House. Baniara Hills. Hyderabad - 500034. Tel.: 040 6666 8851, 3244 4111 Fax: 040 6666 8852

Kolkata Design Centre:

Hafele India Pvt. Ltd., PS PACE, Premises No. 1/1A, Mahendra Roy Lane, Kolkata - 700 046 Tel.: +91 33 4008 6814 • Fax: 033 2498 8020

Chennai Design Centre:

Hafele India Pvt. Ltd., New No. 20, (Old no. 63), 1st Main Road, Besant Nagar, Chennai - 90. Te.: 044 42151542 • Fax: 044 24460922

Pune Office:

Hafele India Pvt. Ltd., Office No:12. Vastushree Complex, Survey No: 587, Near Hyde Park, Gultekdi, Market Yard, Pune. Tel: 020 24266264 • Fax: 020 24266274

Ahmedabad Office:

Office No. 302, 3rd Floor, Shangrila Arcade, Near Shyamal Cross Road, Satellite, Ahmedabad-380015 Ph: 079-69555505

Toll Free Customer Care: 1800 266 6667

For Enquiries SMS "HAFELE" to 56070



http://facebook.com/hafeleindia



http://www.twitter.com/hafeleindia

Hafele Design Centre, Colombo:

No. 52. Nandana Gardens, Colombo - 04 (On Duplication Road), Sri Lanka Tel.: +94 112 500 501 • Fax: +94 112 500 553

Hafele Design & Training Centre, Moratuwa:

448. Galle Road.

Rawathawatta, Moratuwa, Sri Lanka.

Tel.: +94 112 644 600

Hafele Boutique, Kandy:

747A, Sirimawo Bandaranayaka, Mawatha, Mulgampola, Kandy, Sri Lanka, Tel./Fax: +94 812 223 338

Bangladesh:

Tilottama Design Studio., Road: 138, House: 8/A, Gulshan 1, Dhaka - 1212

Tel.: 880-2-9886526 • Mob: 8801-672434394

Nepal

Monika Home Decor, Kathmandu Plaza, Kamaldhi, Kathmandu, Nepal

Tel.: 00 977 1 4168682/00 977 9818496082

S C & K Marketing and Sales, First Floor, Hotel 89 Building, Chorten Lam, Thimphu, Bhutan Tel.: 975 2 333419 / 77114228 / 17600663





