




BLUMOTION S

ONE SOLUTION – THREE TECHNOLOGIES




THE NEW BLUMOTION S


The need for multiple design possibilities with a single product is rising day by day. Häfele in association with Blum strives for technically sophisticated product innovations, to make things easier for you. The Blum MOVENTO and LEGRABOX runners have gained tremendous popularity in residential and commercial spaces due to their evolutionary motion technologies of BLUMOTION, TIP-ON BLUMOTION and SERVO DRIVE.

In an effort to make things easier for you, we bring forth the MOVENTO and LEGRABOX BLUMOTION S runners that possess the flexibility of implementing multiple motion technologies with a single runner. The BLUMOTION S runners improve on the crucial parts, while retaining the familiar straightforward assembly. Silent and soft closing of drawers is achieved by the integrated BLUMOTION technology in the runners. If you desire to open your drawers with a slight push, you can acquire a TIP-ON BLUMOTION functionality by just adding the TIP-ON BLUMOTION accessories to the existing BLUMOTION S runner and if you require an automatic opening, you can install the SERVO DRIVE unit with the very same runner!

The TIP-ON BLUMOTION Add-on Kits and the different accessories associated with the previous runners have been preserved for the New BLUMOTION S Runners thus maintaining the same installation specifications. With the arrival of Blum's new BLUMOTION S Runners by Häfele, you now face less ordering complexities and attain flexibility to achieve much more with the same fittings!




AN OVERVIEW



Runner with Integrated BLUMOTION

Technologies:
BLUMOTION and SERVO DRIVE

+



Runner with TIP-ON BLUMOTION

Technologies: TIP-ON BLUMOTION



BLUMOTION S Runner

Technologies:
BLUMOTION, TIP-ON BLUMOTION and SERVO DRIVE

The previously available MOVENTO and LEGRABOX runners with Integrated BLUMOTION or TIP-ON BLUMOTION have now been replaced with a common BLUMOTION S Runner. So instead of ordering a different runner when you require TIP-ON BLUMOTION, you can now use the same BLUMOTION S runner by adding the TIP-ON BLUMOTION components (need to be ordered separately). This reduces the number of articles in turn decreasing the complexities involved in ordering and kitting of components. Also, the prices of the new MOVENTO BLUMOTION S runners are considerably lower compared to the old MOVENTO runners.

Example:

Previously for a nominal length of 450 mm and weight carrying capacity of 40 kg, following were the MOVENTO runners with integrated BLUMOTION and TIP-ON BLUMOTION:


MOVENTO Runner with Integrated BLUMOTION (Left + Right)	433.24.018
MOVENTO Runner with TIP-ON BLUMOTION (Left + Right)	433.24.058

Now, both these MOVENTO runners have been replaced by a single MOVENTO BLUMOTION S runner:


MOVENTO with BLUMOTION S (Left + Right)	433.33.018
---	------------

The mapping of all the old MOVENTO and LEGRABOX runners with their new BLUMOTION S runners is given on the following pages.

COMPONENTS



BLUMOTION S Runners



TIP-ON BLUMOTION add on kit

The same TIP-ON BLUMOTION Add-on Kit can be installed with both MOVENTO and LEGRABOX BLUMOTION S runners

COMPARISON OF MOVENTO BLUMOTION S WITH THE OLD MOVENTO RUNNERS

MOVENTO							
Weight Carrying Capacity	Old Article Numbers	Description	MRP (INR)	New Article Numbers	Description	MRP (INR)	% Decrease in MRP
40 kg	433.24.012	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 300 mm	5,270/-	433.33.012	MOVENTO with BLUMOTION S (Left + Right); NL = 300 mm	3,603/-	32%
	433.24.013	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 320 mm	4,233/-	433.33.013	MOVENTO with BLUMOTION S (Left + Right); NL = 320 mm	3,603/-	15%
	433.24.014	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 350 mm	5,641/-	433.33.014	MOVENTO with BLUMOTION S (Left + Right); NL = 350 mm	3,603/-	36%
	433.24.054	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 350 mm	4,433/-				
	433.24.016	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 400 mm	5,707/-	433.33.016	MOVENTO with BLUMOTION S (Left + Right); NL = 400 mm	3,644/-	36%
	433.24.056	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 400 mm	4,481/-				
	433.24.018	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 450 mm	5,771/-	433.33.018	MOVENTO with BLUMOTION S (Left + Right); NL = 450 mm	3,685/-	36%
	433.24.058	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 450 mm	3,569/-				
	433.24.020	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 500 mm	5,835/-	433.33.020	MOVENTO with BLUMOTION S (Left + Right); NL = 500 mm	3,726/-	36%
	433.24.060	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 500 mm	4,577/-				
	433.24.022	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 550 mm	6,178/-	433.33.022	MOVENTO with BLUMOTION S (Left + Right); NL = 550mm	3,945/-	36%
	433.24.062	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 550 mm	4,834/-				
	433.24.024	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 600 mm	6,859/-	433.33.024	MOVENTO with BLUMOTION S (Left + Right); NL = 600mm	4,386/-	36%
	433.24.064	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 600 mm	5,343/-				
60 kg	433.24.218	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 450 mm	6,947/-	433.33.218	MOVENTO with BLUMOTION S (Left + Right); NL = 450mm	4,437/-	36%
	433.24.258	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 450 mm	5,411/-				
	433.24.220	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 500 mm	7,011/-	433.33.220	MOVENTO with BLUMOTION S (Left + Right); NL = 500mm	4,479/-	36%
	433.24.260	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 500 mm	5,459/-				
	433.24.222	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 550 mm	7,355/-	433.33.222	MOVENTO with BLUMOTION S (Left + Right); NL = 550mm	4,697/-	36%
	433.24.262	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 550 mm	5,714/-				
	433.24.224	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 600 mm	8,035/-	433.33.224	MOVENTO with BLUMOTION S (Left + Right); NL = 600mm	5,139/-	36%
	433.24.264	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 600 mm	6,223/-				
	433.24.225	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 650 mm	8,585/-	433.33.225	MOVENTO with BLUMOTION S (Left + Right); NL = 650mm	5,259/-	39%
	433.24.265	MOVENTO Runner with TIP-ON BLUMOTION (Left + Right); NL = 650 mm	6,625/-				
433.24.227	MOVENTO Runner with Integrated BLUMOTION (Left + Right); NL = 750 mm	9,684/-	433.33.227	MOVENTO with BLUMOTION S (Left + Right); NL = 750mm	6,241/-	36%	

COMPARISON OF LEGRABOX BLUMOTION S WITH OLD LEGRABOX RUNNERS

LEGRABOX						
Weight Carrying Capacity	Old Article Numbers	Description	MRP (INR)	New Article Numbers	Description	MRP (INR)
40 kg	550.61.937	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 350 mm	1,913/-	550.64.539	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 350 mm	1,913/-
	550.61.936	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 350 mm	1,913/-	550.64.538	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 350 mm	1,913/-
	550.61.944	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 400 mm	1,939/-	550.64.544	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 400 mm	1,938/-
	550.61.943	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 400 mm	1,939/-	550.64.543	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 400 mm	1,938/-
	550.61.949	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 450 mm	1,961/-	550.64.549	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 450 mm	1,961/-
	550.61.948	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 450 mm	1,961/-	550.64.548	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 450 mm	1,961/-
	550.61.954	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 500 mm	1,986/-	550.64.554	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 500 mm	1,985/-
	550.61.852	LEGRABOX Cabinet Profile with TIP-ON BLUMOTION (Left); NL = 500 mm	2,082/-			
	550.61.953	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 500 mm	1,986/-	550.64.553	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 500 mm	1,985/-
	550.61.851	LEGRABOX Cabinet Profile with TIP-ON BLUMOTION (Right); NL = 500 mm	2,082/-			
	550.61.959	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 550 mm	2,119/-	550.64.559	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 550 mm	2,119/-
	550.61.857	LEGRABOX Cabinet Profile with TIP-ON BLUMOTION (Left); NL = 550 mm	2,213/-			
	550.61.958	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 550 mm	2,119/-	550.64.558	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 550 mm	2,119/-
	550.61.856	LEGRABOX Cabinet Profile With TIP-ON BLUMOTION (Right); NL = 550 mm	2,213/-			
70 kg	550.62.954	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 500 mm	2,439/-	550.65.554	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 500 mm	2,438/-
	550.62.852	LEGRABOX Cabinet Profile With TIP-ON BLUMOTION (Left); NL = 500 mm	2,534 /-			
	550.62.953	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 500 mm	2,439/-	550.65.553	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 500 mm	2,438/-
	550.62.851	LEGRABOX Cabinet Profile with TIP-ON BLUMOTION (Right); NL = 500 mm	2,534/-			
	550.62.959	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Left); NL = 550 mm	2,572/-	550.65.559	LEGRABOX Cabinet Profile with BLUMOTION S (Left); NL = 550 mm	2,572/-
	550.62.857	LEGRABOX Cabinet Profile with TIP-ON BLUMOTION (Left); NL = 550 mm	2,666/-			
	550.62.958	LEGRABOX Cabinet Profile with Integrated BLUMOTION (Right); NL = 550 mm	2,572/-	550.65.558	LEGRABOX Cabinet Profile with BLUMOTION S (Right); NL = 550 mm	2,572/-
	550.62.856	LEGRABOX Cabinet Profile with TIP-ON BLUMOTION (Right); NL = 550 mm	2,666/-			

ORDERING INFORMATION FOR ACCESSORIES

Weight Carrying Capacity	Article Numbers	Description	UOM	MRP (INR)
TIP-ON BLUMOTION ADD ON KITS FOR MOVENTO AND LEGRABOX				
40 kg	550.61.090	Tip-on BLUMOTION Add-on Kit	SET	3,269/-
	550.60.100	Tip-on BLUMOTION Synchronization Adapter	PC	
	550.60.119	Tip-on Synchronization Linkage, Length = 1125 mm, Outer Diameter = 10.95 mm	PC	
	550.60.130	Tip-on BLUMOTION Right Latch	PC	
	550.60.131	Tip-on BLUMOTION Left Latch	PC	
	550.61.012	Tip-on BLUMOTION Right L3 Type Unit, NL = 350 - 750 mm	PC	
	550.61.015	Tip-on BLUMOTION Left L3 Type Unit, NL = 350 - 750 mm	PC	
60/70 kg	550.61.091	Tip-on BLUMOTION Add-on Kit	SET	3,269/-
	550.60.100	Tip-on BLUMOTION Synchronization Adapter	PC	
	550.60.119	Tip-on Synchronization Linkage, Length = 1125 mm, Outer Diameter = 10.95 mm	PC	
	550.60.130	Tip-on BLUMOTION Right Latch	PC	
	550.60.131	Tip-on BLUMOTION Left Latch	PC	
	550.61.013	Tip-on BLUMOTION Right L5 Type Unit, NL = 450 - 750 mm	PC	
	550.61.014	Tip-on BLUMOTION Left L5 Type Unit, NL = 450 - 750 mm	PC	
MOVENTO LOCKING DEVICES				
40/60/70 kg	433.24.981	MOVENTO Locking Device with Side Adjustment, Left	PC	320/-
	433.24.980	MOVENTO Locking Device with Side Adjustment, Right	PC	320/-

Note : All the runners in the existing MOVENTO and LEGRABOX BOM kits have been replaced by the BLUMOTION S runner. Hence the article numbers for the BOM kits of MOVENTO and LEGRABOX are the same as before. To convert a BLUMOTION MOVENTO and LEGRABOX BOM to TIP-ON BLUMOTION, you need to order the TIP-ON BLUMOTION Add-on kit according to the weight carrying capacity.

HÄFELE

Häfele India Private Limited | Office No. 3, Building “A”, BETA, I Think Techno Campus, Off J.V.L.R, Opp. Kanjurmarg East, Mumbai – 400 042. | Tel.: 022 6142 6100 | Fax: 022 6702 0531

New Delhi | Kolkata | Chennai | Hyderabad | Bangalore | Pune | Ahmedabad | Srilanka | Bangladesh | Nepal | Bhutan

Toll Free Customer Care No.:1800 266 6667 | SMS HAFELE to 56070 | customercare@hafeleindia.com

www.hafeleindia.com