

# HÄFELE APPLIANCES

---

asko | falmec





# Introduction

Dear Customers,

Häfele has pioneered the way interior fittings are sold across the globe for many years now. Being a German company, our foremost concern has always been to offer our customers, premium quality products at competitive prices paired with solution based services. Taking this concept to the next level, Häfele has put together an innovative range of luxury home appliances that offers the “Best of the Best” technologies from across the globe. Only the most exclusive and advanced appliances have been included here so that our discerning customers are assured with product excellence which leads on a global level.

Starting with cooking appliances for your kitchen, Häfele offers you a name that is synonymous with Design and Functionality – ASKO. The brand comes with a rich Scandinavian heritage from the lands of Sweden and epitomizes the lethal combination of spectacular design and unmatched technology. The three product series offered by ASKO – Elements, Craft and Pro Series™ – each carry their own design philosophy and range expertise. Inspired by the four elements of nature, the ASKO Elements series offers you variety – from volcano woks to steam ovens, you can get every type of appliance for your kitchen from this range, thereby synergizing the overall design in your kitchen. It is meant for those who enjoy spending leisure time cooking for their friends and family. The ASKO Pro Series™, on the other hand, is for the out and out professionals who don't want a single compromise in the features or cooking modes of their appliances. It fascinates the home-chefs for whom cooking is more than just a hobby – it's an obsession. High quality features and state-of-the-art technologies form the premise of engineering every appliance from the Pro Series™.

The ASKO Craft series attracts those who look for the little details in design. Crafted to perfection with fine finishes, articulate straight lines and seamless integration of features, this series is for the creative and arty folks who know a good design when they see it.

For convenient and hassle-free fume extraction in kitchens, Häfele offers you a brand that comes with years of experience in extraction-hoods – FALMEC. True to its Italian roots, FALMEC exemplifies the highest standards in quality, technology and design when it comes to cooker-hoods. FALMEC cooker hoods are configured with high suction capacities to free a typical Indian kitchen off pungent odours, residues, grimes of heavy masala cooking. A wide range of wall-mounted, ceiling-mounted, island and even counter-top integrated cooker hoods from FALMEC will give you the perfect choice as per your kitchen settings and needs. Check out the new SPAZIO ceiling-suspended cooker hood from this range – our latest addition that will leave you completely awestruck.

We also have the perfect range for your cleaning and laundry needs with ASKO's sophisticated built-in dishwashers, washing machines, dryers, combi sets and drying cabinets. ASKO's foray into home appliances came about through its range of exceptional washing machines which eventually lead them to be one of the global leaders in this segment. We bring this range to you exclusively here in India.

You can find the details of all these products in this catalogue; so spend some time browsing through this visual and informative treat. You can also see these appliances in live application at any of our Design Showrooms and meet me or the Häfele team for an informed dialogue. We look forward to partnering with you and assisting every need you may have to make your dream homes a reality.

A handwritten signature in black ink, appearing to read "Jurgen Wolf".

Jurgen Wolf  
Managing Director  
Hafele South Asia

# Hafele

# Reassuring Expertise



*"For over 9 decades, we've been helping people make more of their homes.*

Established in Germany, and now operating worldwide, we specialise in the fittings, hardware and systems that improve the way your home works. So when you choose our products as part of your new or reformed home, you know you're getting the benefit of extensive knowledge and decades of experience.

And we're still a family business, owned and managed by family members who really care about the products and service we provide. You can rely on our commitment to the highest standards of quality and reliability, founded on a long tradition of German engineering where attention to detail is second nature.

*All our home improvement ideas are built to last – day in, day out – we want you to get the very best from every corner of your home, for many years to come."*


# Hafele Worldwide



With its origin in 1923 in a small town named 'Nagold' from the Swabian region of Germany that nurses a passion for hardware technology, it is no surprise that Häfele has lived up to its roots through a successful presence in the architectural and furniture hardware industry for over 9 decades now. Today, Häfele's worldwide penetration includes 38 subsidiaries across Europe, America, Asia, Australia and New Zealand. With these subsidiaries and numerous other sales organisations, Häfele operates in over 150 countries. The Häfele headquarters, 4 manufacturing units and 10 sales offices are located within Germany; while 1 manufacturing unit is located at Budapest, Hungary. The company also owns one of the largest and most sophisticated warehouses in its home country. The Häfele worldwide workforce is empowered by a base of over 7800 employees.

The group services over 150,000 customers across the globe through its extensive range of hardware products and a comprehensive logistics system. In addition to this, Häfele also provides consultative services to its customers, educating and advising them about buying the correct hardware as per their requirements. With this level of market penetration and ability to handle worldwide demand, it comes as no surprise that the company is an authority in the segment of home interior solutions; what is pleasantly surprising, though, is that in spite of its size, Häfele still remains a family owned and run business with a unique, friendly and value-centric work culture which is strongly followed among all its subsidiaries.

# Hafele India



 Head Office & Regional Offices

 Hafele Design Showrooms



Häfele India is a wholly-owned subsidiary of the Häfele Global network and has been operating in India since 2003 under the leadership of Mr. Jürgen Wolf (Managing Director). The ability of the company to understand the diverse Indian market has made it an authority in the field of architectural hardware, furniture and kitchen fittings and accessories. The company also has a strong presence in synergized product categories namely Appliances, Lights, Sanitary and Surfaces catering to the focused demand from these industries.

The subsidiary has a strong nation-wide presence with offices in Mumbai, Pune, Ahmedabad, Bangalore, Chennai, Hyderabad, Delhi, Kolkata and Cochin. It has full-scale operations in Sri Lanka and Bangladesh with Regional offices and Design Showrooms in both the countries; and has also spread its operations to other regions of South Asia including Nepal, Bhutan and Maldives.

Häfele's design showrooms are hubs of international home interior trends and cutting edge designs presented in a world-class environment, where customers can see home solutions in their inherent applications. These showrooms function as a one-stop-shop for all home interior and improvement needs - from providing in-depth technical advice to kitchen and wardrobe designing services through a team of experts stationed at the showroom.

Häfele India services its customers with a base of over 850 employees, a well-networked Franchise base of over 130 shops along with over 1000 dealers situated across South Asia. The subsidiary has a sophisticated Logistics centre in Mumbai along with distribution centres in Delhi, Bangalore, Kolkata and Colombo respectively.

# CONTENTS



## COOKING AND BAKING

PAGE

18-181

### ASKO ELEMENTS

- Built-in Ovens and Microwave
- Built-in Drawers
- Built-in Coffee Machine
- Built-in Hood in Hob
- Built-in Fusion Volcano Wok™ Gas Hobs
- Built-in Domino Hobs and Deep Fryer
- Built-in Inductions
- Cooker Hoods
- Built-in Refrigerators

### ASKO CRAFT

- Built-in Ovens and Microwave
- Built-in Drawer
- Built-in Coffee Machine
- Built-in Super Flex Wok™ Gas Hobs
- Freestanding Black Steel Refrigerators

### ASKO PRO SERIES™

- Built-in Ovens and Microwaves
- Built-in Coffee Machine
- Built-in Drawer
- Cooker Hoods



## EXTRACTION

PAGE

182-253

### Ceiling Mounted Hoods

- Worktop Hood
- Island Hoods
- Noise Reduction System - NRS Hoods
- Wall Mounted Hoods
- Built-in Hoods
- Air Purifier



## WASHING AND DRYING

PAGE

# 254-353

Dishwasher

Washing Machine

Tumble Dryer

Drying Cabinet

Hidden Helper

## TECHNICAL SPECIFICATION

PAGE

# 354-435





ASKO RANGE

**Combi Steam Ovens****OCS8678G  
Elements Range**

Soft black glass with pearl effect Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.030**

**OCS8687B  
Craft Range**

Black Steel Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.230**

**OCS8693S  
PRO Series**

Stainless steel Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.210**

**OCS8683S  
PRO Series**

Stainless steel Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.220**

**Combi Microwave Ovens / Microwave Ovens****OCM8478G  
Elements Range**

Soft black glass with pearl effect Combi Microwave Oven, 45 cm / 50 litre

**Article No.: 538.60.060**

**OM8487B  
Craft Range**

Black Steel Combi Microwave Oven, 45 cm / 50 litre

**Article No.: 538.60.250**

**OCM8493S  
PRO Series**

Stainless steel Combi Microwave Oven, 45 cm / 50 litre

**Article No.: 538.60.180**

**OM8483S  
PRO Series**

Stainless steel Combi Microwave Oven, 45 cm / 50 litre

**Article No.: 538.60.190**

**OM8334S**

Microwave Oven, 38 cm / 22 litre

**Article No.: 535.30.180**

**Speciality Ovens****Pyrolytic Self Clean™ Oven****OP8678G  
Elements Range**

Soft black glass with pearl effect Pyrolytic Oven, 60 cm / 71 litre

**Article No.: 538.60.020**

**5-in-1 Combi Steam Oven****OCSM8478G  
Elements Range**

Soft black glass with pearl effect 5-in-1 Combi Oven, 45 cm / 50 litre

**Article No.: 538.60.270**

**Traditional Oven****OT8636S  
PRO Series**

Stainless steel Multifunctional Oven, 60 cm / 73 litre

**Article No.: 533.04.014**

**Warming Drawers**

**ODW8128G**  
**Elements Range**  
Soft black glass with pearl effect  
Warming Drawer, 14 cm  
**Article No.: 535.90.880**



**ODW8127B**  
**Craft Range**  
Black Steel Warming Drawer, 14 cm  
**Article No.: 535.50.800**



**ODW8123S**  
**PRO Series**  
Stainless Steel Warming Drawer, 14 cm  
**Article No.: 533.54.800**

**Vacuum Drawer**

**ODV8128G**  
**Elements Range**  
Black glass with pearl effect  
Vacuum Drawer, 14 cm  
**Article No.: 535.50.700**

**Coffee Machines**

**CM8478G**  
**Elements Range**  
Black glass with pearl effect  
Integrated Coffee Machine, 45 cm  
**Article No.: 535.50.060**



**CM8477B**  
**Craft Range**  
Black Steel Integrated Coffee  
Machine, 45 cm  
**Article No.: 535.50.070**



**CM8456S**  
**PRO Series**  
Stainless Steel Integrated Coffee  
Machine, 45 cm  
**Article No.: 533.54.000**

**Hood in Hob**

**HIHM934M**  
Matt Black Hood in Hob, 90 cm  
**Article No.: 538.60.699**

**Combination Hob**

**HIG1995AB**  
Black glass Gas / Induction  
Combination Hob, 90 cm  
**Article No.: 538.60.529**

**Gas Hobs**

**HG1145AB**  
**Elements Range**  
Black glass Gas Hob, 110 cm  
**Article No.: 533.04.539**



**HG1935AB**  
**Elements Range**  
Black Ceramic glass Gas Hob, 90 cm  
**Article No.: 538.60.519**



**HG1825AB**  
**Elements Range**  
Black Ceramic glass Gas Hob, 80 cm  
**Article No.: 538.60.505**



**HG1986AB**  
**Craft Range**  
Graphite black Gas Hob, 90 cm  
**Article No.: 538.60.539**



**HG1666AB**  
**Craft Range**  
Graphite black Gas Hob, 60 cm  
**Article No.: 538.60.540**




**HG1365GB**  
**Elements Range**  
Black glass Domino Gas Hob, 33 cm  
**Article No.: 533.04.551**



**HG1355GB**  
**Elements Range**  
Black glass Domino Gas Hob, 33 cm  
**Article No.: 533.04.541**

**Induction Hobs**

**HI1194G**  
**Elements Range**  
Black glass Induction Hob, 111 cm  
**Article No.: 533.04.508**



**HI1655G**  
**Elements Range**  
Black glass Induction Hob, 64 cm  
**Article No.: 538.60.566**



**HI1355G**  
**Elements Range**  
Black glass Induction Hob, 33 cm  
**Article No.: 533.04.511**

**Deep Fryer**

**HF1334S**  
Deep fryer Domino  
**Article No.: 533.04.990**

**Hoods**

**CW4930G**  
Soft black glass with pearl effect  
Wall Mounted, 90 cm  
**Article No.: 535.80.163**



**CI41230G**  
Soft black glass with pearl effect Island, 120 cm  
**Article No.: 535.80.569**

## Built-in Refrigerators

---



**RFN31842i**  
Premium Plus  
Built-in fridge / freezer, 178 cm  
**Article No.: 538.10.360**



**R31842i**  
Premium Plus  
Built-in Fridge, 178 cm  
**Article No.: 538.10.350**



**FN31842i**  
Premium Plus  
Built-in freezer, 178 cm  
**Article No.: 538.10.390**



**RFN31831i**  
Premium  
Built-in fridge/freezer, 178 cm  
**Article No.: 538.10.380**



**R31831i**  
Premium  
Built-in fridge, 178 cm  
**Article No.: 538.10.370**



**R2282i**  
Premium  
Built-under fridge, 82 cm  
**Article No.: 538.10.400**



**F2282i**  
Premium  
Built-under freezer, 82 cm  
**Article No.: 538.10.410**

## Freestanding Refrigerators / Slot-in-Refrigerators

---



**RWFN2684BL**  
Black Steel Freestanding / Slot-in  
Wine chiller / Freezer, 185 cm  
**Article No.: 538.10.310**



**RFN2283B**  
Black Steel Freestanding / Slot-in  
Fridge / Freezer, 185 cm  
**Article No.: 538.10.300**



**R2283B**  
Black Steel Freestanding / Slot-in  
Fridge, 185 cm  
**Article No.: 538.10.290**

**Dishwashers** —————**DFI644G**

Integrated Dishwasher, XL 82 cm

**Article No.: 535.20.560****DFI676GXXL**

Integrated Dishwasher, XXL 86 cm

**Article No.: NEW****Laundry** —————**W2086C.W**

Freestanding Washing Machine, 8kg

**Article No.: 535.90.460****T208C.W**

Freestanding Dryer, 8kg


**Article No.: 535.90.680****DC7784V**

Drying Cabinet

**Article No.: 533.94.889****HI1153W**

Hidden Helper- Pull-out Ironing board


**Article No.: 562.62.760**



FALMEC HOODS

## Suspended Hood

---


**SPAZIO**

180 cm Suspended Hood

**Article No.: 537.81.209**

## Ceiling Hoods

---

**NUVOLA 140**

140 cm Ceiling Hood

**Article No.: 537.81.639****ALBA 120**

120 cm Ceiling Hood

**Article No.: 537.81.423****STELLA 90**

90 cm Ceiling Hood

**Article No.: 537.81.627****NUVOLA 90**

90 cm Ceiling Hood

**Article No.: 537.81.574**

## Worktop Hood

---

**DOWNDRAFT**

90 cm Worktop Hood

**Article No.: 537.81.643**

## Built-In Hoods

---

**VIRGOLA PLUS 120**

120 cm Built-in Hood

**Article No.: 537.81.128****VIRGOLA PLUS 90**

90 cm Built-in Hood

**Article No.: 537.81.123****VIRGOLA PLUS 60**

60 cm Built-In Hood

**Article No.: 537.81.551**

## Island Hoods

---

**LUMEN 120**

120 cm Wall Mounted Hood

**Article No.: 537.81.108****LUCE 90**

90 cm Island Hood

**Article No.: 537.81.653****NRS LUMINA 90**

90 cm Island Hood Black Finish

**Article No.: 537.81.603**

silence

## Wall Mounted Hood

---



**NRS ARIA**  
80 cm Wall Mounted Hood  
**Article No.: 532.88.326**



**NRS LUMINA 90**  
90 cm Wall Mounted Hood  
Black Finish  
**Article No.: 537.81.604**



**LUCE 90**  
90 cm Wall Mounted Hood  
**Article No.: 537.81.313**



**VERSO 85/55**  
Wall Mounted Hood  
**Article No.: 537.81.613 (85 cm)**  
**Article No.: 537.81.605 (55 cm)**



**LUMEN 120**  
120 cm Wall Mounted Hood  
**Article No.: 537.81.108**

## E.ion® Air Purification System

---




**Bellaria**  
E.ion® Air Purifier  
**Article No.: New**

# ASKO

Long, dark winters with short eruptions of bright summer; nature is key, and our main source of inspiration. It made us what we are – creatures yearning for warmth and light. It also made us aware of what we have – forests, mountains, plains, and archipelagos, landscapes and seascapes with winding sharp shore lines in between, an abundance of beauty. Function was always vital for survival as climate was harsh and resources were scarce. That is why, it seems, form and function are inseparable, and to the very core of Scandinavian design; it is what it is, purely practical and simply beautiful. ASKO is no exception.

The Scandinavian nature carries our idiom; grand in its simplicity; functional and presented in nature's own colours. This is design that will last over time. This is ASKO.




# ASKO

---

## Design - More Than Meets the Eye

ASKO Design Centre is a hub where we collect input from internal as well as external sources to meet our ambition to develop great appliances.

Beyond the logic and the interfaces, we want ASKO appliances to express our Scandinavian design values – through true materials and minimalistic design it refines your home, without taking over. We co-design our products to make sure they support and enhance their environment. We want your kitchen experience to be less cluttered and more relaxing and enjoyable.



But, to us design is more than just appearance. It is also about user friendliness, function, quality and environment. By developing long lasting products, we contribute to a reduced environmental footprint and a low life cycle

cost for our customers. Since our products last longer, we also provide them with a timeless design in order to last aesthetically. ASKO inspired by Scandinavia.

# The Idea of a Dinner

## - or the never ending circle of a kitchen

---

Sometimes it feels like life goes in circles. We eat, sleep and work in a never-ending loop. Sometimes we might feel that we have too little time to spend with our loved ones and too much else to do.

At ASKO we want to create a great flow in your everyday life by designing a well-functioning kitchen circle. Smart and functional appliances that bring value and free up time for you to spend on activities that are more fun.

When you bring home fresh groceries, you need to put them in the fridge or freezer as soon as possible to maximise the freshness. ASKO Elements fridges and freezers are designed with different climate zones to make sure that each type of food can be stored in the best way.

When it is time for cooking our various design series, offer numerous possible combinations of ovens, microwave ovens, gas and induction hobs. In combination with

effective hoods to take out the fumes, cooking will be as easy and fun as it should be.

At ASKO we are strong believers in the importance of a meal. The act of sitting down - on your own, just enjoying your own company or together with friends or family. After dinner, it is time for the oh-so-boring washing up. Or wait... This is where the spacious and quiet dishwasher comes into play. ASKO is known to have the largest dishwashers on the market and can fit taller glasses, larger plates and wider pans than anyone else can.

While the dishwasher quietly takes care of the dishes, you can relax with a freshly brewed cup of coffee. ASKO coffee machines are of high quality and can be programmed to remember your favourite brew. It is almost like having your own barista, right there in your kitchen.



## The refrigerator

Freestanding and visible like an island or built in and mysteriously hidden behind the kitchen cabinet door? Want to add a wine cooler? The interior is designed to take care of all your different food types regardless of which design series you prefer. The choice is yours.



## The dishes

Reload and rewind. At ASKO it means that you reload the dishwasher and let it work while you rewind. The spacious and variable interior of our dishwashers absorbs all your plates, glasses and pans. Hide it behind kitchen cabinet doors or show it off as the precious help it is.



## The oven



In ASKO design series, you can choose between Combi Steam, Pyrolytic, Multifunctional, or Combi Microwavew ovens and of course the traditional microwave oven. How do you prefer to cook?

## The hob



Do you like to wok or cook? ASKO offers both induction hobs and gas hobs. We have even developed a gas volcano burner, optimized for real wok cooking.

## The hood



How is your kitchen designed? What type of hood is the best match? ASKO hoods can be the jewel of the kitchen as a free hanging solitude. Or, it can be hidden – in the ceiling or in the hob. Of course, we have the traditional wall mounted hoods as well.

## And then coffee



Take the opportunity to enjoy a delicious cup of coffee while rewinding on the sofa. It might seem a luxury to have a built-in coffee machine, but we think everyone deserves to have one. Imagine the creamy caffè latte on a lazy Sunday morning or the Espresso after a Tuesday dinner.

# The Refrigerator

**07.12 am Tuesday.**

Breakfast. Hectic. Everyone is in a hurry. How can the fridge help? Let us show you a few smart functionalities that we have developed to make your day start well.



At breakfast time, the fridge is opened and closed repeatedly, allowing warm air to increase the temperature inside the fridge. ASKO refrigerators automatically lower the temperature just before periods of frequent opening. This little trick keeps your food fresh up to 20 per cent longer.

Automatic Humidity Control is a smart membrane that keeps the perfect humidity level for your fruits and veggies at all times. Less waste and more taste!

When the door is open, the fridge and its content is exposed to warm air. When the door recloses the Cool Flow system makes sure that the inside-temperature is rapidly restored. Your food is preserved thanks to the continuous airflow that helps preventing it to dry out. First-day freshness for more than one day.

You know the stuff in the back of the shelf that you only find when cleaning out. Forget it. We want the food to be easily accessible, so we have designed the drawers of the Nordic Fresh+ fridges and freezers with smoothly sliding telescopic and soft closing rails. No more forgotten leftovers.

Different types of food need different storing conditions. Let the smart Dura Fresh™ system create the perfect microclimate for your meat, fish or vegetables so that it is still at its best when you want to cook it.

No doubt, that it is easier to find the right food in a freezer without ice covered walls. The ASKO No Frost function lets you make the most use of the space in your freezer. The automatic defrosting system saves you money since it requires less energy to keep your food frozen. Good for you – and for the environment.

Keeping food in room temperature is devastating for its freshness. Instead of taking out the whole package of ham, salami or cheese – why not prepare the breakfast tray? It is a nicely looking wooden tray, designed to fit your breakfast favourites.

# The Oven

## 6.30 pm Friday.

Dinner party and the guests are about to arrive. The clever design of ASKO ovens gives you maximum space to cook a wonderful meal for all of your friends. Why not use the combi oven to steam the veggies and roast the chicken, while you get ready for the party?



Have you too experienced unevenly oven-cooked food? We too. That is why ASKO has developed an intelligent 5 Air Flow system, which ensures an optimal circulation of heat or steam in your oven. The design, with four outlets and a fan, in combination with the vaulted ceiling helps spreading the warm air or steam evenly inside the oven.

With your hands full of dishes, it might be hard to close an ordinary oven door gently. The Soft Close function has long-lasting door dampers integrated in the chassis. Now, you can even shut the oven door with a gentle push without making noise or breaking the glass.

When you feel like grilling an extra-large piece of meat, it might be nice to know that the ASKO oven grill racks are sturdy enough to cope. In addition, ASKO offers special racks of 4.4 mm threads, designed for extra heavy loads.

The ASKO combi steam ovens use the Pure Steam System to separate condensed water from steam, to prevent your food from boil instead of being steamed. The water re-circulates into the steaming process to reduce water consumption.

Telescopic rails are always nice, but in the oven, they are magnificent. Some of them even lockable, they make it easy to take out the hot dishes and pots without the rails going forth and back. A slight push releases the lock and lets the rails slide back into the oven again.

If you are as interested in design as we are, we think you like the side trims to cover gaps between the oven and the rest of the kitchen cabinets. You'll find them on Elements ovens. The side trims are made of nice looking metal and offer a unique level of integration to make your kitchen shine.

# The Induction Hob

## 4.30 pm Monday.

Just home from work and the kids need food before football practice. With the ASKO induction hob, you will have the pasta water boiling in no time. Smart features like automatic programs, digital timer, bridge zones, pause function and flat surfaces turns both you and your kids to winners.



The risk of spilling over when using an induction hob is minimal since the magnetic field instantly adjusts the temperature. It only gets hot under the used pan and cools off immediately. It is thereby safer than conventional hobs, which is good for kitchen safety, especially if you have little helpers from time to time. The flat surface is easy to clean from residues and stains.

The Auto Pan Detection recognizes which zone you have put the pan on and lights up the corresponding control. Just set the desired temperature, either manually or by using one of the automatic programs. If you lift the pan from the hob, the cooking zone will pause until the pan is put back. Efficient, safe, and energy saving.

Sometimes you need to cook several dishes at the same time and it can be hard to remember how long to cook each dish. Your friendly ASKO induction hob reminds you when the different dishes are ready and pauses the timer if you lift the pan off the hob. It simply lets you focus on making the food taste good instead of keeping track of time.

Use the Auto programs to keep the right temperature at all times. The six programs are developed to assist you when boiling, frying, simmering, grilling, stir-frying and keeping food warm. These programs ensure that you always cook at the right temperatures.

The ASKO induction hobs can be installed with no gap or trimmings to the counter top, the so-called Flush installation, which gives an exclusive and elegant look to the kitchen.

# The Gas Hob

## 11.20 am Sunday.

Parents are coming over for brunch. Why not treat them with a nice wok dish right off your ASKO gas hob? The efficient Fusion Volcano Wok burner helps you to fry the Asian way as well as keeping the food warm while you serve the drinks.



ASKO has designed a highly efficient and fully adjustable compact burner. The A+ burner with its angled burner ports is a precision tool for cooking. Designed to provide the shortest distance between the flame and the pan it distributes the heat effectively without unnecessary heat loss. The one piece, high quality enamel and ceramic surfaces makes the ASKO gas hobs extremely durable and easy to clean.

The compact and durable A+ Hybrid is equipped with a dual-air inlet to the burners to ensure highest efficiency even if one inlet clogs. The energy is directly transferred to the pan via the precision-engineered flame ports. The one-piece solid cast-iron burner with durable coating is easy to remove and to clean. Ignition is placed under the burner cap to reduce risk of soiling and damage.

With the Super Flex Wok Burner you easily shift between the very low simmer setting to the high power levels for woking. The flames are directed upwards for best efficiency and the smaller diameter makes the heat stay under the pan, instead of heating the sides. Wok, simmer, fry, grill or boil - this is the ultimate choice.

The Fusion Volcano Burner is designed for powerful real asian woking. The powerful, concentrated flame uses up to 50% less gas and is the most effective wok burner on the market. It reaches high temperatures fast and retains the heat when the cold ingredients are added. Along with the easy-to-clean burner parts, it is safe to say that it is the chefs' natural favourite.

# The Combined Hob

## **7.30 pm Saturday.**

Just home from the late movie show, hungry as a bear. Turn on the induction cooking area to boil some pasta while you fry some veggies on the gas hob right next to the induction area. The combination of gas and induction, as well as the flexible size of the induction zone allows you to create delicious meals for all occasions.



Oh, you know. One zone is too small while the other one is too big for the pan you use. With the Real Bridge™ zones that is a problem in the past. This innovative and flexible solution gives you numerous sizes of cooking zones to choose from, optimizing your cooking space. You easily connect two zones to make a bigger one, without any cold spots in between.

When you use several pots and pans at the same time, the cooking area is easily jammed. To allow pans enough space, we decided to maximize the distance between the zones and the gas burners. There are also extra sturdy pan supports for the gas burner, to make cooking safer. Moreover, of course all knobs are well in reach for best ergonomics.

As one of very few manufacturers, we offer a wok burner fully controlled by a touch control. This offers you opportunities to reuse exactly the same gas settings from time to time. We have also designed four very useful automatic functions for the wok burner: woking, frying, large frying and simmering.

Ding-dong. The doorbell typically rings whenever you are cooking. No problem. Just press the pause button that lowers the temperature on all active zones while you are away. Just press the button again when you are back, and the cooking resumes.

# The Hood In Hob

Is it hard to decide on which hood to choose? No wall to mount it on and not keen on a free hanging hood either? Relax. We have the solution.

With the hood mounted in the hob, the cooking fumes are extracted through a twin-filter construction underneath the cooking hob.

**Discrete, elegant and effective.**



The ASKO Hood in Hob is fitted with a Twin Filter System that efficiently cleans the air twice in the same filter. When it is time for cleaning, just lift the filter off the hob and place it in your dishwasher to clean it in the most hygienic way.

As a consequence of our Scandinavian design heritage, the hood in hob has clean lines and harmony in every detail. The hood in hob can be installed with flush installation with the countertop using the same matt ceramic hardened glass as the rest of the hob. The extraction zone is completely flat which increases the cooking space and allows you to move around pots and pans as you want. The hood in hob can also be installed traditionally, on top of the countertop.

The hood manoeuvre control is placed centrally and is easy to access while cooking. The Hood in Hob can either be connected to ventilation ducting or to the special re-circulation kit that effectively cleans the air before letting it out in the kitchen. You will be notified when it is time to clean the grease and the charcoal filter.

# The Hood

## 7.30 pm Wednesday.

Time to help the kids with their homework at the kitchen table. Good thing that the ASKO hood has removed all the smell from the dinner you just had. When there are more fumes, you just let the hood work a little longer. It turns itself off if you set the timer.

---



Air Logic™ System is an airflow system that uses the whole hood filter surface to extract fumes. This is possible by the unique filter hole pattern, designed with smaller holes in the middle, near the motor – and larger holes at the edges. This filter design makes the cooker hood extremely effective also at lower settings.

With extensive fumes, there is a risk that it passes on the sides of the hood, instead of getting into the hood and on to the chimney. ASKO Pro Series™ cooker hoods have an extra space, a fume trap, between the filter and its edges, called a Cloud Zone where the fumes are captured and kept until they are extracted into the chimney.

The stainless steel filters in the ASKO cooker hoods effectively collect grease from your cooking. As all kitchen equipment, they need cleaning from time to time. When cleaning is due, the filters are easy to remove. Did you know that the simplest and most hygienic way to clean them is in your dishwasher?

Clogged filters negatively affect the function of your cooking hood. To maintain the hood's high performance, the filters must be cleaned on a regular basis. ASKO cooker hoods conveniently come with a Clean filter indication to help you keep the cooker hood in its best condition.

Our Elements cooker hoods are cleverly designed with concentrated extraction zones, which means that the fume is extracted at the filter edges. This allows for the best possible fume removal even at lower settings, with low noise and improved energy efficiency as a result. More effective, more quiet and using less energy. Could it be better?

# The Coffee Machine

## 08.15 am Sunday morning

and the house is quiet. Tell the built-in-barista which coffee drink you would like. Thanks to the many pre-programmed recipes, you do not have to repeat yourself unless you wish to. Pick up the newspaper and bring your coffee to the sofa. Enjoy.

---



In Italy, the perfect Espresso has a compact 3-4 mm layer of nut coloured crema and a nicely roasted aroma. As Espresso is the base of many other coffee drinks, nothing but the right thing is accepted in an ASKO coffee machine. They are designed to create a perfectly brewed Espresso that brings Italy to you.

The ASKO Elements coffee machine uses a full-colour TFT display to help you use the machine to its full potential. With good contrast of colours and images, the flicker free display will guide you to the right choices without eyestrain. The display is also low on energy consumption – as the rest of the coffee machine's features.

There will always be coffee residues in a coffee machine, but thanks to the ASKO Tubeless System the residual is minimized to as little as 3 gram. Other machines on the market can hold up to 12 grams. By the way, it takes between 6 and 10 grams of coffee powder to brew a single coffee.

The ASKO Thermal Milk Container keeps the milk cold as coming from the fridge even after 60 minutes in room temperature. The container also includes the Advanced Milk Froth Generator that creates perfect milk froth with micro bubbles for your cappuccino. Both are easy to clean with the Auto Cleaning System.

To create a good coffee drink it is important to pay just as much attention to the milk froth as to the coffee itself. The microbubbles generated by the perfectly tempered milk gives the froth its characteristic crema. In the ASKO Elements coffee machine you can choose between two froth levels to design.

# The Dishwasher

**5.30 pm Thursday.**

The kids have organized their own evening meal when you had to work late. Great, but oh dear what a state in the kitchen. Thankfully, you have the spacious ASKO dishwasher that easily fits all the pots, pans, plates and glasses the kids used. Let the machine work while you enjoy a meal of your own.



High quality is part of ASKO's soul. That is why we manufacture the better part of our dishwashers' components of high-quality steel instead of plastic. This includes for example the container, loading racks, spray pipes and arms, strainers, outer base, feet and heating element. We simply want your dishwasher to last for as long as you like to have it.

What would you call a system that cleans the fine particle filter and all interior surfaces after pre-washing and rinsing? A system that lets the main wash start with rinsed dishes, a clean machine, an empty filter and clean water? We call it Super Cleaning System – SCS+ – or simply our smartest invention. So far.

ASKO's Turbo Drying™ system evacuates the moist air from the inside to a channel where it condenses to water and is guided back to the bottom well. The result is completely dry dishes. The good news is that this feature also is available for fully integrated machines, which is quite uncommon on the market. You will never have to dry the dishes again.

Our XXL dishwashers have the largest capacity on the market. The internal loading height of 58 cm makes room for larger plates and taller glasses. It also means you can load 40% more compared to a standard dishwasher. The smart four level rack system with the unique middle rack brings endless possibilities to wash all the dishes at one go.



# ASKO

---

## design ranges

We think it is important to have a kitchen that matches your personality and way of living. ASKO design series offer a wide range of products, all designed to create your perfect home. Regardless of which series you choose, the design is timeless yet trendy, to keep that feeling of novelty in your kitchen for a long time.

## Elements

Scandinavia's geology is featured by the mysterious, exclusive look that appears to be black, shifting to brown or grey thanks to its dual layer of surface coating. It is refined, yet simple. It is pure and down to earth. It is Elements by ASKO.

---

## Craft

This design range is our tribute to the Scandinavian history of craftsmanship, design and inventions. Details are passionately taken care of to create a solid and seamless kitchen experience. This is Craft by ASKO.

---

## Pro Series™

Do you dream of having your own professional kitchen? Then you should meet the Pro Series design range. The stylish stainless steel look featuring large clear doors for maximum view will make you look like a pro even before you start cooking. The many features and high quality details such as robust steel handles and high-quality enamel in the ovens will make you a true kitchen pro.



# Elements

Elements by ASKO is a unique combination of state-of-the-art technology and amazing design. In this series, Scandinavia's geology is featured by the mysterious, exclusive black pearl glass surface, created by a layer of small steel particles that make the colour shift depending on the ambient light.

The brushed steel handles are elegant and the matching side trimmings make sure all units align perfectly in your kitchen. All displays and controls are digital and easy to use. The appliances are packed with smart functionalities to make you the kitchen star.

## **ASKO ELEMENTS RANGE**

Built-in Ovens and Microwave

Built-in Drawers

Built-in Coffee Machine

Built-in Hood in Hob

Built-in Fusion Volcano Wok™ Gas Hobs

Built-in Domino Hobs and Deep Fryer

Built-in Inductions

Cooker Hoods

Built-in Refrigerators





# The elements of design





 ASKO



ASKO



Elements by ASKO is the result of state-of-the-art technology and functionality combined with amazing yet clean design.

The Elements by ASKO range features a unique combination of black pearl glass with a background surface consisting of small stainless steel particles. It gives the impression of black but, depending on the surroundings, it also appears to be brown or graphite grey, thus reflecting the geology of Scandinavia.

The same black is available on the cooker hoods and hobs. Moreover, the brushed metal edges of the ovens make this a solid piece for built-in purposes and match the clean cut edges of the gas and induction hobs.

The design of the Elements by ASKO range once again emphasises our Scandinavian roots. It is refined yet simple, it is pure, and it is down to earth.



“The Elements by ASKO range is refined yet simple, it is clean, and it is down to earth.”

Jon Carlehed, Head of Design at Asko Appliances.






# Ovens

# Cooking with the right touch



There are few things in life that compare to sharing a beautiful meal with the people you love. The Elements by ASKO ovens are packed with intelligent features that take all the guesswork out of cooking, you will be creating delicious meals from day one. Whether it's a family feast or a delicious gourmet snack, the Elements by ASKO ovens will complement your passion for great cooking and help make every moment in the kitchen to joyful moments.




The Elements by ASKO ovens come with a unique interaction philosophy based on a TFT touchscreen with the most frequently used functions immediately accessible. The interface is easy and engaging to use and will encourage you to explore all features and functions of the oven. This oven is the smart way to enhance your cooking.



If you need coaching in your cooking, then select any of the up to 160 auto programs in the Elements by ASKO ovens. You simply select a dish from a list of pre-programmed dishes and then adjust weight and intensity if necessary.



Stage cooking allows you to combine up to three functions in one cooking process. Select different functions and settings to compose the cooking process of your preference.



The colour-coded and informative status screens provide immediate feedback in both text and graphics on current and selected temperature, duration and oven mode.



The interface is packed with useful information that encourages you to explore the full functionality of the Elements by ASKO ovens.

# Multifunctional Ovens



## ASKO vaulted precision cooking

The 60 cm ovens are extra large with a capacity of up to 73 litres and possibility to bake on five levels simultaneously. This saves time, money and the planet because you use electricity more efficiently.

The same applies to the combination oven that can hold a full 50 litres and with which you can bake on three levels simultaneously. One of the largest 45 cm ovens on the market.

## Ovens with extra large capacity

All ASKO ovens feature an interior cavity based on generations of wood fire ovens. The shape of our ovens, with a vaulted ceiling and completely flat backside and door, allows for a more even circulation of hot air.

To further enhance the distribution effect, both the cavity and the trays are covered with high-quality enamel that effectively absorbs and reflects heat. Resulting in perfect cooking every time.

We have fitted our ovens with extra sensitive gauges that continuously measure and correct the heat in the oven cavity and/or the food itself. The temperature is thus kept on an even level throughout the cycle. The display shows the set temperature as well as the actual temperature in the cavity. For optimum accuracy, use the built-in meat probe. Insert the probe into the meat and set the desired core temperature. When the temperature is reached, a signal sounds and the oven turns itself off.

## Pro roast mode

First the meat is sealed at a high temperature by means of hot air and the top heating element. Then the dish is slowly cooked at a low, preset temperature, with the top and bottom heating elements. Also creates a delicious crispy crust on meat, poultry and fish.



## Ultra cool doors with soft opening and closing

The oven doors are constructed for maximum safety with up to four high-quality safety glasses and three heat-reflecting layers. Together with the cooling fan they ensure that the outside of the oven door is kept at normal room temperature even if the inside temperature is 240 °C. For safety and convenience we have also fitted the door hinges with integrated dampers that enable soft closing and opening.

## Add your favourites

Add any of the most frequently used programmes and settings to the favourites menu. You can add any of your previous cooking combinations and use them every time you cook that favourite dish of yours.

## A function for every need

The ovens in the Elements by ASKO range offers a wide range of functions that allows you to use the different heaters, the fan and the steam function in different combinations to make the best of every meal you are preparing. The functions can even be combined in the one and same oven cycle to make the final result even more perfect.



## Roasting pan AD82A

A perfect complement to your cooking equipment that can be used on your ASKO Bridge Induction™ hob and/or in your ASKO oven.

- 413 x 270 x 73 mm
- Colour Anthracite
- MicroCeramic coating
- Variable cooking zones controlled by your ASKO Bridge Induction™ hob
- Rapid preheating of the roasting pan
- Made from cast aluminum, hand-cast

## Everyday ergonomics and safety

Dealing with hot oven dishes that are large and heavy can be cumbersome and risky. That's when the easy gliding telescopic guides with automatic locking function will come in handy. They make it convenient and safe to load and unload the oven, no matter how heavy and hot your dishes are.

# Cooking with steam

Steam is used daily by professional chefs to bring out more flavour from the food and to create delicious crispy crusts on bread and pastries. Cooking with steam is gentle on food and preserves vitamins and nutrients better than traditional boiling. Healthy and natural, steam cooking preserves the full flavour of foods.

This cooking method releases no odours and there is no need to add salt to the water or to add herbs and spices. With our combination steam ovens you can combine traditional convection with steam in a single cooking programme or simply use just hot air or steam.



## Preserves the natural flavors

Bring out new flavours by using steam in combination with hot air or cook truly healthy food using steam alone. This will preserve all of the mineral salts and flavour within the food while retaining its colour and texture. Meat, fish and vegetables can be cooked simultaneously: just set the time according to the food that requires the most time to cook and there is no risk of overcooking.

## Only pure steam

Our combi steam ovens have a unique steam generation system that creates nothing more than pure steam. This is possible thanks to the flow meter, which ensures that the correct amount of water is used, and the separator, where the pure steam and condensed water are separated. Condensed steam falls to the bottom of the oven where it is heated and becomes new steam. This ensures that your food just gets steamed and not boiled.

## Regenerate

This mode is used to gently reheat previously cooked dishes. The use of steam means there is no loss of quality. Taste and texture are preserved as though the dish is freshly cooked. This function is suitable for most dishes. Several dishes can be regenerated simultaneously.

## Steam assisted cooking

With the Combi steam functions the steam is sprayed into the oven cavity at regular intervals. Using a combination of steam and convection is a good way to improve heat transfer while also browning the food. Steam makes the heating more efficient and prevents dehydration of the food, providing more succulent foods. Useful when cooking meat and chicken, for example.



# Combi Microwave



## The power of combination

With our combined microwave oven you have all the flexibility of combination cooking. It offers four different cooking methods: microwave, fan-forced convection cooking, grilling and combined traditional oven cooking with the aid of microwaves. In the same cooking programme you can defrost, switch to traditional convection and finish with a short grill.

# Warming Drawer



## Warming drawer

Extend the combination possibilities even more with a Elements by ASKO warming drawer that you can use to either heat plates and cups or slow cook food.

# Vacuum Drawer



## Sous-vide and vacuum technique

The Sous-vide cooking technique involves sealing food in special vacuum bags and then cook it in steam at temperatures between 40 and 100°C. Thanks to the completely sealed bag natural flavors, color and texture are preserved, as well as all the essential vitamins and minerals. Food cooked in vacuum packaging also needs significantly less salt than food cooked in the traditional way.

## Elements by ASKO vacuum drawer

The Elements by ASKO vacuum drawer provides a unique possibility to introduce advanced cooking in your own home. The 14 cm high drawer is co-designed and prepared for installation together with both the 45 and 60 cm combi steamers in the same range. The drawer can be used for preparing food for Sous-vide cooking but also for storing, packing or portion food.



With a user-friendly touch control interface you can choose between three different vacuum levels depending on sensitiveness of the food. For example, meat needs a higher vacuum level of cooking effect to be optimal. Fruit however need a lower vacuum level to not be damaged by the high negative air pressure.

Installed right under your oven and with a convenient push-to-open mechanism makes your Elements by ASKO vacuum drawer very accessible. You can choose from three levels of seals for different thicknesses of plastic bags.

 ASKO





# Coffee Machine



Quality is the hallmark of Scandinavian design – and that of ASKO. With our roots in Scandinavia, our fundamental idea is to design products that make your everyday life easier. We do this by means of low key, minimalistic design, user-friendly interfaces and trouble-free products. We truly believe that our high-quality, carefully crafted products have a place in every conscious and contemporary home.

Elements by ASKO is a unique combination of state-of-the-art technology and amazing design.

In chemistry, the four elements refer to the pure substances that cannot be divided and that comprise our universe – fire, air, water and earth.

In the Elements by ASKO range, Scandinavia's geology inspired us with a unique combination of black pearl glass with a background surface of small stainless steel particles. It gives the impression of black, but, depending on the surroundings, it can also appear to be brown or graphite grey. The stylish brushed metal edges add an extra-solid look to your coffee machine.





# Let the Elements coffee machine be your own barista

Imagine having your own barista right there in your own kitchen, making your perfect cup of coffee at any time you like and as often as you like. Sounds like a dream, doesn't it?

Professional baristas demand perfection in each detail when making coffee. Dosage, grinding, brewing pressure and temperature are parameters that need to be exact to make that perfect cup of coffee. With the Elements coffee machine we have transformed the barista's expertise into techniques and algorithms, all designed to brew the perfect coffee for you. It is just like a dream come true.

A true barista always takes great care to keep their equipment clean. The design of the Elements coffee machine minimises the residual coffee inside the machine and improves the taste of your freshly brewed coffee.

It is easy to pull out the coffee machine to access the bean and coffee powder compartments and the milk jug, as well as the cleverly designed cup shelf on the side of the machine. All parts that come in contact with coffee beans, coffee powder or milk are easy to dismantle and clean. There is also an automatic cleaning program to make your daily coffee taste even better.

However, good taste is characterised not only by what it delivers but also by its exterior. The Elements coffee machine is perfectly co-designed with the other products in the Elements range and is nicely integrated with both the 45 and 60 cm ovens.

The Elements coffee machine is the smart way to explore new coffee types or simply enjoy the same perfect coffee day after day. And the best thing is that you don't need to know anything about making coffee – only what you are craving for.



**reddot award 2018  
winner**

Our Elements Coffee Machine, CM8478G is awarded with the Red Dot award for high design, quality, expressing, innovation in form and function in an exemplary manner.





# Baristaguide

**Single espresso**

This authentic Italian espresso comes with a 3-4 mm layer of crema and a full-bodied aroma. This is the natural choice to kick-start your morning or to finish a dinner.

**Double espresso**

Like a Single espresso but with more coffee powder to bring that extra energy to a gloomy Monday morning or just to make the good taste last a little longer.

**Single coffee**

The international version of the Italian espresso: lighter, with a balanced taste and a thin layer of crema.

**Single long**

This is a special coffee recipe made with a low brewing pressure to achieve a delicate flavour and taste. This is the recipe of choice for the filter coffee lovers. Perfect for your coffee to-go!

**Single doppio+**

For the real coffee lover we recommend this recipe with more than a double espresso made with an extra quantity of coffee powder and a deep pre-infusion for extra aroma and energy.

**Cappuccino**

One of the most loved and well-known recipes is this Single espresso shot with equal parts coffee and hot milk, topped with a maximum amount of soft milk foam. Perfect for a gentle Sunday breakfast in bed.





### Cappuccino+

Creamy cappuccino made with an extra shot of doppio+ coffee powder for extra aroma and energy, getting you ready for the day ahead.



### Espresso macchiato

Single espresso shot with a dash of hot milk topped with foam. This is the drink for those who generally think an espresso is too strong and a cappuccino is too big. The best of two worlds.



### Latte macchiato

Single espresso shot with up to 220 ml hot milk topped with medium level of foam. Watch the layers as they slowly blend. Why not treat yourself after exercising or a hard day at work?



### Caffè latte

Possibly the most well-known and popular coffee drink is made from a single shot of espresso and is mixed with 3 times the quantity of hot milk, topped with a thin layer of foam.



### Hot milk

Not a coffee lover yet? Get lovely hot, snow-white milk with the desired amount of foam to make your hot chocolate or chai latte.



### Hot water

Roughly 150 ml hot water at 90°C for those who love something else than coffee.

ASKO



# It all starts with an espresso



Espresso is not only the favourite coffee drink in Italy, it is also the basis for all coffee drinks with milk, such as the world-famous cappuccino and caffè latte. The perfect Italian espresso comes with a thick and nut-coloured crema on top, accompanied by a roasted aroma and a taste that lingers. The Elements coffee machine is designed to make your espresso just like that, every time. Regardless of whether you want to drink it as it is or make yourself a smooth caffè latte.

# The inside of our coffee machine is filled with tradition



In Italy, coffee drinking is almost like a science and there are codes for when and how to drink every type of coffee. In the rest of the world we have come to love the Italian coffee, even though we might not be as strict on the whens and the wheres. Nevertheless, there are some underlying theory that we at ASKO have taken to heart when developing our Elements coffee machine.



## Coffee beans should be fresh

The Elements coffee machine bean container comes with an air-tight lid to help preserve the freshness of the beans. The container is large enough to avoid constant refilling, yet small enough to keep the beans fresh for as long as they last.



## Beans should be ground, not cut

The Elements coffee machine uses a high quality conical burr grinder, which crushes the beans into the same granulate size. This helps to release the aroma from each coffee grain to extract the full range of flavours from the beans. Watch out for coffee machines with blade grinders, which cut the beans into powder with less consistency in the granulate as a result.



## Humans are different. So too are coffee beans

The Elements coffee machine automatically adjusts the grinding size of the beans depending on the type of drink you have selected. But as the roast and type of beans varies you might want to fine-tune the grinding level manually to one of the 13 available steps.



## A fresh cup of coffee should be just that

Coffee residue inside the grinder can add a rancid taste to your freshly made coffee. There will always be some residual coffee left in the grinder but the amount varies greatly depending on which machine you use. In the Elements coffee machine the residual amount is as little as 3 grams. Other machines on the market hold up to 12 grams.

# Create the perfect milk froth

Most of our beloved coffee drinks consist of the basic espresso combined with different amounts of milk and froth. So, how do you get that perfect thick and creamy froth? Well, it all starts with fresh cold milk. You can of course, select the type of milk, or milk substitute, you like for your coffee drinks, but the general rule is that a fattier milk gives a more dense foam that lasts longer than a less fatty milk drink. The fat in the milk also helps to carry the taste of the coffee.

The foam itself is made from tiny air bubbles that form when steam is added to the cold milk. The goal is to get as tiny bubbles as possible in order to get a steady, yet smooth, body of froth. A perfect froth has a temperature of 60-65 degrees Celsius if it gets any warmer the milk will start to behave, smell and taste differently. The microbubble foam should be soft and shiny, and look more like ordinary milk than hard, dry froth.





The milk container has thermal properties and keeps the milk cold for up to an hour at normal room temperature. It is also designed to fit conveniently into your fridge when you are not using it.



When using vegan alternatives, such as soy, almond, coconut or oat-based milk substitutes, please keep in mind that these alternatives behave differently to cow's milk when it comes to temperature and handling. Basically, it is easier to create foam and latte art when using a drink containing more proteins, since these help to hold the microbubbles together.



The Elements coffee machine uses the patented Latte Crema System, with the unique Perfect Milk Froth Generator creating the necessary microbubbles.

# Full colour touch display



## My coffee profile setting

By selecting the menu "My coffee-menu" you can customize your version of the perfect cup of coffee. This way, you'll have direct access to your favourite coffee drink. Simply set the strength and volume of coffee; if you like to, you can also adjust the amount of milk and set the froth you desire. This is a perfect feature for families with different personal favourites, or if you want to save several choices for your own use.

## Custom mode

"Custom mode" is for those who want to have a perfect coffee drink according to your own specifications. Select a predefined coffee drink of your choice, then adjust aroma, strength and volume. There! The perfect recipe for your favourite coffee drink is ready to enjoy.

## Direct selection

The fastest and easiest choice is to choose one of the 12 pre-programmed coffee types with our special ASKO recipes. Just tap on the desired symbol on the screen and the brewing starts immediately. Real coffee instantly. Enjoy!

## Settings for fine tuning your coffee

In the "Settings" menu you can adjust almost twenty different parameters such as coffee temperature, auto-start and auto-stop, display background colour, water hardness level, descaling schemes and energy saving mode.

## Guest function

The "Guest" function is a temporary user profile designed to save time when serving many cups of the same coffee drink, let's say after a dinner party. Select the type of coffee you wish to serve, adjust strength and volume and tap "Save". The Elements coffee machine is now ready to serve the same recipe to all your friends.

# Good coffee requires cleanliness



As we wanted to create a minimalistic design for our new coffee machine, we put most of the parts behind the front cover. But, as a clean coffee machine is the key factor for delicious coffee, we also wanted to make the interior parts easily accessible.



## Wide drip tray

The drip tray is wide with room for several cups of coffee and prevents any spill from getting on your floor or mat. It is just as easy to remove as the other parts of the Elements coffee machine.



## Dishwasher-safe milk container

As always, keeping the gear clean is essential for making good-tasting coffee drinks. The milk container is easy to clean, and the inside part is dishwasher-safe.



## Easy-clean brewing unit

The brewing unit is one of the most important parts to keep clean. You release it by pressing the two red grips with one hand. Take it to the sink and rinse it, replace it in the machine – and you are done. Cleaning doesn't get much easier than this.



## Automatic cleaning with steam

The automatic cleaning program uses steam to clean out the tubes and the Perfect Milk Froth Generator. We strongly recommend using this program after every use to ensure the continued top-level performance of the machine. The milk container has an automatic cleaning program to get rid of all milk residuals in the hoses and other parts. We recommend running it after each use to ensure the best performance.





### **CM8478G**

Automatic Coffee machine  
Soft black glass  
45 cm

#### **Construction & Performance**

- 2 heating elements
- Water tank tank capacity: 2.5 L
- Whole grains coffee container
- Capacity of Coffee Beans container (gr): 350 g
- From front extractable thermal Milk jug (0.5L)
- Extractable steam pipe
- Pre-brew system
- 4 led lights inner illumination (2 on the sides / 2 on coffee outlet)

#### **Use & Flexibility**

- Whole grains coffee container
- 13 grinding levels
- Pre-ground coffee container
- Led light
- Standby function
- Preparation of 2 cups at the same time
- 5 coffee temperature settings
- Integrated cup warmer shelf
- Integrated storage area for accessories
- Custom recipies / user profiles

#### **Function**

- Single Espresso
- Double Espresso
- Single Coffee
- Single Long
- Single Doppio +
- Single Americano
- Cappuccino
- Cappuccino +
- Single Espresso Macchiato
- Latte Macchiato
- Caffè Latte
- Flat white
- Milk
- Tea Function
- Steam function

#### **Interaction & Control**

- TFT Touch interface
- Touch sensitive keys
- Display language setting

#### **Safety & maintenance**

- Removable brewer unit
- Removable drip tray (1.0 L)
- Water hardness test stick
- Easy removable coffee ground container





# Hood in Hob

# Imagine a kitchen with clear view and clean air



The idea behind the ASKO Hood in Hob is simple. For those of you who want to enjoy your beautifully designed kitchen, without any distracting cooker hood in the field of view. For architects and designers, the ASKO Hood in Hob open a new field of kitchen designs, in which they don't need to consider whether to hide or highlight the cooker hood.

Our Hood in Hob will give your kitchen a complete new look. Without a bulky cooker hood in the kitchen, more attention is drawn to the kitchen design itself, which gives you greater opportunities to create a harmonious design without interruptions and disturbances.

A clear view is also true for the hob itself. No distracting metal casing or elevated air intake. The only sign of extractor is the narrow gap that runs in a square in the middle of the hood. There are no caps or other devices that need to be folded out, only a smooth surface. This gives the hob a clean expression while offering greater ease-of-use because you can freely move pots and pans all over the hob.

The integrated extraction surface is also very easy to clean as it is in the same material as the rest of the hob - extreme heat and scratch resistant ceramic glass.

# Effective fume removal



We use the fact that fumes from cooking rise more slowly closer to the source than higher up in the air. The significantly higher air speed that the fan provides, draws the fumes off from the point where they arise, directly at the cooktop.

# Give your kitchen a fresh start

Hidden deep underneath the stylish matt black surface of the hob is the extractor that efficiently removes moisture, fumes and grease. The only evidence of its presence is the discrete extraction zone placed in the middle of the hob.





#### Another noise level

Because the extractor and motor are positioned close to the floor and not at the same height as your head, you will experience a significantly lower noise level.

#### High grease capacity

The fat that the air stream fails to transport directly to the filter, ends on a sloping surface where it finally flows into the filter. The filter can hold up to 200 ml of fat. Excessive amount of fat ends at the bottom of the filter, with an additional storage space.

#### Completely flat surface

The extraction zone is completely flat and made of the same matt ceramic hardened glass as the rest of the hob. This increases usable space on the hob and makes it possible to move around pots and pans more freely.

# Hood in hob highlights

## Installation

Scandinavian design implies clean lines and harmony in every detail. According to the same tradition, we have designed the Hood in Hob for flush installation with the countertop. It can of course also be installed traditionally, on top of the countertop.



## A filter with double action

The ASKO Hood in Hob is fitted with Twin Filter System that efficiently cleans the air twice in one and the same filter. When it's time for cleaning, just lift the filter from the hob and place it in your dishwasher and it will be cleaned the most hygienic way.



## Flexible Bridge Zones™

Our flexible Bridge Zones™ let you bridge two cooking zones to create one large cooking zone, allowing you to optimize your cooking space. The Bridge Zones™ provide the ideal amount of space for large pots and pans.



## Auto programmes

Our auto programs help to make life in the kitchen a little easier. If you use them, you can focus on everything else that belongs to the cooking. The three auto programmes will help you to maintain the right temperature when boiling, melting and simmering.



## Easy accessible hood controls

The control for the hood is centrally placed and easy accessible while cooking. You can choose from four different power levels and set automatic or manual duct drying. There are also indications for cleaning grease filter and charcoal filter.





# Hobs



# Fusion Volcano Wok burner



## Most effective wok burner on the market

The Fusion Volcano Wok™ burner is different to most wok burners. It generates a vast amount of heat and effectively directs it to the base of the pan, rather than around the sides. It also maintains a high temperature even when you add more ingredients. This instantaneous heat transfer will help you to create the perfect wok dishes in your own home.



## Triple your wok function

As well as having the Volcano function with directed flame, the Fusion Volcano Wok™ burner has an additional outer flame for larger pots and a simmer setting for lower heat cooking. This can be used, for instance, to keep a small pot containing sauce just below boiling point.



reddot design award  
winner 2013



### Cleverly designed and effective A+ burners

All ASKO gas hobs are equipped with the unique A+ burners that produce a perfectly adjustable pure flame, which not only produces a very high output but also directs the flame to the underside of your pan. The precision-engineered flame ports ensure that the flame has the shortest distance to the bottom of the pan. More energy is then utilised and the heat is distributed evenly over the entire surface of the pan.



### A logical burner layout

We have made the most of the space we have available and maximised the distance between all burners. This makes it possible to use large pots and pans on all burners simultaneously without interfering with each other. On all our gas hobs you will find extra sturdy pan supports in real cast iron. They provide a perfect and secure support even for very heavy pots and pans and are easy to remove when cleaning the hob.



### Perfectly controlled burners

All of the Elements by ASKO gas hobs features automatic ignition. You simply press the control knob and turn it anticlockwise and the burner will then ignite. A selection of the Elements by ASKO gas hobs has a unique individual timer function for each burner. The individual timer function can switch off one or more of the burners automatically. When the set time has expired you will hear a beep and the timer-operated burner will switch off.

# Combined gas and induction



## Duo Fusion™ Gas and Induction hob

The ASKO Duo Fusion™ is a 90 cm hob, which combines two energy sources; one being an induction hob and the other being a Fusion Volcano Wok™ burner. These two cooking methods are combined into one piece of 6 mm ceramic glass. The first hob to truly cater for lovers of the gas flame and the technology of induction cooking all in one appliance.

The Duo Fusion™ hob in black glass comes with a knob dial for regulating the burner and touch sliders for the induction hob.

#### Awarded with Good Design Award®

In 2015, the Duo Fusion™ was awarded with a Good Design Award®. The Good Design Award® is regarded as one of the most coveted awards for design and innovation in the world. Entries must represent excellence in design at every level where judges carefully consider various factors including innovation, quality, functionality, sustainability and above all, world-class design.



#### HIG1995AB

90 cm Combined gas/induction hob  
Black glass surface  
1 Fusion Volcano Wok™ burner  
2 Bridge Induction™ zones  
(total 4 induction cooking zones)



#### Construction & Performance

- Enameled cast iron pan support
- Ceramic glass surface
- **Left center zone**  
Power Class: Fusion Volcano Wok™  
Power range: 300-6000 W
- **Middle front zone**  
Type: Induction  
Power range: 40-3700 W
- **Middle back zone**  
Type: Induction  
Power range: 40-3700 W
- **Right front zone**  
Type: Induction  
Power range: 40-3700 W

#### Use & Flexibility

- Multifunctional wok burner
- Precision engineered flame ports
- Pan support for bowl shaped wok pans
- Simmer support for smaller saucepans
- 13 Power levels incl. boost (induction)
- 6 Auto programs (induction)
- 2 Bridge Induction™ zones
- Pan Detection (induction)
- Pause function (induction)

#### Interaction & Control

- Ergonomic knobs
- Ignition integrated in knob
- Continous/stepless setting
- Touch control

#### Safety & maintenance

- Thermal-electric flame failure protection
- Removable knob for gas burner
- Easy clean smooth glass surface
- Residual heat indicator
- Cooking time limiter

# Domino hobs



## Cooking with no limits

You can compile your own ideal hob using ASKO Domino hobs. They can be built in next to each other, or combined beautifully with a full-size gas or induction hob. The Domino hobs are available in induction or gas with two A+ burners or with a Fusion Volcano Wok™ burner. If you like wok cooking but prefer induction, choose an induction wok. And if you want to go all the way with Asian cuisine, we can offer both a teppanyaki and a deep fryer.



### HI1355G

Domino Bridge Induction™ hob  
Black glass  
33 cm wide  
2 Induction zones

#### Construction & Performance

- Stainless steel frame
- Ceramic glass surface
- 1 Bridge Induction™ zones
- Power range: 40-3700 W

#### Use & Flexibility

- 13 Power levels incl. boost
- Timer

#### Interaction & Control

- Touch control
- Pan Detection
- Pause function



### HG1365GB

Domino Fusion Volcano Wok™  
Black glass  
33 cm wide

#### Construction & Performance

- Stainless steel frame
- Ceramic glass surface
- 1 Fusion Volcano Wok™
- Middle center zone
- Power range: 300-6000 W

#### Use & Flexibility

- Multifunctional wok burner
- Pan support for bowl shaped wok pans
- Simmer support for smaller saucepans
- Interaction & Control
- Ergonomic knobs
- Ignition integrated in knob
- Continous/stepless setting



reddot design award  
winner 2013

Please refer to page no. 383 to see the technical specifications of this product.

Please refer to page no. 384 to see the technical specifications of this product.



### HG1355GB

Domino gas hob  
Black glass  
33 cm wide  
2 A+ burners

#### Construction & Performance

- Stainless steel frame
- Ceramic glass surface
- 2 A+ burners
- Middle front zone  
Power Class: Rapid burner  
Power range: 550-3000 W
- Middle back zone  
Power Class: Normal burner  
Power range: 390-2000 W

#### Interaction & Control

- Ergonomic knobs
- Ignition integrated in knob
- Continous/stepless setting



### HF1334S

Domino deep fryer  
Black glass  
33 cm wide

#### Construction & Performance

- Stainless steel frame
- Ceramic glass lid
- Capacity: 3,5 litre
- Cold zone for frying sediment
- Temperature range: 80-200°C

#### Use & Flexibility

- Frying basket possible to place in dripping mode

#### Interaction & Control

- Knob
- Reached temperature indicator

Please refer to page no. 385 to see the technical specifications of this product.

Please refer to page no. 386 to see the technical specifications of this product.



# Black glass induction hobs

## Auto pan detection

When you put a pan on a cooking zone, sensors will activate the corresponding control for the zone. When you lift it off, the zone will pause and start again when you put it back.



## Intuitive interaction with Easy Dial™


With the Easy Dial™ function you'll find an extremely fast and intuitive way of controlling your hob. This feature uses a smart circular dial function with touch control where you easily set power and time. Sliding your finger on the control in a clockwise direction increases the power level, anti-clockwise reduces it. You can also change the same settings by using the button in the middle of the circle. By pressing the lock button for five seconds; you can lock the choices you have made.



## Ergonomic panorama layout

With our flexible and ergonomical cooking zone layout you have immediate access to each pan on the hob. The larger zones have been placed on the outer edges to allow for more space for larger pans and avoid handles from interfering with each other. The controls are placed in the same logical layout and intuitively match the corresponding cooking zone.

# Bridge induction





## Extended range with Bridge Induction™

ASKO's flexible Bridge Induction™ zones let you bridge two cooking zones to create one large cooking zone, allowing you to optimise your cooking space. The Bridge Induction™ zones provide the ideal amount of space for large pots and pans, making your cooking options endless.



### Roasting pan AD82A

A perfect complement to your cooking equipment that can be used on your ASKO Bridge Induction™ hob and/or in your ASKO oven.

- 413 x 270 x 73 mm
- Colour Anthracite
- MicroCeramic coating
- Variable cooking zones controlled by your ASKO Bridge Induction™ hob
- Rapid preheating of the roasting pan
- Made from cast aluminum, hand-cast



### Teppanyaki plate AT12A

A perfect complement to your cooking equipment offering the flexibility of turning your ASKO Bridge Induction™ hob into a teppanyaki without the need to buy another appliance.

- 423 x 248 mm
- Colour Anthracite
- MicroCeramic coating
- Variable cooking zones controlled by your Bridge Induction™ hob
- A teppanyaki plate for frying meat or seafood according to Japanese recipes
- Rapid preheating of the teppanyaki
- Made from cast aluminum, hand-cast



### Grill Plate AG12A

A perfect complement to your cooking equipment offering the flexibility of turning your ASKO Bridge Induction™ hob into a grill plate without the need to buy another appliance.

- 423 x 248 mm
- Colour Anthracite
- MicroCeramic coating
- Variable cooking zones controlled by your Bridge Induction™ hob
- A grill plate suitable for all types of grilling
- Rapid preheating of the grill plate
- Made from cast aluminum, hand-cast

 ASKO





# Cooker hoods



The Elements by ASKO cooker hoods are carefully designed using high-quality sustainable materials with a brilliant finish to every detail. They are fitted with durable brushless motors with a very high efficiency, up to 926 m<sup>3</sup>/h. The extraction zone is concentrated to the edges of the filters for the best possible fume removal.

ASKOs cooker hoods are extremely efficient even at lower settings, so they are both quiet and energy efficient.



## Proximity Sensor

The display is activated as soon as you approach the cooker hoods panel. When you do not use it, the display will be completely inactive and invisible, giving the cooker hood a stylish, minimalistic expression.

## Smooth opening of the glass plate

The filters are hidden under a stylish plate made of thick ceramic glass, which is easy to remove. Strong lifters slowly lower the glass surface via a push-pull solution to access the filters.

## Approved also from sofa level

On all ASKO Elements cooker hoods you will find a stylish ceramic glass panel that contributes to your beautiful kitchen design, also when viewed slightly from below. That's why Elements cooker hoods are especially appreciated in open-plan solutions without boundaries between the living room and the kitchen.

## Flexible illumination

The LED-strips on each side of the hood produces a complete even illumination of the cooking area without spots. It is dimmable and you can change the colour of the light from warm to cold (2700 Kelvin to 5600 Kelvin).

# Cooling



# Nordic Fresh

Built-in Refrigeration

 ASKO



# Inspired by Nordic

To understand how our new Nordic Fresh fridges and freezers work, we must first learn from nature. For example, different plants need different environments to grow strong. Some need sun and a dry climate, others need shade and moisture.

The same principle applies to storing fresh food in a fridge or a freezer. We have mimiced nature to create microclimates within a single fridge, offering the best possible storage conditions for different types of food.



# More taste, less waste

Smart features and state-of-the-art technology for better food and a trouble-free everyday life.



# Make a fresh start





Over time people have come to do their grocery shopping less frequently. Food and beverage are stored in fridges and freezers longer than before, placing high demands on functionality. The Nordic Fresh range combines a robust construction with unique features. Together they strive towards the same goal; keeping your food well for as long as possible.

# Loaded with



## Different climates for different foods

Meat, fish and shellfish need a slightly colder environment than other foods. This is why we have created Dura Fresh™, a climate control storage system, with customized temperature settings.

## Dura Fresh™ system

## Perfect moisture level

Fruit and vegetables need the perfect moisture level to last longer and retain their nutritional value.

## Auto Humidity Control

## Same temperature on all shelves

The effective air distribution system keeps an even temperature throughout the fridge and freezer. No need to worry about where to put what – just place the food where you like to.

## Cool Flow +

## Soft-closing comfort

Soft-closing drawers are luxury and ergonomics at the same time. Just give the drawer a light push and it closes silently.

## Soft Closing Drawers

# smartness

## Preserve on wood

In the Nordic countries wood is a common material used for many purposes. Therefore, it is logical that our Nordic Fresh Exclusive line refrigerators are fitted with beautiful wooden accessories.

## Wooden accessories

## No frost is the best frost

No frost in the freezer means that there is more room to store food. A frost-free freezer also saves energy. And think about the time and effort you save by not having to defrost.

## Freeze without frost

## Keeping cool always

Each time the fridge door is opened, the warm air starts a natural degradation process in the food. Our smart Adaptive Temperature Control prevents this by lowering the temperature before periods of frequent opening.

## Adaptive Temperature Control

## Speedy freezing

It is important to get food into the freezer as soon as possible after shopping to avoid degradation. The fast freezing function identifies unfrozen food in the cabinet and starts an immediate intensive freezing cycle.

## Auto Fast Freeze

# Keep the fresh fresh

When food is exposed to external conditions, it starts to decay and gradually lose its nutritional value. The Dura Fresh™ System allows you to create the perfect microclimate for your food so that it keeps fresh for a longer time.







# Dura Fresh™ System

## Temperature Control

Set the right temperature for every type of food. The temperature range for the upper Dry Drawer is -2°C to +5°C and for the Humid Drawers 0°C to +7°C.

---

## Auto Humidity Control

Fully automated moisture control based on a special membrane releases humid air when moisture level exceeds 90%. Below 90% the membrane closes and traps the moisture inside the Humid Drawers.

---

## Dry Drawer

Use the Dry Drawer to store fish, meat, shellfish and dairy products. This is the coldest place in the fridge – and the driest.

---

## Humid Drawers

This is the place for fruit and vegetables which require higher humidity to stay fresh. The Humid Drawers are approximately 2°C warmer than the Dry Drawer.

# Cool Flow<sup>TM</sup> System



Fast and even distribution of cool air is crucial for keeping your food fresh. The Cool Flow system allows for storing all types of food on any shelf by safeguarding that the temperature is rapidly restored after the door has been opened. The continuous air flow prevents the food from drying out and helps preserving its first-day freshness.



# Adaptive Temperature Control



Smart sensors closely monitor the way you open the fridge. It adjusts the cooling effect accordingly by lowering the temperature automatically prior to periods of frequent use. Hereby, temperature is kept at a more even level which makes the food stay fresh for longer and keeping the waste to a minimum.

# Keep your fridge full

Touch control interface 1

Cool Flow +  
Efficient distribution of air 2

Wooden Bottle holder &  
Wooden Multibox 3

Wooden Breakfast Tray 4

Five LED soft lights 5

Dura Fresh™ Control 6

Dura Fresh™ Dry Drawer 7

Dura Fresh™ Humid Drawer 8

Automatic Humidity Control 9

Door-on-door with Soft Close 10







# Plain luxury

Spending time at the weekend breakfast table is nice although it is damaging to your food. Why not prepare the nicely crafted wooden tray with smaller portions of your favourite breakfast toppings? Ready to serve whenever you are.

# Wooden Accessories



## Wooden bottle tray

Keep your glass bottles safe and avoid unpleasant sounds when loading and unloading them using the beautiful wooden bottle tray.

## Multi box

Helps you protect other food in your fridge from strong-smelling foods. The Multi Box can be used for cheese, among other things.



## Wooden egg tray

This is a perfect match of two natural materials. One for storing and one for eating. The wooden egg tray carefully stores your eggs while it adds beauty to the inside of your Nordic Fresh Exclusive line fridge.



# Auto Super Cool™

With Auto Super Cool™ the pre-set temperature level is reached faster than normal.  
The Auto Super Cool™ kicks in when there is a major temperature peak.

# Auto Humidity Control

Auto Humidity Control keeps the moisture in the Humid Drawers at the optimum level at every given time. The special membrane opens automatically when humidity is over 90% and closes when it is below 90 %. The process is fully automated and protects fruit and vegetables from drying out or decaying due to too much humidity.

Did you happen to buy a lot of fruit and vegetables? No need to worry. The Auto Humidity Control adjusts the climate to make sure that everything stays fresh until you use it.



# Freeze without frost

## No frost is the best frost

With our effective No Frost function, defrosting is in the past. In general, the food is easier to handle as packaging doesn't stick together and it is easier to see what is in the packaging. With No Frost, the freezer's entire space is available for storing which is more energy efficient. You save both money and the environment.



# Auto Fast Freeze

At a fast freezing process ice crystal are smaller compared to a slow process. Since small ice crystals do not affect the fibres in foods like meat or vegetables, the food is kept in its original condition.

The Auto Super Freeze helps retaining the healthy nutrients in your food. And, when you defrost the food there is no weight loss since no water has been added to your food. It is like time stood still.

The Auto Fast Freeze function detects warm and unfrozen food in the freezer and triggers an intense blow of cold air that freezes the food fast.



# Soft Closing Drawers

We think that food that you use often should be easily accessible. That's why the drawers in the Nordic Fresh freezers are designed with smoothly sliding telescopic rails and a soft-closing function.



# Interior Light

With good lighting, it's much easier to find the food you are looking for, and you can also read content labels and best before dates without eye strain. We have fitted our Nordic Fresh Exclusive line fridges and freezers with a number of LED lights to illuminate each part of the refrigerator, freezer and drawers with pleasant and attractive soft lighting.





# Craft

This design range is our tribute to the Scandinavian history of craftsmanship, design and inventions. With a minimalistic design, the products come in traditional stainless steel, soft graphite black or in the newest of our colours – Black Steel.

The solid metal knobs and sturdy steel handles are designed to be safe and user-friendly even for small hands helping you to cook. The displays are often a combination of digital and knobs in order to make features as well as actual status easily accessible.

## **ASKO CRAFT**

Built-in Ovens and Microwave

Built-in Drawer

Built-in Coffee Machine


Built-in Super Flex Wok™ Gas Hobs

Freestanding Black Steel Refrigerators





# Like the sea on a cloudy day



The inspiration comes as usual from Scandinavia. Our new Black Steel range looks like a crisp, colourful autumn day, the neversetting midsummer sun or maybe even the sea on a cloudy day. Black Steel is a modern interpretation of classic stainless steel with a splash of colour added. The horizontally aligned finish along with the color reflects the light in a balanced yet multifaceted way that gives the products a sober, shimmering and exclusive feel.

# Steel alive



Enjoying your stainless steel appliances but wanting to add another dimension to your kitchen? Then you should take a closer look at the Craft Black Steel range. Black steel adapts to the lightning conditions and surrounding colours in a spectacular way. This allows you to integrate the Black Steel products in an equally stylish way whether in a modern, industrial - style kitchen or in a rural richly decorated kitchen. Black Steel is just not one colour, instead several at the same time. It's a living colour.

With focus on the details





Details. That's what makes the meat sauce extra tasty, the crusty bread and the kitchen extra nice. The products in our Craft range are made for close inspection, with nothing left to chance.



“Craftsmanship is our nature,  
detail our passion”

Jon Carlehed, Head of Design at Asko Appliances.

# Ovens



Our expertise turned an oven into an instrument of precision. We used carefully selected and sustainable materials and made our product elegant looking and long lasting. Our craftsmanship created this range characterized by exceptional finishing and intuitive interfaces.

We have crafted a sophisticated glass door and integrated it with one-piece seamless frame. The large glass door emphasizes the spacious oven and offers full visibility.



# Cooking with steam

Steam is used daily by professional chefs to bring out more flavour from the food and to create delicious crispy crusts on bread and pastries. Cooking with steam is gentle on food and preserves vitamins and nutrients better than traditional boiling. Healthy and natural, steam cooking preserves the full flavour of foods.

This cooking method releases no odours and there is no need to add salt to the water or to add herbs and spices. With our combination steam ovens you can combine traditional convection with steam in a single cooking programme or simply use just hot air or steam.



## Preserves the natural flavors

Bring out new flavours by using steam in combination with hot air or cook truly healthy food using steam alone. This will preserve all of the mineral salts and flavour within the food while retaining its colour and texture. Meat, fish and vegetables can be cooked simultaneously: just set the time according to the food that requires the most time to cook and there is no risk of overcooking.

## Only pure steam

Our combi steam ovens have a unique steam generation system that creates nothing more than pure steam. This is possible thanks to the flow meter, which ensures that the correct amount of water is used, and the separator, where the pure steam and condensed water are separated. Condensed steam falls to the bottom of the oven where it is heated and becomes new steam. This ensures that your food just gets steamed and not boiled.

## Regenerate

This mode is used to gently reheat previously cooked dishes. The use of steam means there is no loss of quality. Taste and texture are preserved as though the dish is freshly cooked. This function is suitable for most dishes. Several dishes can be regenerated simultaneously.

## Steam assisted cooking

With the Combi steam functions the steam is sprayed into the oven cavity at regular intervals. Using a combination of steam and convection is a good way to improve heat transfer while also browning the food. Steam makes the heating more efficient and prevents dehydration of the food, providing more succulent foods. Useful when cooking meat and chicken, for example.

## Add steam

With steam, you can easily create small wonders – on a daily basis. By adding steam when baking bread, your bread will be fluffy inside, rise better and boast a perfect crust. For guaranteed perfect results, use the temperature probe in the bread. Then you'll know exactly when it's time to remove it from the oven. Satisfaction guaranteed!



## Shared workload with Stage cooking



Professional chefs always use different heating methods to bring more flavour to their food. Cooking at low temperature for a long time and finishing with a short grill, for example. Or why not use steam, hot air and the grill in one and the same program? Instead of setting different heating modes by yourself, you simply make a selection in the menu and then press start. Let the oven do the work!



# Drawers



Extend your cooking possibilities with ASKO Craft drawers. In the Craft range there are different drawers for different needs. The vacuum drawer is a perfect complement to the combi steam that you use to vacuum seal food for slow Sous Vide cooking in the oven. Our Craft warming drawers you use to either heat plates and cups, to keep food warm or even slow cook food.



# Black steel coffee machine



We have spent a lot of time on the design of our coffee machine to make it a perfect match with the other products in this range. It is also designed to perfectly align into any configuration of the ASKO Craft ovens. By the way, it makes great coffee too.



### **CM8477B**

Black Steel

Integrated coffee machine, 45 cm

#### **Construction & Performance**

- 2 heating elements
- Water tank tank capacity: 2.5 L
- Whole grains coffee container
- Capacity of Coffee Beans container (gr): 350 g
- From front extractable thermal Milk jug (0.5L)
- Extractable steam pipe
- Pre-brew system
- 4 led lights inner illumination (2 on the sides / 2 on coffee outlet)

#### **Use & Flexibility**

- Whole grains coffee container
- 13 grinding levels
- Pre-ground coffee container
- Led light
- Standby function
- Preparation of 2 cups at the same time
- 5 coffee temperature settings
- Integrated cup warmer shelf
- Integrated storage area for accessories
- Custom recipies / user profiles

#### **Function**

- Single Espresso
- Double Espresso
- Single Coffee
- Single Long
- Single Doppio +
- Single Americano
- Cappuccino
- Cappuccino +
- Single Espresso Macchiato
- Latte Macchiato
- Caffè Latte
- Flat white
- Milk
- Tea Function
- Steam function

#### **Interaction & Control**

- TFT Touch interface
- Touch sensitive keys
- Display language setting

#### **Safety & maintenance**

- Removable brewer unit
- Removable drip tray (1.0 L)
- Water hardness test stick
- Easy removable coffee ground container





# Hobs

# Original art of cooking



## Super Flex Wok™ burner

Introducing the new gas hobs from ASKO; the Super Flex Wok™ burner. With output between 0,2 kW and 4,6 kW it range a large span for all types of cooking. The simmer setting consists of only two parts and is an efficient solution where the flames are directed upwards through diagonally drilled flame ports. Due to the smaller diameter of the burner head it makes the heat stay directly beneath the pan. The burner head is designed in one solid piece of brass that lasts for along time.

## A+ hybrid burner

The new A+ burner from the ASKO Craft range is really efficient and directs more of the gas energy direct under the pots and pans. Lifted burners provide an airflow between the burner and the drip tray. This makes the stainless steel or black enamel cooler and less oil stains will stuck and burn. The small burner diameter provides high performance and also makes the controlling more precise.



## Easy clean coating

Based on nano-technology, our new stainless steel gas hobs have been crafted with a very thin protective coating. This layer prevents stains from burn and stick to the surface. This makes the hob very easy to clean, without special detergents. After four hours of baking on 180°C, the ASKO easy clean coating can be cleaned more easily than the solutions our competitors are using. The graphite black versions are also easy to clean thanks to the graphite black enamel surface.

## Easy movement of pans

The new pan supports have been developed with inspiration from professional hobs. It is very easy to move around pans on top of the large surface without lifting them. Even smaller pots have a stabile stand. The whole surface is optimized for any kind of pans and provides one of the most flexible solutions on the market.



ASKO

# Gas hobs



# Craft Gas Hobs



**HG1986AB**

90 cm Gas hob Graphite black drip tray  
4 Hybrid A+ burners  
1 Super Flex Wok™ burner

■ **Construction & Performance**

- Enameled cast iron pan support
- Dual air intake

■ **Left center zone**

- Power Class: Super Flex Wok™ burner
- Power range: 300-4600 W

■ **Middle front zone**

- Power Class: Normal burner
- Power range: 300-1000 W

■ **Middle back zone**

- Power Class: Auxiliary burner
- Power range: 390-2000 W

■ **Right front zone**

- Power Class: Rapid burner
- Power range: 550-2600 W

■ **Right back zone**

- Power Class: Normal burner
- Power range: 390-2000 W

**Use & Flexibility**

- Flat easy movement surface area
- Multifunctional wok burner
- Precision engineered 15° angled flame ports
- Extra Wok support
- Extra Simmer support

**Interaction & Control**

- Ergonomic knobs
- Ignition integrated in knob
- Continous/stepless setting

**Safety & maintenance**

- Thermal-electric flame failure protection
- Easy clean Enamel surface coating
- Removable knobs
- One-piece A+ burners
- Two-piece Wok burner

Please refer to page no. 379 to see the technical specifications of this product.



**HG1666AB**

60 cm Gas hob Graphite black drip tray  
3 Hybrid A+ burners  
1 Super Flex Wok burner

■ **Construction & Performance**

- Enameled cast iron pan support
- Dual air intake

■ **Left front zone**

- Power Class: Super Flex Wok™ burner
- Power range: 300-4200 W

■ **Left back zone**

- Power Class: Normal burner
- Power range: 390-2000 W

■ **Right front zone**

- Power Class: Normal burner
- Power range: 390-2000 W

■ **Right back zone**

- Power Class: Auxilliary burner
- Power range: 300-1000 W

**Use & Flexibility**

- Flat easy movement surface area
- Multifunctional wok burner
- Precision engineered 15° angled flame ports
- Extra Wok support
- Extra Simmer support

**Interaction & Control**

- Ergonomic knobs
- Ignition integrated in knob
- Continous/stepless setting

**Safety & maintenance**

- Thermal-electric flame failure protection
- Easy clean enamel surface
- Removable knobs
- One-piece A+ burners
- Two-piece Wok burner
- Detachable burner cup

Please refer to page no. 380 to see the technical specifications of this product.

# Freestanding/ Slot-in Black Steel Refrigerators





**ASKO**



# A wine cellar in the kitchen

Wine Centre



Our new Black Steel wine centre adds a signature to your kitchen. You can install it as built-in or freestanding with the special Wine Centre kit that unites the wine chiller and fridge or freezer.





## Food and wine – an unbeatable combination



Do you think wine should deserve the same care as your food? Well, we think so. That's why we have created an unbeatable combination: a wine chiller with a convertible freezer that you can combine with a refrigerator.



## Always the right temperature

If you have ever found that your favourite wine does not taste as good as you remember from the last time, it more often depends on storage than any fault during the actual winemaking. An important factor for maintaining and developing the wine's flavours is temperature. With our wine coolers you can set exactly the right temperature for the type and character of wine you want to preserve.





 ASKO



# Convertible Convenience

The freezer compartment has a separate temperature control enabling you to convert into a fridge. This is the perfect feature when you temporarily have to store more food for a dinner party or when you need extra space for storing bulky food.



## What herbs deserve

If you rinse your herbs before storing them in the fridge, they will last longer. Remove all discoloured, damaged or whithered leaves. Herbs with hard stems such as rosemary, thyme and mint should be stored on lightly dampened household paper or a clean kitchen towel.



# Longer freshness with humidity control

The drawers are closed systems designed to maintain the moistures that fruit and vegetables release to prevent them from drying out. But fully loaded with fruit and vegetables, the humidity will be too high and instead cause them to rot. The simple yet effective humidity control ensures a perfect moisture level regardless of load size.



# No boring storing

Preserving food is more than just storing. It is a way to secure the investment you made when buying the food. We have packed our fridges with several smart functions that will take care of preserving when you are just storing. Like the Adaptive Temperature Control that keeps the food at an even low temperature even when the door is frequently opened.

## Get more out of your cheese

Wrapping cheese in plastic wrap is generally accepted as the right thing to do. And it's easy to believe it, because almost all the cheese you buy in the store is packed in plastic. Replace the plastic with baking paper. Then the cheese can breathe, and will not dry out as fast.

And remember to take it out from the fridge an hour or so before it will be eaten. This will bring out more taste, aroma and texture.





# Pro Series™

If you dream of a professional kitchen at home, you will love the Pro Series™. The stylish stainless steel look in combination with large, clear glass doors for maximum view will give you that right professional feeling in your own home. Add the seamless, robust and high-quality design details and you have a kitchen for life.

Let each appliance in the Pro Series™ stand out to be a design object itself or, use the same front as in the rest of the kitchen cupboards.

## **ASKO PRO SERIES™**

- Built-in Ovens and Microwaves
- Built-in Coffee Machine
- Built-in Drawer
- Cooker Hoods







## For those who expect more

We have been selling high quality appliances to demanding customers for over 60 years. This has given us all the experience we need to create a range of appliances for the kitchen that will move our design philosophy and quality thinking a step forward. The name of the range is ASKO Pro Series™, a hallmark of high quality and thoughtful design in every detail.

 ASKO





# Ovens



## Slide, select and cook.

There are few things in life that compare to sharing a beautiful meal with the people you love. And ASKO Pro Series™ ovens make it easy. Packed with intelligent features that take all the guesswork out of cooking, you will be creating restaurant quality meals from day one. Whether it's a family feast or a delicious gourmet snack, ASKO's cooking range will complement your passion for great cooking and help to make every moment in the kitchen a joy.



# 150 comfortable auto programs

Both the kitchen novice and kitchen professionals benefit from the carefully crafted auto programs. Via a number of choices you will come to the specific recipes where you only need to set the quantity or weight and desired browning level. The oven will then automatically set the appropriate function and cooking time.

## Soft closing all the way

Where other oven doors stop halfway, an ASKO closes softly all the way. With ASKO's smart built-in spring system you just need to give the door a light touch when you want to close it. Perfect when both hands are busy with that hot lasagna dish.

## XL Steam cooking

Thanks to the effective steam generator and the 5 Airflow system we can ensure an even full steam result also in our 60 cm XL combi steam ovens. This means that you can take advantage of cooking more food at the same time and separate food from each other on up to three levels at the same time.

## Preserves the natural flavours

Bring out new flavours by using steam in combination with hot air or cook truly healthy food using steam alone. This will preserve all of the mineral salts and flavour within the food while retaining its colour and texture. Meat, fish and vegetables can be cooked simultaneously: just set the time according to the food that requires the most time to cook and there is no risk of overcooking.

## Combination oven and Microwave

With our combined microwave oven you have all the flexibility of combination cooking. It offers four different types of cooking methods: microwave, fan-forced convection cooking, grilling and combined traditional oven cooking with the aid of microwave cooking. In the same cooking program you can defrost, go to traditional convection and finish with a short grill. They are co-designed to perfectly complement all our ASKO Pro Series™ ovens.





# Discover the dark tones



You can recognise a good cook by the coffee he drinks. The ASKO Pro Series™ coffee machine makes delicious espresso, black coffee, cappuccino or caffè latte time after

time. The strength, quantity and degree of grinding can be adjusted for the perfect desired result.



### A clean coffee taste

Clean equipment is all important to the taste of really good coffee. Therefore, all the parts that you may need to clean are easy to remove, such as the brewer unit, spouts and drip tray.



### Easy to refill

The water tank is easy to remove and refill, and can hold up to 1.8 litres of water, enough for 12 regular-sized cups of coffee. The separate milk tank is kept in the fridge until it's time for your daily dose of caffè latte.



### Prefer coffee beans or ground coffee?

The highly effective grinder grinds your coffee beans to the perfect grain size in just a few seconds. It's just as easy to fill the coffee machine with pre-ground coffee if you prefer.



### Pull out, fill and push-in

When it's time to refill, simply pull out the coffee machine. Telescopic rails ensure that it goes smoothly and effortlessly.

# Coffee machine



Coffee machine

**CM8456S**

45 cm Automatic Coffee machine, Stainless steel

**Construction & Performance**

- One piece solid frame front for unique integration
- Water tank tank capacity: 1,8 L
- Whole grains coffee container
- Grains container capacity: 200 g
- Separate milk tank
- 2 heating elements
- Pre-brew system
- Pre-grinding system

**Use & Flexibility**

- Whole grains coffee container
- Pre-ground coffee container
- Light
- Standby function
- Beans and ground coffee preparation
- Preparation of 2 cups at the same time

**Programs, function and modes**

- Ristretto
- Espresso
- Coffee normal
- Coffee long
- Hot water
- Cappuccino
- Latte macchiato
- Café Latte
- Hot milk

**Interaction & Control**

- Digital display
- Touch sensitive keys
- Display language setting

**Safety & maintenance**

- Removable brewer unit
- Removable drip tray
- Water hardness test stick

# Warming drawer



## Warming drawer

Use the warming drawer to keep food warm, to warm plates and cups or to simply keep things in. The exterior is clean, modern and stainless and is co-designed with our other ASKO Pro Series™ kitchen appliances.

**ODW8123S**

14 cm Stainless Steel Warming Drawer

**Construction & performance**

- Temperature range: 30-70°C
- Air vented circulation
- Timer
- Push-pull opening
- Fully extendable telescopic rails

**Use & flexibility**

- Weight capacity: 20 kg
- Capacity: 20 plates in diameter 28 cm, or 80 coffee cups, or 40 tea cups


**Interaction & control**

- Dial for setting inside drawer
- Indication light on front

**Safety & maintenance**

- Anti slip mat
- Cold front

# Cooker Hoods





ASKO  
PRO SERIES™

# The sound of clean air



Strong, silent and good looking.

Our Pro Series™ cooker hoods are carefully constructed with high quality sustainable materials and brilliant finish in every detail. The design is timeless and suits every kitchen. Choose between wall-mounted or island versions: 90 cm, 115 cm and 120 cm wide.

Air Logic™ - a unique air flow system

The Air Logic™ system ensures that the whole surface of the hood is used for fume extraction. This is made possible by the unique hole pattern with small holes near the motor and larger holes at the outer edges, which makes the hood extremely efficient also at lower settings. Thus both quiet and energy efficient.



**falmec**



# Cookerhoods

**falmec**



A photograph of a dense forest of tall evergreen trees, shrouded in thick, dark mist or fog that obscures the sky and lower branches, creating a mysterious and serene atmosphere.

Solutions for a new  
quality of life at  
home

**falmec**



# Falmec Life inspired



**falmec**





# The Air Factory

## A future that began long ago.

Falmec was born in 1981 as a small artisanal business and has grown today to be one of Italy's centres of excellence and a leading international player in the market. An "air factory" with a state-of-the-art approach, an experience in the design and manufacture of extraction solutions, developed through years of experience. A team, a family, bringing together the experience and skill of different generations, contributing with their energy, creativity and talent to create products and solutions that improve people's daily lives.

## A product created through genuine Italian quality and culture.

A completely integrated production organization, from initial design up to the finished product. Our multi-phase process takes place entirely on site at our company headquarters in Vittorio Veneto, just outside Venice. Each Falmec hood is developed, designed and built entirely in Vittorio Veneto, a town located in one of the most important Italian production districts, where a true industrial, steel-specialized culture blends with the ingenuity and craftsmanship skills rooted in this territory. The true value of "Made in Italy" is embodied in a real product culture: an absolute guarantee of quality that is found in every product and that starts from design, through the care of detail and the perfection in the making, to end with the choice of the finest materials.

# Quality of life: now you can breathe it.

## Technology for better air.

Falmec offers unique, patented solutions for maximum efficiency and performance. Whether used in extracting or recirculating mode, Falmec cooker hoods satisfy one of our primal needs: breathing. Deep research, design accuracy and the use of unique, exclusive solutions allow total efficiency in operating performance, to guarantee the best air in every environment.

## A product created through genuine Italian quality and culture.

A completely integrated production organization, from initial design up to the finished product. Our multi-phase process takes place entirely on site at our company headquarters in Vittorio Veneto, just outside Venice. Each Falmec hood is developed, designed and built entirely in Vittorio Veneto, a town located in one of the most important Italian production districts, where a true industrial, steel-specialized culture blends with the ingenuity and craftsmanship skills rooted in this territory. The true value of "Made in Italy" is embodied in a real product culture: an absolute guarantee of quality that is found in every product and that starts from design, through the care of detail and the perfection in the making, to end with the choice of the finest materials.

E.ion®System 

Carbon.Zeo::







# Quality of life: now you can hear it

NRS<sup>®</sup>: a quiet kitchen

## A future that began long ago.

Falmec was born in 1981 as a small artisanal business and has grown today to be one of Italy's centres of excellence and a leading international player in the market. An "air factory" with a state-of-the-art approach, an experience in the design and manufacture of extraction solutions, developed through years of experience. A team, a family, bringing together the experience and skill of different generations, contributing with their energy, creativity and talent to create products and solutions that improve people's daily lives.

## A product created through genuine Italian quality and culture.

A completely integrated production organization, from initial design up to the finished product. Our multi-phase process takes place entirely on site at our company headquarters in Vittorio Veneto, just outside Venice. Each Falmec hood is developed, designed and built entirely in Vittorio Veneto, a town located in one of the most important Italian production districts, where a true industrial, steel-specialized culture blends with the ingenuity and craftsmanship skills rooted in this territory. The true value of "Made in Italy" is embodied in a real product culture: an absolute guarantee of quality that is found in every product and that starts from design, through the care of detail and the perfection in the making, to end with the choice of the finest materials.



**falmec**



# Quality of life: now you can see it

## **Design and shape.**

Elegance, style, ergonomics, functionality, integrated in a perfect balance. Design for a better living, in any environment, matching the principles of minimalism and essentiality with aesthetic proposals of strong character and emotional impact. Design means thinking about the object in everyday use, considering the aesthetic value, but without compromises in functionality.



**reddot design award**



# Quality of life: now you can touch it.

## **Substance.**



Falmec's obsessive pursuit of quality shows in every product, detail, perfect finishes and in the selection of the finest materials. Quality that you'll touch every day for many years to come: each product is designed to stand the test of time, thanks to the selection of reliable components and longstanding materials.

## **High quality stainless steel.**

Falmec selects and uses AISI 304 stainless steel alloyed with 18% chrome and 8% nickel. Hygienic, easy-to-clean and extremely resistant to corrosion, as demonstrated by salt spray laboratory tests, AISI 304 is the best material there is when it comes to making hoods.

Life inspired.

**HAFELE**  
APPLIANCES



# Quality of life: now you can touch it.

## Wall

The wall hood is traditionally the most used option, perfect for optimal fumes extraction, if chosen and installed correctly. The wall hood combines functionality and design, often representing a decorative element of separation and customization of the kitchen.

## Built-in

Built-in hoods, integrated into the wall unit, grant linearity and optimization of the spaces in the kitchen; they are therefore recommended in environments with an essential design or where there is the need to maximize the space on the wall.

## Downdraft

The hood is integrated into the worktop, and emerges for use by means of a motorised system. It extracts cooking fumes and vapours near to their source, at the same time lighting the worktop. This system provides great flexibility and versatility when it comes to installation, including different motor options, which can be installed in the hood or in a remote position.

To achieve the best results from this type of hood, we advise that it is used with panoramic in-line hobs.



## Island

Kitchen is more and more a convivial space, central to the home project, integrating with the living environment. Island hoods become fundamental elements from a functional and design point of view. It performs its function of suction and lighting, adding value and personality to the kitchen itself. Falmec offers a wide choice of island hoods, with unique solutions, in exhausting or recirculating versions, to always guarantee the best air.



## Suspended

Falmec suspension hoods are distinguished by their unique design, featuring high-quality finishes and materials as well as ambient light to create a unique atmosphere in the kitchen. With no need for pipes or flues, suspension hoods allow complete freedom of installation and significant energy saving.

Equipped with innovative filter technology, Falmec filter solutions guarantee excellent results when it comes to absorbing odours and improving air quality at home.



## Ceiling

Falmec ceiling hoods are designed to fit perfectly into any living environment. Thanks to their clean and minimal shapes and the discreet visual impact, they are suitable for open spaces where the kitchen area integrates with the living space. These solutions collect the cooking fumes that rise naturally and are then captured directly in the ceiling. The hood can be integrated into the false ceiling or installed directly in the ceiling, in recirculating mode.



# Choosing the right hood.

## Choosing the right hood

The study of the most suitable solution necessarily involves a preliminary assessment of the technical and aesthetic constraints of the kitchen where it will be inserted, taking into consideration multiple variables.

## Distance from cooking hob

It is suggested to respect the minimum or maximum distance between the hood and the hob, indicated in the catalog for each model.

## Air Flow/Suction power

An important point to check is the required airflow that normally depends on the size of the room and also on the frequency of use of the hood.  
The correct airflow is obtained by multiplying the room volume by ten, which is the number of air changes recommended every hour. For example, for a 4x4 m kitchen with a height of 2.7 m, the following calculation should be applied:  $(4 \times 4 \times 2.7) \times 10 = 432 \text{ m}^3/\text{h}$ . Therefore any hood with a suction capacity of 432 m<sup>3</sup>/h will provide sufficient ventilation.


## Perimeter suction

Fumes are conveyed along the perimeter of the suction area, allowing a higher speed of the air flow and an effective performance. Falmec hoods with perimetral suction are equipped with a steel panel with a sound-absorbing material that reduces noise. This panel, easy to remove, also helps the cleaning and maintenance operations.


## Dimensions

To be really effective, the suction surface must cover at least the length of the hob. However, a model that is longer than the surface of the hob is recommended.

Distance from cooking top,



Airflow / air displacement



## Pipes and ducting

Another fundamental aspect concerns a correct installation and the use of appropriate pipes for the fumes ducting.

Errors or carelessness in the installation can result in a significant drop in performance and an increase in the noise level of the hood

## Airflow friction

The engine generates an airflow that passes through a pipe, whose walls cause friction, leading to a decrease in performance.

For a correct installation and optimal functioning, it is advisable to:


- use rigid pipes with smooth walls and a diameter not smaller than the one indicated;
- avoid too long piping (longer than 7 m) and reduce the number of bends to a minimum.

## Motor position

Regardless of the position of the motor (internal, under-roof remote or external remote), the evacuated air flow will always be the same, depending on the friction that it undergoes along the ducting route. There will be a difference in pressure at the inlet and outlet of the piping, but the final result will always be the same.

Therefore the installation of a remote motor (under-roof or external) does not involve any loss of performance.

Friction with walls, which depends on the characteristics of the ducting (smooth, rough).



Drawing of a circular pipe through which airflow is circulating

Friction due to curve in the ducting.





Drawing of a 90° circular bend through which airflow is circulating.

Friction due to a change in the section of the ducting (difference in diameter).



Drawing of a constriction in the pipe through which airflow is circulating.


Behaviour of airflow with a remote under-roof motor installed in intermediate position



Behaviour of airflow with onboard motor.



Behaviour of airflow with the motor at the end of the installation.



# Recirculation or extraction?

## Recirculation or extraction?

Each of the two installation options offers features that should be considered when choosing your hood.

## Extracting Hoods

These hoods use a fan to capture the fumes, extract them through a metal grease filter and physically take them out, together with smells and moisture.


### Advantages:

- High airflow;
- Humidity is conveyed to the outside;
- High efficiency even at low speeds;
- Reduced noise (if the hood has been installed correctly);
- No additional cost for activated charcoal filters (and their periodic replacement).

### Disadvantages:

- More complex and not always optimal installation;
- Energy waste due to the extraction of the air to the outside.

Extraction hood.  
The air is channelled through piping to a flue, and from there out of your home.



## Recirculating hoods

These hoods use a fan to capture the fumes, drive them through a grease filter and lead them towards an additional filtering area dedicated to the elimination of odors. The clean air is then conveyed back into the room.

Recirculating hoods normally work in multiple filter cycles, requiring more time. It is therefore advisable to leave the hood switched on longer (compared to extraction hoods) once the cooking operations have been completed.

### Advantages:

- Easy installation and flexibility in the choice of the hood;
- No additional structural work;
- Significant energy savings due to the maintenance of energy in the home environment (waste is avoided).

### Disadvantages (traditional)

#### Filtration:

- Humidity deriving from the cooking vapors is not eliminated;
- Traditional charcoal filters require frequent replacement;
- Generally filtering solutions are significantly noisier (phenomenon due to the non-channeled air flow outlet);
- Suction flow rate is reduced by the use of traditional charcoal filters which partially obstruct the flow of air.


## Filtering Innovation

Sensitivity and attention to the quality of the air in domestic environments has led Falmec to invest in research and development of innovative solutions in filtration and air treatment.


These largely solve the contraindications of traditional recirculating solutions, thus representing an effective and real alternative to extraction hoods.



## Carbon.Zeo®



**Filter hoods.**  
The air passes through an active carbon filter to be purified, and is then reintroduced into the room.




PRESERVING  
AND IMPROVING  
THE  
ENVIRONMENT.

# GREEN DEAL

Since its foundation 30 years ago, Falmec has always sought responsible and respectful means of balancing production and attention to resources, the market and sustainability.

Over the years, it created its own code, time and time again, adjusting its business and refining its approach. These principles and this commitment is called 'Green Deal', because it forms a pact whereby Falmec transmits such attention and sensitivity to its products and therefore, its customers.




Pressure and air velocity in the suction side of the hood are naturally higher in areas close to the motor.

As a result, suction capacity is concentrated directly under the motor, leading to a general loss of performance, especially in the filter peripheral area.


Airfalmec, the new balanced filter system, features a new design that can overcome this limitation by redistributing the aspiration for maximum efficiency and a greater capacity of the extractor, even in the furthest corners of the hood.

# air falmeC

## BALANCED SuCTION



WALL




ISLAND

# DESIGN

## **In search of the perfect hood**

A collection of hoods with a contemporary flavour to satisfy every desire and need in the kitchen. Featuring unique aesthetic and functional solutions, Design is a collection created from Falmec's creativity and different collaborations with established and emerging designers. An ongoing, shared "work in progress" that has allowed us to create a range inspired by absolute perfection: in its forms, its materials and its technologies.





**ASKO**



# Ceiling Mounted Hoods

# NUVOLA 140

140 cm wide

Scotch brite stainless steel (AISI 304)

Perimeter suction

24hr timer function

Metallic grease filter, removable and washable

Electronic control

Tempered extra-light painted glass

Remote control included

Available only in ducting version on **Special order**





# NUVOLA 90

90 cm wide  
Scotch brite stainless steel (AISI 304)  
Perimeter suction  
24hr timer function  
Metallic grease filter, removable and washable  
Electronic control  
Tempered extra-light painted glass  
Remote control included  
Available only in ducting version



# ALBA 120

120 cm wide  
Glass perimeter frame  
Matte white (customizable panel\*)  
LED perimeter lighting  
Removable and washable metallic filter  
Electronic button board  
Remote control included  
Perimeter extraction  
Dialogue System-ready





# STELLA 90

90 cm wide  
Matt black painted steel (AISI 304)  
Electronic control  
24hr timer function  
Dimmable and Dynamic LED lighting  
Metallic grease filter, removable and washable  
Remote control included  
Available only in ducting version





# Worktop Hood



## DOWNDRAFT

90 cm wide  
Scotch brite stainless steel (AISI 304)  
Tempered black glass  
Perimeter suction  
Touch control  
24hr timer function  
LED lights  
Top filter removable and washable  
Separate motor (537.81.569)






## Island Hoods

# CIRCLE.TECH


## The new shape of filtration

The circle represents perfection, the traditional symbol of something that has neither beginning nor end, formed of a single line whose ends join together and cancel each other out. Inspired by this form, Falmec has developed a new line of hoods that combine extraction and filtration in a single element, allowing maximum efficiency and minimum impact on space.



# Circle.Tech Technology

## Technical sheet



## Carbon

Active carbons are materials made principally of carbon in the form of graphite microcrystals, specially treated to create a porous structure with a vast internal surface area. These characteristics make it capable of trapping the molecules of many different types of substance, attracting and absorbing them.



## Zeolite

Zeolite is a mineral with a high capacity for absorbing organic compounds and water vapour. This property is directly due to the microporous nature of its crystalline structure. In addition, the chemical characteristics of zeolite mean that it releases heat on contact with moisture, thus reducing it. The use of zeolite is therefore important both for reducing odours and for absorbing water vapour produced during cooking.



## Long-lasting product, simple maintenance

The Carbon.Zeo combined filter has a long life, lasting at least 3 years, and up to 5 years, under normal conditions of use. We recommend to regenerate the filter every 18 months by placing it in an oven at 200°C for two hours. This process is extremely easy, with extraction performed in the lower part of the hood.







## SPAZIO

180 cm wide

Black-painted steel chassis

Circle.Tech technology with Carbon.Zeo filters

Smoked glass shelves

LED lighting

Removable and washable metallic grease filter

Equipped with power outlets and USB ports

Ladle hanger, spices shelf, tablet holder included

Indoor plants growing area

Remote control included




# LUCE

90 cm wide  
Scotch brite stainless steel (AISI 304)  
Top filters AirFalmec, removable and washable  
Electronic control  
24hr timer function  
White neon ambient light  
Charcoal filter included



## LUMEN

120 cm wide  
Scotch brite stainless steel (AISI 304)  
Top filters AirFalmec, removable and washable  
Electronic control  
24hr timer function  
White neon ambient light  
Charcoal filter included



# NRS<sup>®</sup> Series



# SILENCE-NRS®

## Finally, a quiet hood.

Using innovative NRS® technology, Falmec has created a product that combines enhanced performance with noticeably improved home comfort. While there are figures that provide scientific proof of the excellent results achieved, the most important point is that the hood can barely be heard.





# Silence — NRS<sup>®</sup>

## Finally, a quiet hood.

**You won't just hear the difference - you'll live it.**

NRS<sup>®</sup> (Noise Reduction System) is the system developed by Falmec in collaboration with laboratories specialising in fluid dynamics. It has enabled us to create a collection of incredibly quiet hoods, with considerable improvements in quality of life in the kitchen.

NRS<sup>®</sup> technology allows to cook, work, chat and listen to music without the noise typically produced by hoods, while maintaining excellent extraction performance.

**Up to 86% reduction in sound levels.**


Thanks to research into airflow and the specialist materials used, NRS<sup>®</sup> hoods reduce noise to an extremely low, almost imperceptible level. The NRS<sup>®</sup> system gives the best results through the evacuation of cooking fumes, but can also be used in recirculation mode with a long-lasting, regenerable high-performance carbon filter.



Falmec NRS<sup>®</sup> noise reduction has been certified by the Quiet Mark Institute.




Find out more about our Silence - NRS<sup>®</sup> technology




Compared to standard extraction hoods on the market, noise is drastically reduced. Our perception of noise actually follows a logarithmic scale: for every reduction of 3db, noise is halved.



Diagram of internal flows in an NRS® hood. Soundproofing the motor chamber and research into airflows reduces operating noise to a minimum.




## NRS®



## Speed

Perception of noise produced by a standard hood





## THE DIFFERENCE IS NOT FELT, BUT EXPERIENCED

A system developed by Falmec in collaboration with laboratories specialised in the study of fluid dynamics, NRS® (Noise Reduction System) has enabled us to create a collection of incredibly quiet cooker hoods that effectively enhance the quality of life in the kitchen. NRS® technology allows you to cook, work, talk and listen to music without hearing the noise typical of cooker hoods, while benefiting from the best air suction performance.

### 86% LESS NOISY

Thanks to the study of air flows and to the materials used, NRS® cooker hoods reduce noise to a minimum, almost imperceptible level. The NRS® system guarantees the best results through the extraction of cooking fumes, and it can also be used in the filter version, with a high-performance, long-lasting and regenerable carbon filter.

Compared to today's standard hoods, the noise level has been reduced dramatically. The benefit in the kitchen is extraordinary. The 'perception' of noise follows a logarithmic scale: each decrease of 1dB corresponds to a reduction in the perceived noise level of about 20%. In other words, for every decrease of 3db perceived noise is halved.

SILENCE NRS<sup>Æ</sup>

falmec

 collection  
**silence**

## FINALLY A HOOD THAT MAKES NO NOISE

With the innovative technology NRS®, Falmec has successfully created a product that combines high performance with significant comfort in the home. Beyond the figures certifying the excellent results achieved with scientific evidence, the other important fact to stress is that the hood is incredibly quiet.

INCLINED  
TO PURENESS



## ARIA NRS<sup>Æ</sup>

80 cm wide

Scotch brite stainless steel (AISI 304)

**NRS® technology for a quieter kitchen**

Touch control

24hr timer function

LED lighting

Tempered glass: white or black version

Metallic grease filter, removable and washable





# LUMINA NRS<sup>Æ</sup>

90 cm wide

Scotch brite stainless steel (AISI 304)

**NRS® technology for a quieter kitchen**

Perimeter suction

Metallic grease filter, removable and washable

Touch control

24hr timer function

White neon ambient light

Tempered glass with black finishing

**falmec**





## Wall Mounted Hoods



# LUCE

90 cm wide  
Scotch brite stainless steel (AISI 304)  
Top filters AirFalmec, removable and washable  
Electronic control  
24hr timer function  
White neon ambient light  
Charcoal filter included



## VERSO

Available in 55 cm and 85 cm wide

Tempered black glass

Touch control + 24h function

LED lighting

Double suction area (frontal and lower)

Frontal opening

Metallic grease filter, removable and washable

Charcoal filter included

Rear outlet available

Optional chimney

# LUMEN

120 cm wide

Scotch brite stainless steel (AISI 304)

Top filters AirFalmec, removable and washable

Electronic control

24hr timer function


White neon ambient light


Charcoal filter included





**falmec**





# Built-in Hood



## VIRGOLA

Available in 60 cm, 90 cm and 120 cm wide  
Scotch brite stainless steel  
Metallic grease filter, removable and washable  
24hr timer function  
Electronic control  
LED Lighting  
Tempered turning glass



# E.ion® System.

## **The only hoods that purify the air**

Falmec offers unique technology that allows you to recreate an ionic atmosphere in your kitchen, by means of controlled bipolar ionisation.

Ionic atmospheres naturally eliminate unpleasant odours and also re-establish optimal ionic equilibrium, with noticeable benefits for your physical and psychological wellbeing.

## **Falmec patented technology**

Using controlled bipolar ionisation, E.ion® System hoods release ions similar to those present in the atmosphere into your kitchen. This neutralises unpleasant odours as well as irritants and pollutants such as bacteria, viruses, mites, pollen, spores, dust, and exhaust and other fumes. Ions also have a positive effect on physical and psychological wellbeing, improving mood and concentration.








## E.ion® System

### A sensor that measures air quality

E.ion® System hoods have a specially-developed sensor in the shape of the leaf to detect the presence of volatile organic compounds (VOCs), odorous gases, formaldehyde, cigarette smoke and all other pollutants found in the air. It is therefore an excellent indicator for measuring air quality in your home. This information is indicated by the colour of the leaf which gradually turns from yellow to green as the atmosphere improves.



### Automatic mode

Thanks to the automatic function, whenever the sensor detects a deterioration in air quality in your home, the hood activates automatically, purifying and sanitising the air.



No ozone emission



Unpleasant odours



Cigarette smoke



Viruses



Bacteria



Mould and fungus



Spores and allergen



Learn more about  
E.ion® System



# Bellaria

E.ion® Air Purification System


**Bellaria changes the atmosphere of your home in every sense.**

With the experience gained from the patented E.ion® System, Falmec has developed an innovative solution to purify the air in any domestic environment: Bellaria, unique in its successful performance, quietness and design.



## Certified Efficiency

Tests carried out by the University of Padua, Department of Molecular Medicine, have certified a drastic reduction of the bacterial charge in the environment and a concrete reduction of mycotic charge in the presence of Bellaria. The test results highlighted a bacterial charge reduction of 85% and mycotic charge reduction of 71% in the environment.



UNIVERSITÀ  
DEGLI STUDI  
DI PADOVA





Dipartimento di  
Medicina Molecolare

**Enjoy pure air and a beautiful design, with unique technology.**

Exclusive technology, fascinating aesthetics, Bellaria is made of handmade glass in line with the historical tradition of Venetian masters. A completely artisan production chosen by Falmec in order to create a design product which unites the knowledge and passion of the best Italian artisan tradition.

## Pure Design

Bellaria is available in four colours selected to be in harmony with all furnishing trends and tastes: in the living room, in the kitchen, in the workplace, wherever you want. Moreover, Bellaria has a dual function as it purifies the air and provides ambient light with a led light adjustable in intensity.



Learn more on:  
[www.bellaria.falmec.com](http://www.bellaria.falmec.com)



Design Marco Zito  
White / Sand gray / Yellow / Red



**White**  
8034122900117

**Sand Gray**  
8034122900124

**Yellow**  
8034122900131

**Red**  
8034122900148



 ASKO



# Dishwashers



ASKO  
CLEANING  
APPLIANCES

 ASKO





## A design that reveals ASKO's inner values

ASKO dishwashers are made of steel. This has been a well-known fact for decades and when you open the door, you will see more steel than in any other dishwasher on the market. With our new generation of dishwashers we want to emphasise this fact even more. Take a look at the door and you will see only high-quality steel with no division between door and panel. It expresses itself as a sturdy and reliable machine, yet retains elegant, sleek and sophisticated lines stemming from the minimalism of the Scandinavian mindset.



## Silent night

For all of us who let the dishwasher work while we sleep, we have created night mode. With this mode the water pressure in the spray arms is lowered, reducing the noise level by as much as 2 dB compared to the tested value. This mode is also perfect for open plan solutions with seamless kitchen and living spaces.

# Designed for different situations

We have created different modes to make it easy for you to adapt your favourite dishwashing programme to new situations. Instead of choosing from a long list of programmes and then a long list of different options and settings, you can now easily choose one appropriate mode and press start.

## Green mode

Green mode saves both water and energy. The temperature is lowered and each stage of the cycle is extended to save water and achieve the same perfect washing results as a normal programme.

## Intensive mode

Select this mode when you have dirty dishes with dried food. Intensive mode increases the spray arm pressure and more heat and water are used during the cycle.

## Speed mode

If you want your dishes ready faster, easily select speed mode to reduce the programme time by 50%. To achieve the best possible washing results in the time available, more water and energy are used.



## Preheated wash

This is a programme inspired by the world of professional dishwashers where speed is the key. Preheated wash programme is perfect when you know that you will need the same crockery, glasses or other utensils several times on the same occasion.





## Preheated wash explained

After starting and the first water intake, the water is heated to approximately 65°C and kept there for up to three hours. The washing cycle then starts from this preheated stand-by mode, enabling very short programme times down to 20 minutes.



## Who cleans the dishwasher?

The Self-cleaning programme ensures that the tub, water recycling tank and spray system are thoroughly cleaned. Regular cleaning is essential for both washing performance and the machine's longevity. Use standard detergent, citric acid or a special dishwasher cleaning agent.

## This is Orrefors

Since 1898, the Orrefors brand has been producing utility glass and art glass from crystal. At the glass works in Kosta, skilled glassblowers work alongside many of Sweden's foremost designers to develop design, craftsmanship and new techniques.

Orrefors 





## Orrefors recommends ASKO

Every time you wash Orrefors crystal glasses in an ASKO dishwasher, you are also nurturing an important piece of Swedish innovation. Orrefors and ASKO both have their roots firmly planted in the Scandinavian design tradition and both brands are represented the world over. Our shared heritage, together with the fact that Orrefors crystal glasses are washed every day in our dishwashers, has enabled us to embrace one another in a newly established partnership. One of the goals of this partnership is to finally put an end to the myth that crystal glasses cannot be cleaned in a dishwasher. While this is true for some dishwashers, crystal can certainly be washed in an ASKO.

The secret is the Crystal glass programme, which ensures that the water temperature increases gradually and is then maintained evenly, with a difference of just  $\pm 1^{\circ}\text{C}$ . Place your valuable crystal in the secure wine glass holders in the upper basket. From now on, it is safer to wash your sensitive crystal glasses in an ASKO than by hand.

## Tested for thousands of cycles

To be sure that our Crystal Glass program keeps what we promise we exposed several Orrefors crystal glasses for extensive testing (according to standard test SS EN 12875-12005). Our initial goal was to keep glass corrosion under level two on a four-step assessment scale after 1000 cycles. But after 1000 cycles we decided to run another 1000 cycles since we couldn't find any glass corrosion. The same assessment was made after 2000 cycles with the same result.





# A place for everything

Our dishwashers will meet your current and future needs and demands when it comes to loading and cleaning your dirty dishes. In fact it will meet the needs you didn't even know you had! Once you have experienced this companion in your kitchen you will never want to do without it. With its four level rack system, which are height adjustable, divisible, removable and foldable, a dishwasher from ASKO is precisely what you want and need it to be.

# Flexiracks™





## World's largest and most flexible

With our range of XL and XXL dishwashers we give you the best solution ever. They are the most flexible dishwashers on the market with intelligent loading options and unique benefits. The XL model is 82 cm high and the XXL model is 86 cm high. They have an internal loading capacity of 58 cm for XXL and 54 cm for XL. These measurements give the largest loading height ever as well as room for 17 (XXL) or 16 (XL) place settings. The smart four level rack system with the unique middle rack affords unique flexibility and a loading height and capacity that are unmatched on the market. So choose the model that fits your kitchen best, and whatever your choice you will always get a solution of endless loading options and opportunities.




Cutlery basket is always available as specific option.





Top tray




Upper basket (Premium or Exclusive)



Middle basket



Lower basket (Premium or Exclusive)





## Cutlery tray with top performance

On top of it all is a flexible top cutlery tray with its own spray arm and space for seventeen place settings of cutlery, or other utensils. The width of the top cutlery tray has been optimised to make room for tall glasses in the upper basket. If even more space is needed, easy to remove the top cutlery tray.




## Instant Lift™ - smart height adjustment

With our unique Instant Lift™ height adjustment system, you can adjust the top cutlery tray for higher or lower loads and free up more space in the upper basket through a simple operation. In the raised position, the space is 40 mm and in the lowered position it can be up to 58 mm. Simple, smart and flexible.

Instant Lift™ is always an option when Top cutlery tray is chosen.





\*The wine glass shelf is available as an accessory. (Not an option for XL Models with middle basket)

## Flexibility and freedom to load what you want

Our exclusive upper baskets can be any way you want them. Place wine glasses in the wine glass holders. Put plates in the plate rack or fold down all the support and load the entire basket with gratin dishes. Fold up all the support once again and fill with just glasses. If you need more space in the baskets below, it can be raised up easily and then lowered again when you want to load taller objects.



A cutlery basket is always available as specific option.





## Divisible double your loading options

The pin rows and glass supports are needed to ensure that your china remains safe while being washed. But sometimes they can be in the way, especially when you need to load various types of dishes in the same basket - which is more often than not. That is why we have made sure that the pin rows and one of the wine glass racks in our upper baskets can be divided. This allows you to load different items in one basket and even in the same row.  
(Exclusive basket)



Extra-wide knife supports and knife guard. (Exclusive basket)



Light Lock™ for lightweight objects like plastic bowls. (Exclusive basket)

 ASKO





## Knives are sensitive things. So too are finger!

That is why we have done everything possible to protect both as best we can. Our knife holder is extra deep so that the blades remain steady throughout the wash cycle. There are knife holders on three levels: in the middle basket, in the upper basket and in the top basket. We guarantee a clean cut.

Knife basket underneath upper basket is available as option in certain Premium basket specification.

**ASKO**





## Double performance with Twin Tubes™

ASKO's dishwashers are renowned for their exceptional washing results. The secret is our carefully designed and tested rinsing system, comprising no fewer than 11 spray zones\* that cover every corner of the dishwasher compartment. Each basket also has its own rinsing system, such as the middle basket where you will find Twin Tubes™, which is a dedicated spray zone for the middle basket.



The Twin Tubes™ connectors are fitted with automatic non-return valves.



Ergonomic with integrated handle.



Smooth and noiseless telescopic sliding rails.

\* When equipped with bowls insert on both sides of middle basket.





### Lower basket wine glass shelf

We have created a unique opportunity to wash delicate but bulky glasses in the lower basket. With the wine glass shelf, you can safely wash up to six additional extra-tall wine glasses at the same time. The glasses rest safely in the extra-deep steel-loops and are angled so that any residual moisture disappears without leaving any unsightly marks behind. The wine glass shelf is available as an accessory.

 ASKO





## Bulky or delicate

The lower basket is normally used to wash heavier items, such as plates, dishes, ovenware, pots and pans. We, however, do not limit ourselves in that way. Instead, we offer just as much flexibility and as many possibilities for combined washing as with all other baskets. Our exclusive lower baskets offer maximum flexibility with divisible and foldable pin rows everywhere. The adjustable plate supports ensure that you can safely wash both small dishes and plates measuring up to 40 cm.



Plate supports that can be adjusted to different sizes.



Load large plates measuring up to 40 cm in diameter.

 ASKO





# Totally clean dishes and conscience

Innovation is in our DNA. Both when it comes to function and design. The new and improved ASKO dishwashers are sturdy and reliable, yet elegant and sleek. They are made of high-quality steel with zero division between door and panel. The front is a single-piece stainless steel plate with each corner carefully folded, welded and sealed like a precious gift. Open it and you will find our miraculous basket system carrying a load of as many as 17 place settings with perfect cleaning and drying results, and an A+++ energy rating – a marvellous present.



# 11 Spray<sup>TM</sup>

Our spray system is designed for precision, reaching every corner of the dishwasher. The result is perfect washing for all kinds of loads and soiling.

- 1** Dishes in the top rack are sprayed from above
- 2** Dishes in the upper rack are sprayed from below
- 3** A Power Zone™ cleans the cutlery basket
- 4** Dishes and cutlery in the lower basket are also sprayed from above
- 5** Left spray zone for the middle basket
- 6** Right spray zone for the middle basket (can be ordered as accessory)
- 7** Dishes and cutlery in the lower basket is sprayed from below
- 8** A Power Zone™ cleans pots and pans
- 9** A Power Zone™ cleans bottles and wases
- 10** The bottom and strainer for improved filtration (lower spray arm)
- 11** The strainer is rinsed from the lower spray tower



## Two additional power sources

To improve your dishwasher performance even further, we have fitted our dishwashers with two separate high-pressure Power Zones™ for the lower basket. Wide Spray™ for extra efficient washing of pots & pans and Jet Spray™ for washing of tall, narrow objects such as baby bottles or vases.



## Hygiene programme for deep cleaning

The hygiene programme can be used for effective cleaning of baby bottles and other objects that can be good to keep extra clean. To prevent the growth of bacteria and remove odours from chopping boards, for example, the temperature is quickly raised to 70°C in the main wash and kept for three minutes in the final rinse. The result is extra clean and hygienic.


# 17 PLACE SETTINGS

How much is that?

- 17 Flat plates
- 17 Deep plates
- 17 Small plates
- 17 Saucers
- 17 Cups
- 17 Glasses
- 17 Forks
- 17 Knives
- 17 Tablespoons
- 17 Dessert spoons
- 17 Teaspoons
- 3 Bowls
- 1 Meat dish
- 2 serving spoons
- 1 serving fork

---

Total: 195 individual items







## A place for everything


Our XL and XXL dishwashers have the largest capacity on the market. The internal loading height of 58/54 cm makes room for larger plates and taller glasses. It also means you can load 40 % more compared to a standard dishwasher. The smart four level Flexirack™ system affords endless possibilities.

	<b>Loading height</b>	<b>Label load</b>	<b>Tallest glass in upper / lower basket*</b>	<b>Largest plate in lower basket**</b>	<b>EU labelling: Energy/Cleaning/ Drying</b>
<b>XXL 86 cm</b>	58 cm	17 pls	27 cm	40 cm	A++/A/A
<b>XL 82 cm</b>	54 cm	15 pls	25 cm	33 cm	A+++/A/A

Our dishwashers are the largest ones on the inside but not on the outside. You don't have to worry that they won't fit into your kitchen. They will fit into cabinets of 863-913 mm (XXL) and 823-873 mm (XL).

\* The glass must be tilted

\*\* Applies to XXL dishwashers, with the middle basket removed and the upper basket in the topmost position, as the distance between the lower basket and the upper basket is then 39 cm, allowing a plate with a diameter of 40 cm to fit as the lower edge protrudes a little through the bottom of the basket. The plate must be placed between two pin rows.





# Energy- efficient dishwashing

## Run programs only with a full load

Wait to run a program until the dishwasher is completely full.

---

## Run programs at a lower temperature

Slightly dirty dishes will be clean even with a lower temperature. Keep in mind to always use high quality detergent.

---

## Select Green mode

This will instantly adapt the program to be more energy efficient.

---

## Do not rinse the dishes before loading it

Just scrape off larger food particles instead of rinsing.

---

## Choose a green detergent

Read the environmental declaration on the packaging.

---

## Connect to cold water

if the building is heated using oil, gas or electricity.

---

## Connect to warm water

if the building is heated using district heating, solar power or geothermal power.

---

# Drying





Turbo Drying™ - Fan-assisted drying

A completely integrated drying system where we first use the heat from the dishes to evaporate the remaining water. The fan leads the steam through a duct in the door where we use the cooler room air to re-condensate it and then lead the water down to the dishwasher's bottom well, where it is then pumped out.



Turbo Drying Express™ - Fan forced drying

This is Turbo Drying™ but with an extra fan added, that blows indoor tempered air into the dishwasher compartment in order to boost the drying process. Shortens program time and will dry even plastic objects.

ASKO



Check the status of  
the progress



## Status Light™

How do you know that the programme is ready? Selected dishwashers are fitted with Status Light™ - a small light to let you know the actual status. With three different colours it clearly indicates in which stage the machine is. The light is placed to the bottom right corner of your dishwasher.

## Progress Light™

For our built-in models with panel and display on the front, we have created Progress Light™ that you will find around the Start/Stop button. It tells you that the program is started, roughly the remaining time and when all eight light segments are lit, you know that it is ready.

 ASKO



 ASKO

QUATTRO CONSTRUCTION  
1,600 RPM

# ASKO Laundry



 ASKO



## Scandinavian design

The combination of everyday functionalism, environmental concern and clean, pleasant lines is the principal hallmark of Scandinavian design – and that of ASKO. The fundamental idea is that carefully designed products should improve people's quality of life. To distinguish ourselves in a market of cluttered, complex and voluptuous designs, we aim for a soft, humanistic minimalism based on the principle of quiet being the new loud. The key elements of Scandinavian design – understated elegance, high-quality craftsmanship and natural materials – are reflected in ASKO's design language. Much emphasis is also placed on functionality. We strive to make life easier by offering truly user-friendly interfaces, integration of practical functions and trouble-free, durable products that please people for a long time.



"The key elements of Scandinavian design – understated elegance, high-quality craftsmanship and natural materials – are reflected in ASKO's design language."

Jon Carlehed, Head of Design at Asko Appliances.

# We follow our own path



Despite our 65 years in the industry, we do not rest on our laurels, we always strive to understand how we can make our products even better. This time around we have done our best to learn from real people, finding out what they think are the biggest problems in the laundry room .

We combined these insights with our years of experience in both domestic and commercial laundry to create a new generation of good-looking, user-friendly, innovative and long-lasting washing machines and tumble dryers.

# Eliminating your biggest troubles

In the work to develop our latest washing machines and dryers we met consumers. These meetings became small narratives with different views, ideas and wishes. We learned a lot and started developing a new generation of

washing machines and tumble dryers with a great many improvements and solutions. Here we have collected some of the most common concerns and how we try to resolve them.

## THE OTHER WAY

### Everything ends up in bedsheets and laundry gets tangled up

The rotating drum causes the clothes to rotate in the same direction. In the end, they get tangled up with each other. The result is more trouble and a significantly poorer drying result.

### Too noisy and vibrations

Living next door to the laundry room or having the washing machine in or nearby the kitchen creates a poorer audio environment and in the long run is perceived as very disturbing.

### Dirty rubber ring

Lots of dirt and bacteria accumulate in the rubber bellow. It causes bad odours and requires regular and time-consuming cleaning. The rubber bellow is also the part of the washing machine that breaks first.

### Door too small

Many people with large and active families often wash several times a day. In such a situation, loading and unloading can be extra difficult. The washing machine opening is too small and the clothes get stuck in the rubber bellows.

## THE ASKO WAY

### Butterfly drying

We have solved this problem by creating a unique solution that we call Butterfly drying. The two paddles inside the machine gently push the clothing in a figure of eight, to spread the garments out and allow air to evenly circulate through them. This prevents bundling and minimises creasing in your clothes.

### Vibration-free spinning

All our washing machines have the unique Quattro Construction™. The inner and outer drum rest on four shock absorbers that are attached to the bottom plate. Spinning causes virtually no vibrations.

### Hygienic Steel Seal™

A better alternative to the traditional rubber bellow is the hygienic and maintenance-free Steel Seal™ solution that you find on all ASKO washing machines. There is simply no place for dirt to gather, eliminating the need for regular cleaning.

### Big doors on all ASKO washers

The doors on all ASKO washing machines have a large porthole diameter of 307 mm. The fact that they lack the traditional rubber bellow also makes loading and unloading considerably easier.

# Fully loaded

Smarter by design. The ASKO Laundry machines are packed with innovative features designed to make daily life easier. And because they're made using quality steel parts, you can always look forward to years of reliable service.

---

Steam programmes for fast removal of creases and wrinkles

---

Air Lift™ paddles achieve faster drying

---

Soft Drum™ for gentle drying

---

Auto Dosing for exact amount of detergent

---

Large door for easy clothes removal

---

Steel Seal™ door for better hygiene



---

Sportswear programme for Gore-Tex and membrane clothing

---

Illumination inside for easy viewing

---

Butterfly Drying™ for less bundling

---

Start/stop button with pause function

---

ASKO Pro Wash™ for effective rinsing and cleaning

---

Quattro suspension for whisper-quiet operation

# A timeless classic

Our Classic models have a programme for every living situation and with the three run modes, you can quickly adjust the programmes to make them either more environmentally friendly or wash more intensively. The interface is easy to understand and straightforward to use with a selection knob for programme selection and buttons for each option. The front plate, panel and controls have the same timeless, discreet and elegant white design that will last forever.



## From left to right with Line Concept™

The Line Concept™ starts with the detergent drawer on the left and ends with the Start/Stop/Pause button on the right. Start by filling the detergent drawer then simply enter your desired settings from left to right! Line Concept™ is available on all Pro Home™ washing machines and tumble dryers.



 ASKO



# Laundry care the ASKO way

## Don't wash too hot

Pure cotton fabrics typically require 60°C to release dirt. But today fabrics made from mixed fibres are more common and then it usually suffices with a lower temperature. High temperatures cause wear on textile fibres and greatly reduce the life of your clothes.

## ASKO cleans even at low temperatures

We have made it easy for you to choose a lower temperature without impairing the end result. Our Pro Wash system ensures that all detergent is used in the laundry process. In addition, the system activates the detergent earlier in the laundry process, which prolongs its cleaning effect.

## Don't wash too often

When you wash your clothes the fibres in the garments are rubbed, folded and worn, which ultimately causes them to break apart.

## Use the tumble dryer instead

If your clothes have no visible stains, you can use the airing or steam programmes on our tumble dryers. This is an ideal way to get your clothes fresh again, without any detergents struggling to clean textile fibres

## Don't rub stains

Often we try to rub away stains with a little detergent or stain remover. This damages the fabric and can even make the stain worse.

## Use our smart stain programmes

As a complement to other stain removal methods, we have created stain programmes that are tailored to both fabric and stain types. You simply choose the type of fabric and stain and then let the washing machine take care of the stain in the best possible way.

## Don't overdose detergent

More detergent does not automatically make clothes cleaner. However, skin irritation can be caused by detergent residue left in your clothes, under collars or in folds. Instead, try using half the recommended dose and increase as necessary.

## Use ASKO Auto Dose

Instead of struggling yourself, let the washing machine measure exactly the right detergent dose. Our washing machines with the Auto Dose system measure the detergent based on wash load, dirtiness level, water hardness, programme type and temperature. The perfect dose every time and no more overdosing.



## Dark clothes fade

You've probably heard that you should turn your jeans inside out to maintain the colour better, but few are aware that this is true for all dark garments. Also, do not put them in the dryer if you want to keep the colour as long as possible because heat is tough on colour.

## Don't use softener on towels

Softener agents consist of microscopic plastic particles that retain a certain amount of moisture so as to soften the towel. On the other hand, the towel becomes less absorbent, which actually counteracts its purpose.

## Don't forget to wash the washer

Over time detergent residue, textile fibres and skin residue will build up in the washing machine. This will inevitably end up on your clothes and can cause bad odours and allergies.

## Be extra careful with wool

Wool is naturally strong and durable but can change shape when it is processed too intensively. It is therefore important to both be careful and have patience. Washing wool correctly by hand takes a long time and a skilled hand.

## Wash them with Dark wash

There have long been programmes for white wash, but few for dark fabrics, which are at least as common. With our Dark wash programme you can wash your dark laundry without the risk of detergent spots and colour bleaching. Additional rinses, low mechanical action and low spin speeds ensure that your dark laundry is washed gently and rinsed thoroughly.

## Air is the best softener

Instead of softeners that degrade the towel's ability to bind moisture and can even contribute to skin problems, simply choose to dry them in our tumble dryers. They will be both dry and soft - without chemicals.

## Use our drum cleaning programme

Do not let a dirty washing machine destroy your laundry. We have created a special drum cleaning programme that effectively cleans drums, hoses and other components involved in the laundry process.

## ASKO is more careful than you

Choose to wash your wool fabrics in an ASKO instead of doing it by hand. This is in fact gentler on the fabric than you could ever be.

 ASKO



ASKO

QUATTRO CONSTRUCTION  
1600 RPM



# Washers





# Mode function - your shortcut to better washing

When using a run mode, different parameters of the selected programme are changed to be able to, for example, wash faster, quieter, more energy efficiently or more intensively. Our Style models have six different modes, Logic has five and the Classic models three.

## Normal mode

Normal mode means no changes to the programme. Enough water, energy and time is used to be able to achieve a perfect washing result for normally soiled loads.

## Green mode

If you want to save both water and energy you should choose Green mode. To achieve the best possible washing and rinsing result yet still reduce energy consumption, each stage in the programme is prolonged. Total programme time will thus be longer compared to Normal mode.

## Allergy mode

This mode ensures that all detergent residue is rinsed away from the load as well as from the detergent compartment. More water is used in Allergy mode and energy and time are also added to achieve the best possible washing and rinsing performance. The selected temperature is kept at the same level for a longer time.

## Speed mode

When selecting Speed mode the washing machine will deliver perfect washing and rinsing results in less time than normal. To achieve this, both more water and more energy are added to the washing cycle.

## Intensive mode

In this mode the washing machine has plenty of time to wash the load, more time than in Normal mode. And to really ensure a perfect result for heavily soiled clothes, more water and energy are also used. In Intensive mode the selected temperature is kept at the same level for a longer time.

## Night mode

Use night mode whenever you need the washing machine to be quiet. The drum movements are gentler and the final spin uses a lower rpm. Time is added to ensure that the load is washed perfectly.

## Jeans

Jeans are a durable fabric outside the washing machine but require some extra care during washing. Our Jeans programme cleans your favourite pair by washing at lower temperatures and using lower spin speeds. In addition, we have added extra water to ensure that all detergent residue is washed from the fabric and the thick seams, eliminating the risk of detergent stains.



# Programmes for all kinds of laundry

Today, we use significantly more different clothes, different types of fabrics and often fabrics of mixed materials than we did just a decade ago. As a consequence, it is also more difficult to choose the right programme. We have made it easy for you to make the right choice by creating a large number of programmes for different types of clothes and fabrics. Some of them are featured here.



## Hygiene

The hygiene programme is designed for all those situations where deep hygienic washing is required. It is perfect for home chefs who need to clean aprons, kitchen towels and other textiles that meet raw food. It is also suitable for baby clothes, bedding and clothes used by skin allergy sufferers. In the latter case we recommend you turn the garments inside out as this will also thoroughly wash out any skin residue or residue from skin products. The programme combines longer heating sequences and extra rinses.



## Sportswear

A programme for clothes with membranes, such as waterproof garments and breathable fabrics. This programme is also ideal for sportswear made of mixed materials. The programme is short and uses fewer rinses to reduce wear on waterproofing agents..



## Shirts

Have you ever found that it's hard to get collars and cuffs clean on your shirts? Then you should try the shirts programme. It's a gentle but effective programme where we use more water and repeated rinses to get even the thicker parts of the shirt clean.



## Dark wash

For dark laundry, eliminating the risk of detergent spots on the fabrics. Extra rinses are added while low mechanical action and low spin speeds ensure that your dark laundry is washed gently and rinsed thoroughly.



## Conditioning

This is a short programme for adding waterproofing agent to fabrics. The programme uses cold water only and low mechanical action. For use with a waterproofing agent.



## Bedding

A weekly wash of your bedding will remove skin residue and mites that cause allergies. This programme is used to wash bedding, pillows and larger items. Follow the instructions for washing and care. The wash uses a large amount of water and extra rinse cycles.



## Quick Pro

This is a quick programme but with high washing efficiency. The programme washes with gentle tumbling and lower spin speeds and takes just less under an hour.

# What is clean laundry for you?



Fabric care and skin care. We tend to both

We are becoming increasingly sensitive to both ingredients in our food and various substances in our surroundings. Washing detergent is no exception. That's

why it is so important that a washing machine can rinse away all detergent that can accumulate in both the fabric and the machine.



## Shortcut for allergy sufferers

Since skin allergy sufferers, like all of us, wear different types of clothes, we have equipped our washing machines with an allergy mode function. This feature allows you to customise almost all programmes to make them more efficient against residues in laundry loads and the machine.



## Super clean with Super Rinse

Dirt is not good for your clothes and detergents are not good for your skin. As a preventive measure for people with very sensitive skin ASKO's washing machines feature an extra rinse function called Super Rinse. This is especially important in countries with soft water and means that the machine rinses up to seven times.

 ASKO





## Hygienic Steel Seal™ door

A common feature of all commercial washing machines, whether they are used in hotels, beauty salons or retirement homes, is that they have no rubber bellow. And there's good reason. Eliminating a rubber door seal that can degrade over time and trap dirt and grime ensures a more hygienic wash. You will also find loading and unloading easier with the Steel Seal™ door solution. All ASKO domestic washers have this long-lasting door solution.

 ASKO

# ASKO Pro Wash™





## ASKO Pro Wash™ provides extra washing power

Instead of just relying on the water at the bottom of the drum, the ASKO Pro Wash™ system actively circulates the water and detergent mix from the bottom of the drum to the top where two nozzles spray the mix over the inner drum and it is then guided by the lifters and eventually sprayed on the load. This means the load is soaked faster, which enables superb washing and rinsing performance even with very short washing cycles.



## Bigger is better

Thanks to the ASKO Pro Wash™ system, you can be sure that big loads will be washed and rinsed thoroughly. We even increased the capacity of our washers to 12 kg for the XL 80-litre drum and 9 kg for the standard 60-litre drum.



## Vibration-free spinning

Our contribution to better living conditions for people living next door to the washer is spelled Quattro Construction™. This is a unique yet simple system consisting of four shock absorbers that transfer the vibrational energy from the outer

drum to the bottom plate of the machine. In fact, the entire construction stands inside the casing and spinning at even maximum rpm can be achieved virtually free of vibrations.



## Tough on dirt and gentle on fabrics

The hourglass-shaped and removable lifters guide the load to the gentler central area of the drum and effectively remove large debris, such as dirt and gravel, to the larger holes at the edge of the drum. Active Drum™ is perfectly balanced to ensure the best possible washing and rinsing performance while still ensuring minimal wear on fabrics.



## Strong and silent. A happy union!

Our washing machines are fitted with brushless motors to ensure that the machine can cope with the highest spin speeds while reducing noise levels and increasing the life of the machine. High efficiency ensures reduced energy consumption and the motor also allows for speed control, enabling the further development of washing programmes.



# Tumble dryers

## Bedding

A programme for drying large items such as double sheets and duvet covers. This programme uses a low temperature, more time and reverse drum movements to prevent the laundry from bundling.



# Laundry care starts with the right programme

Other manufacturers offer a few programmes that you must adapt to suit different fabrics, materials and situations. We have a completely different philosophy and want you to spend as little time as possible in the laundry room. This is why we have created a large number of programmes that reflect different types of clothes, fabrics and situations. Below we present some examples.



## Silk & Wool

Silk and wool fabrics shouldn't be washed too often. Use the Silk & Wool programme to loosen up and refresh the garments.



## Shirts

A programme for shirts and blouses that dries at a low temperature with reverse drum movements. The programme runs until the fabric is almost dry, with just a small amount of moisture remaining to prevent creasing.



## Steam care for shirts

Repetitive steam injections and heat treatment to eliminate creases in the fabric. Low heat is used to also cater to sensitive fabrics. Steam care can be used with up to six shirts at a time.



## Steam refresh

Ideal for freshening up garments such as suit jackets, wool sweaters and other items that would normally be dry cleaned or otherwise treated. Steam is very effective at removing odours from cigarette smoke and fire smoke.



## Sportswear

A programme for drying clothing with membranes, such as waterproof and breathable fabrics that require gentle care. This programme is also ideal for sportswear made of mixed materials. A low temperature and more time are used to ensure that the load is completely dry throughout.



## Conditioning

A programme for the thermal activation and optimisation of waterproofing agents used in the Conditioning programme in the washer. This is a short programme with a high temperature to ensure optimal waterproofing of the fabric.



## Quick Pro

With this programme you can get your wash completely dry in under an hour.



## Steam is natural caring

With the steam function, our heat pump dryers offer you a product that takes caring for your clothes to a new level. Steam is a highly effective and gentle means to care for your shirts, jackets and trousers. It is an easy way of

getting your favourite shirts creaseless, but can also be used for refreshing clothes that don't need washing. You can steam both natural fibres, such as cotton and linen, and synthetics.



## The only crease treatment that actually works

Using the steam wrinkle care programme effectively reduces and eliminates creases in, for example, shirts and linen. The programme uses repetitive steam injections and heat treatment at low temperatures, which also make it suitable for sensitive fabrics. You can steam treat up to six shirts for perfect results. 200 ml of water is used and the programme is done in just 25 minutes or so.



## Steam beats bad smells

Our Steam refresh programme is ideal for dealing with such situations. The programme freshens up garments such as jackets, wool sweaters and other items that would normally be dry cleaned or otherwise treated.

 ASKO






## Dry with more air and less heat

To dry clothes quickly and gently, you must use the air that circulates in the drum as efficiently as possible. Our two lifters have a high and a low side placed on opposite sides of the drum. The clothes will thus fall irregularly in the drum which prevents them from bundling, allowing better air circulation through the clothes.

## A Soft Drum™ made of stainless steel

Soft Drum™ is a solution developed to enhance air flow around the load, thereby increasing the drying effect. The circular indentations with bevelled edges also have a cushioning effect that reduces wear and tear on fabrics. The new drum design allows for even and gentle drying with both small and large loads.

# Protect your dryer from lint!



## Drying result guaranteed

Lint is the tumble dryer's worst enemy and will inevitably lead to longer drying times and other problems. To prevent lint from getting into the tumble dryer, we have designed the Multi Filter System™. This is a filter system of five different filters that ensures that all lint and even smaller particles are trapped before they reach the sensitive inner parts of the tumble dryer.



The Lint Trap™ is placed in the door and is designed to be easy to empty and clean. Adopt the habit of always checking that the Lint Trap™ is empty before tumble drying. Always empty it after tumble drying.

On all dryers



## Front Filter

The Front Filter is placed in the cooling air inlet for the condenser and keeps the fan wheel free from dust. This additional filter will extend the condenser unit cleaning interval and ensure the best possible performance over time.

On condenser dryers



## Mesh filter

The mesh filter is one of two filters that provides extra protection for the condenser in our heat pump dryers. This filter traps slightly smaller particles than the Lint Trap™. The mesh filter is automatically cleaned with water.

On heat pump dryers



## Foam filter

As a final step before the air hits the condenser the foam filter traps the smallest dust particles. The foam filter is easy to clean in a washing machine without detergent and softener.

On heat pump dryers



## Lint Cup

Models with a steam function have an additional small filter, the Lint Cup, that protects the steam generator from lint and dust.

On heat pump dryers



## A light that welcomes you

All of our Logic and Style tumble dryers are equipped with an interior LED light that provides ambient light with a premium feeling. It is nice to be able to see those items that can easily be left at the back of the dryer. The porthole is also illuminated for easy loading and unloading.




## We love ball bearings

Ball bearings are good things. They make things spin easier and last longer, so we equip our tumble dryer with up to five of them: one on the drum shaft, two to rest the drum on, and two ball bearings to support the motor.



## I am strong and good looking

At ASKO, we believe not only that stainless steel will outlast for example, plastic, but also that quality materials will always look better in years to come. Eventually, galvanised steel rusts, so we decided to make our drums out of stainless steel. That's why our tumble dryers really do last longer.



## Long lasting motors

We have fitted our tumble dryers with extra reliable and quiet brushless motors. No brushes means a part less than can break, it also makes the motor more quiet.

 ASKO



# Drying cabinets

 ASKO



## Why do I need a drying cabinet?

Drying cabinets are common in Scandinavia, where the climate often requires that you can dry all types of clothes quickly, even coarse outerwear and shoes. A drying cabinet is practical but also gentle on your most sensitive fabrics since it uses no mechanical action that can wear your clothes, the air stream transports residual moisture and it's almost like drying outdoors.



## Drying with extra care

Check the labels on your clothes and you'll see that many garments and materials need very careful treatment. Silk, velvet and satin, for example, need to be handled with care. That's when a drying cabinet comes in handy.



## Heat pump drying cabinets

Our new heat pump drying cabinets are low in energy consumption but high in drying efficiency. With a dewatering capacity of 22 g/min they dry a 4 kg load in just 90 minutes and with an energy consumption of just 0.3 kWh. The cabinet is a fully closed system which

means that no exhaust air connection is required. The moisture condenses during the process and the water that is formed is conveyed to a detachable water tank or via a hose to a drain.



## Also for shoe care

It's not just rubber boots that can be dried in a drying cabinet. All leather shoes need to rest between each use to allow moisture to escape. If you use them before they have dried, the seams will eventually break and they will lose their fit. Put them in the drying cabinet when you get home from work and they are ready for your evening walk an hour later.



## Less mess

With a drying cabinet, you can dry your family's sweaters, shirts, coats, shoes, gloves and more in a neat, organised way. It's a brilliant way of taking care of your family's clothes while keeping the house neat and tidy.

 ASKO

Soft Drum™

Steel Seal™

# Hidden Helpers™

 ASKO





# Your laundry room just got bigger!

Do you have problems finding space for your ironing board? Have you looked between the washer and the dryer? We have! Right there is a simple yet obvious and well-conceived solution that is always on hand when you need to iron your clothes, but safely and invisibly stored away when not in use.




# Ovens

---

Our expertise turned an oven into an instrument of precision. We used carefully selected and sustainable materials and made our product elegant looking and long lasting. Our craftsmanship created this range characterized by exceptional finishing and intuitive interfaces.


We have crafted a sophisticated glass door and integrated it with one - piece seamless frame. The large glass door emphasizes the spacious oven and offers full visibility.

## Installation features




### In line and in level with adjustable feet

Adjustable feet helps you to get the ovens in line even if the kitchen cabinets is slightly out of level. The feet are easily adjusted 3 mm. An oven in perfect level is not only good for your kitchen, but also for your food. It's essential to get the oven perfectly level to prevent ingredients from mixing and uneven baking results. That's why all ASKO ovens are fitted with adjustable feet.




### One-piece metal frame

Uneven edges and gaps between appliances and kitchen cabinets can make a kitchen look less attractive regardless of brands and overall design. ASKO ovens comes with uniquely designed, solid one-piece metal frames which allows for you to create seamlessly folded edges and bringing out the best of your kitchen.



### Metal side trims

Appliances that don't fit perfectly into the kitchen often appear a bit misplaced, regardless of brand or design. ASKO has a passion for details and with the nicely looking side trims, we offer a unique integration between appliances and kitchen cabinets, hiding all gaps. This is an easy way to make your kitchen look as good as it deserves.



### No extra ventilation space needed

All ASKO ovens take in air from multiple small inlets around the oven that in total provides enough cool air to reduce the temperature both around the cavity and on the oven door glasses to a minimum. There is no need for extra air gaps or ventilation spaces in the cabinet.

# OP8678G

Soft black glass with pearl effect Pyrolytic Oven, 60 cm / 71 litre

**Article No.: 538.60.020**

## Key features

4.3" Full colour touch, Full touch, 71 liter volume, Pyrolytic cleaning, 82 Auto programs, Stage cooking function, 3 Level fully extendable telescopic sliders, Safety lock on telescopic sliders, Soft Close and Soft open, 300°C max temp



## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Defrost, Keep warm, Pyrolysis, Multi-stage Stage cooking, Favourite program memory

## Design and integration

Full metal frame / Metal Side trims	No / Yes
Clear oven glass / Tinted oven glass	No / Yes
Number of door glasses / reflective layers	4 / 2
Adjustable feet for perfect fit	Yes
Weight	46,8 Kg

## Display and control

Display	4.3" Full colour Full touch
Full touch display / Dials+sensor keys / Jog dial+sensor keys	Yes / No / No
Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

Number of oven functions	17
Heating method	Convection
Stage cooking function	Yes
Auto programs	82
Available baking levels	5
Number of lights	2
Fully extendable rails levels / safety lock	3 / Yes
Max temp / Steam temp / Max microwave power	300 °C / - / -
Set temperature / Actual temperature	Yes / Yes

## Safety and maintenance

Soft Close / Soft Open	Yes / Yes
Cleaning convenience	Pyrolytic Cleaning
Easy clean front surface and glasses	Yes

## Dimensions

Appliance dimensions (H / W / D)	595 / 597 / 547+21 mm*
Niche dimensions (H / W / D)	590 / 560-568 / 550 mm
Length electrical cord / Location	1500 mm / Rear right




## Technical data

Electrical connection	3,4 kW / 220-240 V / 50Hz / 16A
Energy class (EU)	A+

## Accessories

1 Glass tray, 1 Deep baking tray, 2 Shallow trays, 1 Premium grill rack, 1 Grill spit, Temperature probe

\* 21 mm is the thickness of the front panel.





# OCS8678G

Soft black glass with pearl effect Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.030**

## Key features

4.3" Full colour touch, Full touch, 73 liter volume, Steam Clean, 160 Auto programs, Stage cooking function, 3 Level fully extendable telescopic sliders, Safety lock on telescopic sliders, Soft Close and Soft open, 230°C max temp



## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Hot air + Steam level Low, Hot air + Steam level Mid, Hot air + Steam level High, Full Steam, Low temperature steam, Sous vide, Direct steam injection, Steam injection by steps, Regenerate, Defrost, Keep warm, Steam clean, Multi-stage Stage cooking, Favourite program memory

## Accessories



## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / Yes
<input type="checkbox"/> Clear oven glass / Tinted oven glass	No / Yes
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 2
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	51,1 Kg

## Display and control

<input type="checkbox"/> Display	4.3" Full colour Full touch
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	Yes / No / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	26
<input type="checkbox"/> Heating method	Steam / Convection / Steam+Convection
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	160
<input type="checkbox"/> Available baking levels	5
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	3 / Yes
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	230 °C / 30-100°C / -
<input type="checkbox"/> Set temperature / Actual temperature	Yes / Yes

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / Yes
<input type="checkbox"/> Cleaning convenience	Steam Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	595 / 597 / 547+21 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	590 / 560-568 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,4 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	A+

## Accessories

2 Shallow trays, Deep baking tray, 1 Premium grill rack, 2 Full width steam tray non-perforated, Full width steam tray perforated, 1 / 3 width steam tray perforated, 1 / 2 width steam tray perforated, Temperature probe

\* 21 mm is the thickness of the front panel.





# OCS8687B

Black Steel Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.230**

## Key features

6.1 inch TFT colour display, 73 liter volume, Steam Clean, 160 Auto programs, Stage cooking function, 2 Level fully extendable telescopic sliders, Safety lock on telescopic sliders, Soft Close door, 230°C max temp



## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Hot air + Steam level Low, Hot air + Steam level Mid, Hot air + Steam level High, Full Steam, Low temperature steam, Sous vide, Direct steam injection, Steam injection by steps, Regenerate, Defrost, Keep warm, Steam clean, Multi-stage Stage cooking, Favourite program memory

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	Yes / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	

## Display and control

<input type="checkbox"/> Display	6.1 inch TFT colour display
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	26
<input type="checkbox"/> Heating method	Steam / Convection / Steam+Convection
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	160
<input type="checkbox"/> Available baking levels	4
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	2 / Yes
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	230 °C / 30-100°C / -
<input type="checkbox"/> Set temperature / Actual temperature	Yes / No

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / No
<input type="checkbox"/> Cleaning convenience	Steam Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	597 / 597 / 547+21 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	590 / 560-568 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,4 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	A+

## Accessories

2 Shallow trays, Deep baking tray, 1 Grill rack premium, 1 Full width steam tray non-perforated, Full width steam tray perforated, Temperature probe

\* 21 mm is the thickness of the front panel.





# OCS8693

Stainless steel Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.210**

## Key features

4.3" Full colour touch, Full touch, 73 liter volume, Steam Clean, 160 Auto programs, Stage cooking function, 3 Level fully extendable telescopic sliders, Safety lock on telescopic sliders, Soft Close and Soft open, 230°C max temp



## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Hot air + Steam level Low, Hot air + Steam level Mid, Hot air + Steam level High, Full Steam, Low temperature steam, Sous vide, Direct steam injection, Steam injection by steps, Regenerate, Defrost, Keep warm, Steam clean, Multi-stage Stage cooking, Favourite program memory

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 2
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	49,4 Kg

## Display and control

<input type="checkbox"/> Display	4.3" Full colour Full touch
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	Yes / No / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	26
<input type="checkbox"/> Heating method	Steam / Convection / Steam+Convection
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	160
<input type="checkbox"/> Available baking levels	5
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	3 / Yes
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	230 °C / 30-100°C / -
<input type="checkbox"/> Set temperature / Actual temperature	Yes / Yes

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / Yes
<input type="checkbox"/> Cleaning convenience	Steam Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	579 / 595 / 546+20 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	590-595 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,0 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	A+

## Accessories

2 Shallow trays, 1 Deep baking tray, 1 Grill rack, 1 Full width steam tray non-perforated, Full width steam tray perforated, Temperature probe

\* 20 mm is the thickness of the front panel.





# OCS8683S

Stainless steel Combi Steam Oven, 60 cm / 73 litre

**Article No.: 538.60.220**

## Key features

6.1 inch TFT colour display, 73 liter volume, Steam Clean, 160 Auto programs, Stage cooking function, 2 Level fully extendable telescopic sliders, Soft Close door, 230°C max temp



## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Hot air + Steam level Low, Hot air + Steam level Mid, Hot air + Steam level High, Full Steam, Low temperature steam, Sous vide, Direct steam injection, Steam injection by steps, Regenerate, Defrost, Keep warm, Steam clean, Multi-stage Stage cooking, Favourite program memory

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 2
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	47,0 Kg

## Display and control

<input type="checkbox"/> Display	6.1 inch TFT colour display
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	No / Yes / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	26
<input type="checkbox"/> Heating method	Steam / Convection / Steam+Convection
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	160
<input type="checkbox"/> Available baking levels	5
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	2 / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	230 °C / 30-100°C / -
<input type="checkbox"/> Set temperature / Actual temperature	Yes / No

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / No
<input type="checkbox"/> Cleaning convenience	Steam Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	579 / 595 / 546+20 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	590-595 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,3 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	A+

## Accessories

2 Shallow trays, 1 Deep baking tray, 1 Grill rack 1 Full width steam tray non-perforated, 1 Full width steam tray perforated, Temperature probe

\* 20 mm is the thickness of the front panel.





# OT8636S

Stainless steel Multifunctional Oven, 60 cm / 73 litre

**Article No.: 533.04.014**

## Key features

4.3" LED display, 73 liter volume, Aqua Clean, 275°C max temp, Soft Close door



## Oven functions

Top + Bottom heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Quick preheat, Plate warming, Defrost, Aqua Clean

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 1
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	38,5 Kg

## Display and control

<input type="checkbox"/> Display	4.3" LED display
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	No / Yes / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	13
<input type="checkbox"/> Heating method	Convection
<input type="checkbox"/> Stage cooking function	No
<input type="checkbox"/> Auto programs	No
<input type="checkbox"/> Available baking levels	5
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	No / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	275 °C / - / -
<input type="checkbox"/> Set temperature / Actual temperature	Yes / No

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / No
<input type="checkbox"/> Cleaning convenience	Aqua Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	579 / 595 / 546+20 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	590-595 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,4 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	A+

## Accessories

2 Shallow trays, 1 Deep baking tray, 1 Grill rack, Temperature probe

\* 20 mm is the thickness of the front panel.





## Accessories



# OCSM8478G

Soft Black Glass with Pearl Effect 5-in-1 Combi Oven, 45 cm / 50 litre

**Article No.: 538.60.270**

### Key features

Full touch, 50 liter volume, Full Steam function, Steam Clean, 143 Auto programs, Stage cooking function, Soft Close door, Soft Open door, 230°C max temp, 1000 W micro effect



### Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Hot air + Steam level Low, Hot air + Steam level Mid, Hot air + Steam level High, Full Steam, Low temperature steam, Sous vide, Regenerate, Defrost, Keep warm, Plate warming, Microwaves 90 - 1000 W, Hot air + Microwave, Grill + Fan + Microwave, Steam clean

### Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / Yes
<input type="checkbox"/> Clear oven glass / Tinted oven glass	No / Yes
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 2
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	37,4 kg

### Display and control

<input type="checkbox"/> Display	4.3" Full colour Full touch
<input type="checkbox"/> Full touch display / Dials + sensor keys / Jog dial	Yes / No / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min - 10h:00 min / 1 min - 23h:59 min

### Use and flexibility

<input type="checkbox"/> Number of oven functions	26
<input type="checkbox"/> Heating method	Steam / Convection / Microwaves / Convection + Microwaves / Steam + microwaves
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	143
<input type="checkbox"/> Available baking levels	4
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / Rail Lock™	No / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	230 °C / 30 - 100°C / 1000 W

### Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / Yes
<input type="checkbox"/> Cleaning convenience	Steam Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

### Dimensions




<input type="checkbox"/> Appliance dimensions (H / W / D)	455 / 597 / 547 + 21 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	590 / 560 - 568 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right

### Technical data

<input type="checkbox"/> Electrical connection	3,4 kW / 220 - 240 V / 50 Hz / 16A
<input type="checkbox"/> Energy class (EU)	A+

### Accessories

1 Shallow tray, Glass tray, 1 Grill rack premium, 2 Full width steam tray non-perforated, Full width steam tray perforated, 1/3 width steam tray perforated, 1/2 width steam tray perforated





# OCM8478G

Soft black glass with pearl effect Combi Micro Oven, 45 cm / 50 litre

**Article No.: 538.60.060**

## Key features

4.3" Full colour touch, Full touch, 50 liter volume, Aqua Clean, 120 Auto programs, Stage cooking function, Soft Close door, 250°C max temp, 1000 W micro effect



## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Defrost, Keep warm, Microwaves 90 - 1000 W, Hot air + Microwave, Grill + Fan + Microwave, Steam clean, Multi-stage Stage cooking, Favourite program memory

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / Yes
<input type="checkbox"/> Clear oven glass / Tinted oven glass	No / Yes
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 0
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	37,4 Kg

## Display and control

<input type="checkbox"/> Display	4.3" Full colour Full touch
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	Yes / No / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	20
<input type="checkbox"/> Heating method	Micro / Convection / Micro+Convection
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	120
<input type="checkbox"/> Available baking levels	4
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	No / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	250 °C / - / 1000 W
<input type="checkbox"/> Set temperature / Actual temperature	Yes / Yes

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / No
<input type="checkbox"/> Cleaning convenience	Aqua Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	455 / 597 / 547+21 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	450 / 560-568 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,0 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	-

## Accessories

1 Shallow tray, 1 Glass tray, 2 Premium grill racks

\* 21 mm is the thickness of the front panel.





# OM8487B

Black Steel Microwave Oven, 45 cm / 50 litre

**Article No.: 538.60.250**

## Key features

6.1 inch TFT colour display, 50 liter volume, Aqua Clean, 67 Auto programs, Stage cooking function, 1000 W micro effect



## Oven functions

Auto defrost, Keep warm, Microwaves 90 - 1000 W, Hot air + Microwave, Grill + Fan + Microwave, Aqua Clean, Clean air, Multi-stage Stage cooking

## Accessories



## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	Yes / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 0
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	30,5 Kg

## Display and control

<input type="checkbox"/> Display	6.1 inch TFT colour display
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	No / Yes / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	8
<input type="checkbox"/> Heating method	Micro
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	67
<input type="checkbox"/> Available baking levels	1
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	No / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	- / - / 1000 W
<input type="checkbox"/> Set temperature / Actual temperature	Yes / No

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	No / No
<input type="checkbox"/> Cleaning convenience	Aqua Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	458 / 597 / 547+21 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	450 / 560-568 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	2,2 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	-

## Accessories

1 Glass tray

\* 21 mm is the thickness of the front panel.





# OCM8493S

Stainless steel Combi Micro Oven, 45 cm / 50 litre

**Article No.: 538.60.180**

## Key features

4.3" Full colour touch, Full touch, 50 liter volume, Aqua Clean, 120 Auto programs, Stage cooking function, Soft Close door, 250°C max temp, 1000 W micro effect




## Oven functions

Top + Bottom heat, Top Heat, Bottom Heat, Grill, Large Grill, Grill + fan, Hot air + Bottom heat, Hot Air, Eco, Bottom heat + Fan, Auto roast / Pro roast, Quick preheat, Plate warming, Defrost, Keep warm, Microwaves 90 - 1000 W, Hot air + Microwave, Grill + Fan + Microwave, Aqua Clean, Multi-stage Stage cooking, Favourite program memory

## Design and integration

### Accessories



<input type="checkbox"/> Full metal frame / Metal Side trims	No / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 0
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	36,0 Kg

## Display and control

<input type="checkbox"/> Display	4.3" Full colour Full touch
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	Yes / No / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	20
<input type="checkbox"/> Heating method	Micro / Convection / Micro+Convection
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	120
<input type="checkbox"/> Available baking levels	4
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	No / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	250 °C / - / 1000 W
<input type="checkbox"/> Set temperature / Actual temperature	Yes / Yes

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	Yes / No
<input type="checkbox"/> Cleaning convenience	Aqua Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	446 / 595 / 546+20 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	450-455 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	3,0 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	-

## Accessories

2 Shallow trays, Glass tray, 1 Premium grill rack

\* 20 mm is the thickness of the front panel.





# OM8483S

Stainless steel Microwave Oven, 45 cm / 50 litre

**Article No.: 538.60.190**

## Key features

6.1 inch TFT colour display, 50 liter volume, Aqua Clean, 67 Auto programs, Stage cooking function, 1000 W micro effect



## Oven functions

Auto defrost, Defrost, Keep warm, Microwaves 90 - 1000 W, Aqua Clean, Favourite program memory

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes / No
<input type="checkbox"/> Number of door glasses / reflective layers	3 / 0
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	31,1 Kg

## Accessories



## Display and control

<input type="checkbox"/> Display	6.1 inch TFT colour display
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	No / Yes / No
<input type="checkbox"/> Clock / Egg timer / Delayed start	Yes / 1 min-10h:00min / 1 min-23h:59min

## Use and flexibility

<input type="checkbox"/> Number of oven functions	5
<input type="checkbox"/> Heating method	Micro
<input type="checkbox"/> Stage cooking function	Yes
<input type="checkbox"/> Auto programs	67
<input type="checkbox"/> Available baking levels	4
<input type="checkbox"/> Number of lights	2
<input type="checkbox"/> Fully extendable rails levels / safety lock	No / No
<input type="checkbox"/> Max temp / Steam temp / Max microwave power	- / - / 1000 W
<input type="checkbox"/> Set temperature / Actual temperature	Yes / No

## Safety and maintenance

<input type="checkbox"/> Soft Close / Soft Open	No / No
<input type="checkbox"/> Cleaning convenience	Aqua Clean
<input type="checkbox"/> Easy clean front surface and glasses	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	446 / 595 / 546+20 mm*
<input type="checkbox"/> Niche dimensions (H / W / D)	450-455 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1500 mm / Rear right




## Technical data

<input type="checkbox"/> Electrical connection	2,2 kW / 220-240 V / 50Hz / 16A
<input type="checkbox"/> Energy class (EU)	-

## Accessories

Glass tray

\* 20 mm is the thickness of the front panel.





# OM833S

Microwave Oven, 38 cm / 22 litre, Inox Stainless Steel

**Article No.: 535.30.180**

## Key features

LCD display, Electronic Door opening, 850W micro effect, 1250W grill effect, Fingerprint proof stainless steel

## Oven functions

Microwave, Grill, Microwave + Grill, Defrost by time, Defrost by weight

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No/No
<input type="checkbox"/> Clear oven glass / Tinted oven glass	Yes/No
<input type="checkbox"/> Adjustable feet for perfect fit	Yes
<input type="checkbox"/> Weight	31.1 kg

## Display and control

<input type="checkbox"/> Display	Touch control panel with LCD display
<input type="checkbox"/> Full touch display / Dials+sensor keys / Jog dial+sensor keys	No/Yes/No
<input type="checkbox"/> Clock	Yes

## Use and flexibility

<input type="checkbox"/> Number of oven functions	6
<input type="checkbox"/> Heating method	Microwave, Grill
<input type="checkbox"/> Auto programs	8
<input type="checkbox"/> Number of lights	1
<input type="checkbox"/> Max microwave power	850 W
<input type="checkbox"/> Max grill power	1250 W
<input type="checkbox"/> Electronic door opening	Yes

## Safety and maintenance

<input type="checkbox"/> Door temperature	Microwave 200°C / Grill 240°C
<input type="checkbox"/> Easy clean front surface and glasses`	Yes
<input type="checkbox"/> Child Lock	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	390 / 595 / 312+22 mm*
---	------------------------


## Technical data

<input type="checkbox"/> Electrical connection	220-240 V / 50Hz / 16A
--	------------------------

## Accessories

Glass tray, Baking Tray

\* 20 mm is the thickness of the front panel.






# Hood in Hob


---

The idea behind the ASKO Hood in Hob is simply to provide you with the opportunity to enjoy the benefits of having an open view kitchen, without any distracting cooker hood in the field of view. For architects and designers the ASKO Hood in Hob open up a new field of kitchen designs that don't need to rely on either hiding or highlighting the cooker hood.

## Installation features

**Optimized space into the smallest detail**

Our clever engineers have done their utmost to make our Hood in Hob as small as possible in your kitchen cabinets. It is even possible to still have drawers under the Hood in Hob with a maximum depth of 47 cm.

**Flush or on top**

The ASKO Hood in Hob is designed for flush installation but is equally stylish when installed on top of the counter-top.



# HIHM934M

Matt black Hood in Hob, 90 cm

**Article No.: 538.60.699**

## Key features

90 cm wide, 4 Induction Zones, 3.7 kW Boost, 2 Real Bridge zones, 3 Auto Programs, Stop & Go function, Perfectly integrated, Effective fume removal, Clear view kitchen



## Auto programmes

Boil, Simmer, Melting

## Design and integration

<input type="checkbox"/> Flush installation / On top installation	Yes / Yes
<input type="checkbox"/> Glass / Side profile / Corner radius	Brushed Ceramic glass / - / 4
<input type="checkbox"/> Circular induction zones / Rectangular induction zones	Yes / Yes
<input type="checkbox"/> Circular touch controls / Linear touch controls	Yes / No
<input type="checkbox"/> Extractor connection ducting	Included
<input type="checkbox"/> Installation possibilities	Wall/island installation
<input type="checkbox"/> Ducted ventilation / Re-circulation	Yes / Yes
<input type="checkbox"/> Weight	17,5 kg

## Display and control

<input type="checkbox"/> Individual controls for each zone / Central control for all zones	Yes / No
<input type="checkbox"/> Individual timer setting / Central timer setting	Yes / No
<input type="checkbox"/> Central control for extractor	Yes

## Use and flexibility

<input type="checkbox"/> Auto pan detection	Yes
<input type="checkbox"/> Chef function / Real Bridge / Pause function	No / Yes 2 / Yes
<input type="checkbox"/> Power levels / Boost effect	13 / 5,5 kW

## Performance

<input type="checkbox"/> Left Front / Middle / Rear	3700 W / - / 3700 W
<input type="checkbox"/> Middle Front / Center / Rear	- / 5500 W / -
<input type="checkbox"/> Right Front / Center / Rear	3700 W / - / 3700 W
<input type="checkbox"/> Extractor capacity	510 m³/h

## Safety and maintenance

<input type="checkbox"/> Residual heat indicator / Overheating switch off	Yes / Yes
<input type="checkbox"/> Central switch off for all zones / Cooking time limiter	Yes / Yes
<input type="checkbox"/> Lockable control panels	Yes
<input type="checkbox"/> Easy clean surface	Yes

## Dimensions


<input type="checkbox"/> Appliance dimensions (H / W / D) / Corner radius	46 / 900 / 510 / 4 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 860 / 490 mm
<input type="checkbox"/> Extra cut-out for flush installation (H / W / D) / Corner radius	- / 906 <sup>1</sup> / 516 <sup>1</sup> / 6 mm

## Technical data


7,4 kW / 220-230 V / 50-60 Hz / 2-phase x 16A

## Optional accessories

Re-circulation kit: ACC8465PLF



Appliance dimensions



Built-dimensions (for flush installation)






# Hobs


---

The hob is where most of the action happens. From early morning breakfast to late night snacks, the hob is in constant use, so you want a design that caters to your needs and lifestyle. ASKO's range of hobs offers freedom and flexibility in the kitchen. Fast, efficient and easy to clean, they give you the control you need to create great meals quickly. And all our hobs are designed to integrate seamlessly with our full range of kitchen appliances.

## Installation features

**Service without removing the hob**

Flush induction hobs require a perfectly cutted countertop as well as sealing around the edges. To remove it the sealing need to be removed with a damaged counter-top as a sad result. With the Service Saver repair solution the electronics are easily reached from beneath of the hob. Completely without the need to remove the hob

**A big hob in a small cut-out**

If you want to change your existing 60 cm gas hob, then we have a great opportunity for you. Our 70 cm gas hobs in the Craft range will fit into a 56 cm wide cut-out. This means that you can have something bigger without reinstall your counter-top.



# HIG1995AB

Black glass Gas / Induction Combination Hob, 90 cm

**Article No.: 538.60.529**

## Key features

90 cm wide, Duo Fusion gas and induction, 4 Induction Zones, 3.7 kW Boost, 2 Real Bridge zones, 6 Induction Auto Programs, Auto Pan Detection, Individual timers, Stop & Go function



## Auto programmes induction

Boil, Simmer, Warm / keep warm, Wok, Fry, Grill

## Auto programmes gas

### Design and integration

<input type="checkbox"/> Glass / Side profile	Ceramic glass / Aluminium
<input type="checkbox"/> Circular induction zones / Rectangular induction zones	No / Yes
<input type="checkbox"/> Circular touch controls / Linear touch controls / Knob control	No / Yes / Yes
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Solid cast iron pan support	Yes
<input type="checkbox"/> Weight	19,4 kg

### Display and control

<input type="checkbox"/> Touch control for gas burner	No
<input type="checkbox"/> Individual controls / Individual timer setting	Yes / Yes
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes

### Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner	Yes
<input type="checkbox"/> Round wok support / Small pot support	Yes
<input type="checkbox"/> Auto pan detection	Yes
<input type="checkbox"/> Real Bridge / Pause function	Yes / Yes
<input type="checkbox"/> Induction Power levels / Boost effect	13 / 3,7 kW
<input type="checkbox"/> Gas power level (min - max)	300 - 6000 W

### Performance

<input type="checkbox"/> Left Front / Middle / Rear	- / Gas 6000 W / -
<input type="checkbox"/> Middle Front / Center / Rear	3700 W / - / 3700 W
<input type="checkbox"/> Right Front / Center / Rear	3700 W / - / 3700 W

### Safety and maintenance



<input type="checkbox"/> Flame failure protection / Residual heat indicator / Overheating switch off	Yes / Yes / Yes
<input type="checkbox"/> Lockable control panels	Yes (for induction controls)
<input type="checkbox"/> Easy clean surface	Yes

### Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D) / Corner radius	54 / 904 / 522 / -
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 860 / 490 mm
<input type="checkbox"/> Gas / Electrical connection location (from right rear end)	265 / 180 mm
<input type="checkbox"/> Length electrical cord	1500 mm

### Technical data

<input type="checkbox"/> Gas type / Connection size	G30-30mBar / 1/2"
<input type="checkbox"/> Electrical connection	7,42 kW / 220-230 V / 50-60 Hz / 2-phase x 16A







# HG1145AB

Black Ceramic Glass Gas hob, 111 cm

**Article No.: 533.04.539**

## Key features

111 cm Width, 4 burners, Fusion Volcano Wok burner, A+ burner, Ceramic glass surface, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Ceramic hardened glass
<input type="checkbox"/> Solitary burner islands / Full surface grid	Yes / No
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	No/Yes
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	Yes
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	22,8 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	Yes
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	Yes / No
<input type="checkbox"/> A+ burners / A+ Hybrid burners	Yes / No
<input type="checkbox"/> Round wok support / Small pot support	Yes / Yes

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	- / 4800 W / -
<input type="checkbox"/> Middle Front / Center / Rear	- / 2 X 2000 W / -
<input type="checkbox"/> Right Front / Center / Rear	- / 4800 W / -

## Safety and maintenance



<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	48 / 1114 / 412 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 1070 / 380 mm
<input type="checkbox"/> Gas connection location from right rear end	387 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A





# HG1935AB

Black ceramic glass Gas hob, 90 cm

**Article No.: 538.60.519**

## Key features

90 cm Width, 5 burners, Fusion Volcano Wok burner, A+ burner, Ceramic glass surface, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Ceramic hardened glass
<input type="checkbox"/> Solitary burner islands / Full surface grid	Yes / No
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	Yes / No
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	Yes
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	19,5 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	No
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	Yes / No
<input type="checkbox"/> A+ burners / A+ Hybrid burners	Yes / No
<input type="checkbox"/> Round wok support / Small pot support	Yes / Yes

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	- / 6000 W / -
<input type="checkbox"/> Middle Front / Center / Rear	2000 W / - / 2000 W
<input type="checkbox"/> Right Front / Center / Rear	3000 W / - / 1000 W

## Safety and maintenance


<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	45 / 904 / 522
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 860 / 490 mm
<input type="checkbox"/> Gas connection location from right rear end	517 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A





# HG1825AB

Black glass Gas hob, 80 cm

**Article No.: 538.60.505**

## Key features

80 cm Width, 4 burners, Fusion Volcano Wok burner, A+ burner, Ceramic glass surface, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Ceramic hardened glass
<input type="checkbox"/> Solitary burner islands / Full surface grid	Yes / No
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	Yes / No
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	Yes
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	17,5 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	No
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	Yes / No
<input type="checkbox"/> A+ burners / A+ Hybrid burners	Yes / No
<input type="checkbox"/> Round wok support / Small pot support	Yes / Yes

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	- / 6000 W / -
<input type="checkbox"/> Middle Front / Center / Rear	- / 2000 W / -
<input type="checkbox"/> Right Front / Center / Rear	3000 W / - / 1000 W

## Safety and maintenance



<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	45 / 794 / 522 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 860 / 490 mm
<input type="checkbox"/> Gas connection location from right rear end	440 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A





# HG1986AB

Graphite black Gas hob, 90 cm

**Article No.: 538.60.539**

## Key features

90 cm Width, 5 burners, Super Flex Wok burner, A+ Hybrid burner, Smooth enamel, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Smooth durable enamel
<input type="checkbox"/> Solitary burner islands / Full surface grid	No / Yes
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	Yes / No
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	No
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	18,4 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	No
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	No / Yes
<input type="checkbox"/> A+ burners / A+ Hybrid burners	No / Yes
<input type="checkbox"/> Round wok support / Small pot support	Yes / Yes

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	- / 4600 W / -
<input type="checkbox"/> Middle Front / Center / Rear	2000 W / - / 1000 W
<input type="checkbox"/> Right Front / Center / Rear	2600 W / - / 2000 W

## Safety and maintenance



<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	48 / 900 / 526
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 860 / 490
<input type="checkbox"/> Gas connection location from right rear end	514 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A





# HG1666AB

Graphite black Gas hob, 60 cm

**Article No.: 538.60.540**

## Key features

60 cm Width, 4 burners, Super Flex Wok burner, A+ Hybrid burner, Smooth enamel, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Smooth durable enamel
<input type="checkbox"/> Solitary burner islands / Full surface grid	No / Yes
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	Yes / No
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	No
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	12,2 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	No
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	No / Yes
<input type="checkbox"/> A+ burners / A+ Hybrid burners	No / Yes
<input type="checkbox"/> Round wok support / Small pot support	Yes / Yes

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	4200 W / - / 2000 W
<input type="checkbox"/> Middle Front / Center / Rear	- / - / -
<input type="checkbox"/> Right Front / Center / Rear	2000 W / - / 1000 W

## Safety and maintenance



<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	48 / 600 / 526 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 560 / 490 mm
<input type="checkbox"/> Gas connection location from right rear end	520 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A






# HI1194G

Black Induction hob, 111 cm

**Article No.: 533.04.508**

## Key features

90 cm wide, Individual zone controls, 4 Induction Zones, 3.7 kW Boost, XL Zone 26 cm, Individual timers, Stop & Go function



## Auto programmes

Boil, Simmer, Warm / keep warm, Wok, Fry, Grill

## Design and integration

<input type="checkbox"/> Flush installation / On top installation	No / Yes
<input type="checkbox"/> Glass / Side profile / Corner radius	Vitro Ceramic glass / Aluminium / -
<input type="checkbox"/> Circular induction zones / Rectangular induction zones	Yes / No
<input type="checkbox"/> Circular touch controls / Linear touch controls	Yes / No
<input type="checkbox"/> Weight	12,0 kg

## Display and control

<input type="checkbox"/> Individual controls for each zone / Central control for all zones	Yes / No
<input type="checkbox"/> Individual timer setting / Central timer setting	Yes / No

## Use and flexibility

<input type="checkbox"/> Auto pan detection	No
<input type="checkbox"/> Chef function / Real Bridge / Pause function	No / No / Yes
<input type="checkbox"/> Power levels / Boost effect	13 / 3,7 kW

## Performance

<input type="checkbox"/> Left Front / Middle / Rear	3700 W / - / 3000 W
<input type="checkbox"/> Middle Front / Center / Rear	- / - / -
<input type="checkbox"/> Right Front / Center / Rear	3700 W / - / 3000 W

## Safety and maintenance


<input type="checkbox"/> Residual heat indicator / Overheating switch off	Yes / Yes
<input type="checkbox"/> Central switch off for all zones / Cooking time limiter	Yes / Yes
<input type="checkbox"/> Lockable control panels	Yes
<input type="checkbox"/> Easy clean surface	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D) / Corner radius	43 / 1114 / 412 / -
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 1070 / 385 mm
<input type="checkbox"/> Extra cut-out for flush installation (H / W / D) / Corner radius	- / - / -

## Technical data

<input type="checkbox"/> Electrical connection	7,4 kW / 220-230 V / 50-60 Hz / 2-phase x 16A
--	---





# HI1655G

Black Induction Hob, 64 cm

**Article No.: 538.60.566**

## Key features

64 cm wide, Individual zone controls, 4 Induction Zones, 3.7 kW Boost, 2 Real Bridge zones, 6 Auto Programs, Individual timers, Stop & Go function



## Auto programmes

Boil, Simmer, Warm / keep warm, Wok, Fry, Grill

## Design and integration

<input type="checkbox"/> Flush installation / On top installation	No / Yes
<input type="checkbox"/> Glass / Side profile / Corner radius	Vitro Ceramic glass / Aluminium / -
<input type="checkbox"/> Circular induction zones / Rectangular induction zones	No / Yes
<input type="checkbox"/> Circular touch controls / Linear touch controls	No / Yes
<input type="checkbox"/> Weight	10,6 kg

## Display and control

<input type="checkbox"/> Individual controls for each zone / Central control for all zones	Yes / No
<input type="checkbox"/> Individual timer setting / Central timer setting	Yes / No

## Use and flexibility

<input type="checkbox"/> Auto pan detection	Yes
<input type="checkbox"/> Chef function / Real Bridge / Pause function	No / Yes 2 / Yes
<input type="checkbox"/> Power levels / Boost effect	13 / 3,7 kW

## Performance

<input type="checkbox"/> Left Front / Middle / Rear	3700 W / - / 3700 W
<input type="checkbox"/> Middle Front / Center / Rear	- / - / -
<input type="checkbox"/> Right Front / Center / Rear	3700 W / - / 3700 W

## Safety and maintenance


<input type="checkbox"/> Residual heat indicator / Overheating switch off	Yes / Yes
<input type="checkbox"/> Central switch off for all zones / Cooking time limiter	Yes / Yes
<input type="checkbox"/> Lockable control panels	Yes
<input type="checkbox"/> Easy clean surface	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D) / Corner radius	43 / 644 / 522 / -
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 560 / 490 mm
<input type="checkbox"/> Extra cut-out for flush installation (H / W / D) / Corner radius	- / - / -

## Technical data

<input type="checkbox"/> Electrical connection	7,4 kW / 220-230 V / 50-60 Hz / 2-phase x 16A
--	---





# HI1355G

Black Domino Induction Hob, 33 cm

**Article No.: 533.04.511**

## Key features

33 cm wide, Individual zone controls, 2 Induction Zones, 3.7 kW Boost, 1 Real Bridge zone, 6 Auto Programs, Auto Pan Detection, Individual timers, Stop & Go function



## Auto programmes

Boil, Simmer, Warm / keep warm, Wok, Fry, Grill

## Design and integration

<input type="checkbox"/> Flush installation / On top installation	No / Yes
<input type="checkbox"/> Glass / Side profile / Corner radius	Vitro Ceramic glass / Aluminium / -
<input type="checkbox"/> Circular induction zones / Rectangular induction zones	No / Yes
<input type="checkbox"/> Circular touch controls / Linear touch controls	No / Yes
<input type="checkbox"/> Weight	7,0 kg

## Display and control

<input type="checkbox"/> Individual controls for each zone / Central control for all zones	Yes / No
<input type="checkbox"/> Individual timer setting / Central timer setting	Yes / No

## Use and flexibility

<input type="checkbox"/> Auto pan detection	Yes
<input type="checkbox"/> Chef function / Real Bridge / Pause function	No / Yes 1 / Yes
<input type="checkbox"/> Power levels / Boost effect	13 / 3,7 kW

## Performance

<input type="checkbox"/> Left Front / Middle / Rear	- / - / -
<input type="checkbox"/> Middle Front / Center / Rear	3700 W / - / 3700 W
<input type="checkbox"/> Right Front / Center / Rear	- / - / -

## Safety and maintenance



<input type="checkbox"/> Residual heat indicator / Overheating switch off	Yes / Yes
<input type="checkbox"/> Central switch off for all zones / Cooking time limiter	Yes / Yes
<input type="checkbox"/> Lockable control panels	Yes
<input type="checkbox"/> Easy clean surface	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D) / Corner radius	43 / 330 / 522 / -
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 290 / 490 mm
<input type="checkbox"/> Extra cut-out for flush installation (H / W / D) / Corner radius	- / - / - / -

## Technical data

<input type="checkbox"/> Electrical connection	3,7 kW / 1-phase / 220-240 V / 50Hz / 1 x 20A
--	---





# HG1365G

Black Domino Gas Hob, 33 cm

**Article No.: 533.04.551**

## Key features

33 cm Width, 1 burner, Fusion Volcano Wok burner, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Ceramic hardened glass
<input type="checkbox"/> Solitary burner islands / Full surface grid	Yes / No
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	Yes / No
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	Yes
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	10,2 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	No
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	Yes / No
<input type="checkbox"/> A+ burners / A+ Hybrid burners	No / No
<input type="checkbox"/> Round wok support / Small pot support	Yes / No

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	- / - / -
<input type="checkbox"/> Middle Front / Center / Rear	- / 6000 W / -
<input type="checkbox"/> Right Front / Center / Rear	- / - / -

## Safety and maintenance



<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	48 / 330 / 522
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 290 / 490 mm
<input type="checkbox"/> Gas connection location from right rear end	75 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A





# HG1355GB

Black Domino Gas Hob, 33 cm

**Article No.: 533.04.541**

## Key features

33 cm Width, 2 burners, A+ burner, Ceramic glass surface, No flame no gas



## Design and integration

<input type="checkbox"/> Surface material	Ceramic hardened glass
<input type="checkbox"/> Solitary burner islands / Full surface grid	Yes / No
<input type="checkbox"/> Classic burner layout / Panoramic burner layout	Yes / No
<input type="checkbox"/> Solid cast iron pan supports	Yes
<input type="checkbox"/> Decorative side trims	Yes
<input type="checkbox"/> Hidden air intake	Yes
<input type="checkbox"/> Weight	8,0 kg

## Display and control

<input type="checkbox"/> Controls	Knobs
<input type="checkbox"/> Electronic ignition with single-hand operation	Yes
<input type="checkbox"/> Individual digital timers	No
<input type="checkbox"/> Stepless power setting	Yes

## Use and flexibility

<input type="checkbox"/> Fusion Volcano Wok burner / Super Flex Wok burner	No / No
<input type="checkbox"/> A+ burners / A+ Hybrid burners	Yes / No
<input type="checkbox"/> Round wok support / Small pot support	No / Yes

## Burner performance

<input type="checkbox"/> Left Front / Middle / Rear	- / - / -
<input type="checkbox"/> Middle Front / Center / Rear	3000 W / - / 2000 W
<input type="checkbox"/> Right Front / Center / Rear	- / - / -

## Safety and maintenance


<input type="checkbox"/> Flame failure protection	Yes
<input type="checkbox"/> Easy clean smooth surface	Yes
<input type="checkbox"/> Knobs are removable	Yes

## Dimensions


<input type="checkbox"/> Appliance dimensions (H / W / D)	48 / 330 / 522
<input type="checkbox"/> Niche dimensions (H / W / D)	- / 290 / 490 mm
<input type="checkbox"/> Gas connection location from right rear end	75 mm
<input type="checkbox"/> Length electrical cord	1360 mm

## Technical data

<input type="checkbox"/> Gas type / Connection size	G20-20mBar / 1/2"
<input type="checkbox"/> Gas conversion kit	G30-30 mBar
<input type="checkbox"/> Electrical connection	1,0 W/220-240 V/50Hz/6A



\* Gas connection





# HF1334S

Domino Deep Fryer, 33 cm

**Article No.: 533.04.990**

## Key features

33 cm wide, Removable oil tank, Capacity 3.5 L, Cold zone for frying sediment

33

## Auto programmes

Boil, Simmer, Warm / keep warm, Wok, Fry, Grill

## Design and integration

<input type="checkbox"/> Flush installation / On top installation	No/Yes
<input type="checkbox"/> Glass / Side profile / Corner radius	Vitro Ceramic glass / Aluminium /
<input type="checkbox"/> Weight	8.8 kg

## Display and control

<input type="checkbox"/> Temperature Knob	Yes
<input type="checkbox"/> On/Off indication	Yes
<input type="checkbox"/> Right Temperature indication(°C)	Yes

## Use and flexibility


<input type="checkbox"/> Oil Capacity	3.5 L
<input type="checkbox"/> Temperature levels	80°C - 200°C

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	300 / 330 / 522 mm
<input type="checkbox"/> Packed Appliance dimensions (H / W / D)	325 / 405 / 595 mm

## Technical data

<input type="checkbox"/> Electrical connection	2.2 kW / 220-240 V / 50Hz / 1 x 16A
--	-------------------------------------






# Drawers


Extend your cooking possibilities with ASKO drawers. In the ASKO range there are different drawers for different needs. The vacuum drawer is a perfect complement to the combi steam that you use to vacuum seal food for slow Sous Vide cooking in the oven. Our ASKO warming drawers you use to either heat plates and cups, to keep food warm or even slow cook food.

## Installation features



### Practically very aesthetic drawers

The different drawers, whether a warming drawer a vacuum drawer or an accessory drawer, fills both a practical and an aesthetic need in your kitchen. They are designed to carry an oven on top and if you place it under a 45 cm oven you will have a perfect alignment with a 60 cm oven.



### Adjustable front plate for perfect integration

It is possible to adjust the front plate vertically in order to have a perfect alignment to adjacent furnitures and appliances. The front plate is carefully designed with the steel perfectly folded around the edges and corners.



# ODW8128G

Black Glass with Pearl Effect Warming Drawer, 14 cm

**Article No.: 535.90.880**

## Key features

Cup warming, Defrosting, Low temperature cooking, Plate warming, Push to open, Storing, Easy clean inside glass surface



## Functions

Defrosting (30 °C), Warming cups and glasses (40 °C), Warming crockery (60 °C), Keeping food warm (70 °C), Slow cooking (80 °C + fan)

## Design and integration

<input type="checkbox"/> Suitable for integration with ovens	Yes
<input type="checkbox"/> Possible to install oven on top	Yes
<input type="checkbox"/> Metal side trims	Yes
<input type="checkbox"/> Weight	15,0 kg

## Display and control

<input type="checkbox"/> Control type	Knob
---------------------------------------	------

## Use and flexibility

<input type="checkbox"/> Temperature range (°C)	30-80°C
<input type="checkbox"/> Vacuum sealing technology for Sous Vide cooking	No
<input type="checkbox"/> Temperature dial	Yes
<input type="checkbox"/> Hose for external vacuuming	No
<input type="checkbox"/> Push-to-open mechanism	Yes
<input type="checkbox"/> Fully extendable on telescopic guides	Yes
<input type="checkbox"/> Suitable for warming cups, glasses and crockery	Yes
<input type="checkbox"/> Suitable for keeping food warm	Yes
<input type="checkbox"/> Suitable for slow cook food	Yes
<input type="checkbox"/> Suitable for storing	Yes

## Cleaning


<input type="checkbox"/> Easy clean glass / Easy clean stainless steel	Yes / No
--	----------

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	135 / 597 / 550
<input type="checkbox"/> Built-in dimensions (H / W / D)	141 / 556 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1800 mm

## Technical data

<input type="checkbox"/> Electrical connection	810 W / 220-240 V / 50 Hz / 1-phase x 10 A
--	--



Appliance dimensions



# ODW8127B

Black Steel Warming Drawer, 14 cm

**Article No.: 535.50.800**

## Key features

Cup warming, Defrosting, Low temperature cooking, Plate warming, Push to open, Storing, Easy clean inside glass surface



## Functions

Defrosting (30°C), Warming cups and glasses (40 °C), Warming crockery (60 °C), Keeping food warm (70°C), Slow cooking (80 °C + fan)

## Design and integration

<input type="checkbox"/> Suitable for integration with ovens	Yes
<input type="checkbox"/> Possible to install oven on top	Yes
<input type="checkbox"/> Metal side trims	Yes
<input type="checkbox"/> Weight	15,0 kg

## Display and control

<input type="checkbox"/> Control type	Knob
---------------------------------------	------

## Use and flexibility

<input type="checkbox"/> Temperature range (°C)	30-80°C
<input type="checkbox"/> Vacuum sealing technology for Sous Vide cooking	No
<input type="checkbox"/> Temperature dial	Yes
<input type="checkbox"/> Hose for external vacuuming	No
<input type="checkbox"/> Push-to-open mechanism	Yes
<input type="checkbox"/> Fully extendable on telescopic guides	Yes
<input type="checkbox"/> Suitable for warming cups, glasses and crockery	Yes
<input type="checkbox"/> Suitable for keeping food warm	Yes
<input type="checkbox"/> Suitable for slow cook food	Yes
<input type="checkbox"/> Suitable for storing	Yes

## Cleaning


<input type="checkbox"/> Easy clean glass / Easy clean stainless steel	No / Yes
--	----------

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	135 / 597 / 550
<input type="checkbox"/> Built-in dimensions (H / W / D)	141 / 556 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1800 mm

## Technical data

<input type="checkbox"/> Electrical connection	810 W / 220-240 V / 50 Hz / 1-phase x 10 A
--	--



Appliance dimensions



# ODW8123S

Stainless Steel Warming Drawer, 13 cm  
**Article No.: 533.54.800**

## Key features

Cup warming, Defrosting, Low temperature cooking, Plate warming, Push to open, Storing, Easy clean inside glass surface



## Functions

Defrosting (30 °C), Warming cups and glasses (40 °C), Warming crockery (60 °C), Keeping food warm (70 °C), Slow cooking (80 °C + fan)

## Design and integration

<input type="checkbox"/> Suitable for integration with ovens	Yes
<input type="checkbox"/> Possible to install oven on top	Yes
<input type="checkbox"/> Metal side trims	Yes
<input type="checkbox"/> Weight	15,0 kg

## Display and control

<input type="checkbox"/> Control type	Knob
---------------------------------------	------

## Use and flexibility

<input type="checkbox"/> Temperature range (°C)	30-80°C
<input type="checkbox"/> Vacuum sealing technology for Sous Vide cooking	No
<input type="checkbox"/> Temperature dial	Yes
<input type="checkbox"/> Hose for external vacuuming	No
<input type="checkbox"/> Push-to-open mechanism	Yes
<input type="checkbox"/> Fully extendable on telescopic guides	Yes
<input type="checkbox"/> Suitable for warming cups, glasses and crockery	Yes
<input type="checkbox"/> Suitable for keeping food warm	Yes
<input type="checkbox"/> Suitable for slow cook food	Yes
<input type="checkbox"/> Suitable for storing	Yes

## Cleaning


<input type="checkbox"/> Easy clean glass / Easy clean stainless steel	No / Yes
--	----------

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	131 / 595 / 550
<input type="checkbox"/> Built-in dimensions (H / W / D)	140 / 556 / 545 mm
<input type="checkbox"/> Length electrical cord / Location	1800 mm

## Technical data

<input type="checkbox"/> Electrical connection	810 W / 220-240 V / 50 Hz / 1-phase x 10 A
--	--



Appliance dimensions



# ODV8128G

Black Glass with Pearl Effect Vacuum Drawer, 14 cm

**Article No.: 535.50.700**

## Key features

3 sealing levels, 3 vacuum levels, Push to open, Preparation for Sous Vide cooking, Vacuum seal technology, Easy clean inside glass surface



## Functions

Three plastic bags sealing levels, Three vacuum levels

## Design and integration

<input type="checkbox"/> Suitable for integration with ovens	Yes
<input type="checkbox"/> Possible to install oven on top	Yes
<input type="checkbox"/> Metal side trims	Yes
<input type="checkbox"/> Weight	35,0 kg

## Display and control

<input type="checkbox"/> Control type	Touch
---------------------------------------	-------

## Use and flexibility

<input type="checkbox"/> Hose for external vacuuming	Yes
<input type="checkbox"/> Push-to-open mechanism	Yes

## 3 levels of vacuum

<input type="checkbox"/> Level 1	75 % vacuum
<input type="checkbox"/> Level 2	95 % vacuum
<input type="checkbox"/> Level 3	99 % vacuum

## Cleaning


<input type="checkbox"/> Easy clean glass / Easy clean stainless steel	Yes / No
--	----------

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	135 / 597 / 550
<input type="checkbox"/> Built-in dimensions (H / W / D)	141 / 556 / 550 mm
<input type="checkbox"/> Length electrical cord / Location	1800 mm

## Technical data

<input type="checkbox"/> Electrical connection	320 W / 220-240 V / 50Hz / 1-phase 10 A
--	---



Appliance dimensions




# Coffee machine

---


An ASKO coffee machine is the smart way to explore new coffee types or simply enjoy the same perfect coffee day after day. And the best thing is that you don't need to know anything about making coffee – only what you are craving for.

## Installation features



### Height adjustable telescopic slides

ASKO Elements coffee machines are easy to perfectly align with the ovens and surrounding cabinetry. The telescopic slides are possible to fine tune up and down.



### Integrated with freestanding qualities

When it is time to refill the coffee beans, you simply pull out the coffee machine on the easy sliding telescopic rails. Remove the lid on the bean container, refill, put the lid back. There is also practical shelves for storage of the beans. Then gently push the coffee machine back in place. Effortless.



# CM8478G

Black Glass with Pearl Effect Integrated Coffee Machine, 45 cm

**Article No.: 535.50.060**

## Key features

12 Auto Coffe Programs, TFT Full Touch display, Automatic Cappuccino, Cleaning programs, Integrated cup warmer



## Coffee types

Single Espresso, Double Espresso, Single coffee, Single long, Single Doppio+, Single Americano, Cappuccino, Cappuccino +, Single Espresso Macchiato, Latte Macchiato, Caffé Latte, Flat White, Hot Milk, Hot Water

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / Yes
<input type="checkbox"/> Stainless steel drip tray / Extra wide	Yes / Yes
<input type="checkbox"/> Smooth surfaces - no knobs	Yes
<input type="checkbox"/> Mounted with telescopic rails / rails are adjustable for perfect fit	Yes / Yes
<input type="checkbox"/> Weight	20,0 kg

## Coffee system

<input type="checkbox"/> Whole beans / Pre-grounded coffee	Yes / Yes
<input type="checkbox"/> Water tank size / Water pressure	2,3 litre / 15 bar
<input type="checkbox"/> Adjustable coffee volume / Adjustable strength / Adjustable grinding level / Adjustable temperature	Yes / Yes / Yes / Yes
<input type="checkbox"/> Cappuccino function / Hot water tap	Yes / Yes

## Use and flexibility

<input type="checkbox"/> Number of Auto coffee programs	12
<input type="checkbox"/> Drip tray	Yes
<input type="checkbox"/> Storage compartments	Yes
<input type="checkbox"/> Cup warming shelf	Yes
<input type="checkbox"/> Height adjustable coffee spout	Yes
<input type="checkbox"/> Thermal milk container	Yes

## Display and control

<input type="checkbox"/> Display type	TFT Full Touch
<input type="checkbox"/> Display language setting	Yes
<input type="checkbox"/> 6 user profiles	Yes
<input type="checkbox"/> Descaling reminder / Cleaning reminder	Yes / Yes

## Maintenance and cleaning


<input type="checkbox"/> Descaling system / Auto Milk system cleaning function	Yes / Yes
<input type="checkbox"/> Removable brewer unit easily cleaned with water	Yes
<input type="checkbox"/> Removable drip tray	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	455 / 597 / 460 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	450 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord	1700 mm

## Technical data

<input type="checkbox"/> Electrical connection	1350 W / 220-240 V / 50 Hz / 1-phase x 10 A
--	---





# CM8477B

Black Steel Integrated Coffee Machine, 45 cm

**Article No.: 535.50.070**

## Key features

12 Auto Coffe Programs, Individual Taste™, TFT Full Touch display, Automatic Capuccino, Cleaning programs, Integrated cup warmer



## Coffee types

Single Espresso, Double Espresso, Single coffee, Single long, Single Doppio+, Single Americano, Cappuccino, Cappuccino +, Single Espresso Macchiato, Latte Macchiato, Caffé Latte, Flat White, Hot Milk, Hot Water

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / Yes
<input type="checkbox"/> Stainless steel drip tray / Extra wide	Yes / Yes
<input type="checkbox"/> Smooth surfaces - no knobs	Yes
<input type="checkbox"/> Mounted with telescopic rails / rails are adjustable for perfect fit	Yes / Yes
<input type="checkbox"/> Weight	20,0 kg

## Coffee system

<input type="checkbox"/> Whole beans / Pre-grounded coffee	Yes / Yes
<input type="checkbox"/> Water tank size /Water pressure	2,3 litre / 15 bar
<input type="checkbox"/> Adjustable coffee volume / Adjustable strength / Adjustable grinding level / Adjustable temperature	Yes / Yes / Yes / Yes
<input type="checkbox"/> Cappuccino function / Hot water tap	Yes / Yes

## Use and flexibility

<input type="checkbox"/> Number of Auto coffee programs	12
<input type="checkbox"/> Drip tray	Yes
<input type="checkbox"/> Storage compartments	Yes
<input type="checkbox"/> Cup warming shelf	Yes
<input type="checkbox"/> Height adjustable coffee spout	Yes
<input type="checkbox"/> Thermal milk container	Yes

## Display and control

<input type="checkbox"/> Display type	TFT Full Touch
<input type="checkbox"/> Diplay language setting	Yes
<input type="checkbox"/> 6 user profiles	Yes
<input type="checkbox"/> Descaling reminder / Cleaning reminder	Yes / Yes

## Maintenance and cleaning


<input type="checkbox"/> Descaling system / Auto Milk system cleaning function	Yes / Yes
<input type="checkbox"/> Removable brewer unit easily cleaned with water	Yes
<input type="checkbox"/> Removable drip tray	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	455 / 597 / 460 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	450 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord	1700 mm

## Technical data

<input type="checkbox"/> Electrical connection	1350 W / 220-240 V / 50 Hz / 1-phase x 10 A
--	---





# CM8456S

Stainless Steel Integrated Coffee Machine, 45 cm

**Article No.: 533.54.000**

## Key features

6 Auto Coffe Programs, Automatic Cappuccino, Two cups brewing, Cleaning programs



## Coffee types

Single Espresso, Single coffee, Single long, Cappuccino, Latte Macchiato, Caffé Latte, Hot Milk, Hot Water

## Design and integration

<input type="checkbox"/> Full metal frame / Metal Side trims	No / No
<input type="checkbox"/> Stainless steel drip tray / Extra wide	Yes / No
<input type="checkbox"/> Smooth surfaces - no knobs	Yes
<input type="checkbox"/> Mounted with telescopic rails / rails are adjustable for perfect fit	Yes / No
<input type="checkbox"/> Weight	22,6 kg

## Coffee system

<input type="checkbox"/> Whole beans / Pre-grounded coffee	Yes / Yes
<input type="checkbox"/> Water tank size / Water pressure	1,8 litre / 15 bar
<input type="checkbox"/> Adjustable coffee volume / Adjustable strength / Adjustable grinding level / Adjustable temperature	Yes / Yes / Yes / Yes
<input type="checkbox"/> Cappuccino function / Hot water tap	Yes / Yes

## Use and flexibility

<input type="checkbox"/> Number of Auto coffee programs	6
<input type="checkbox"/> Drip tray	Yes
<input type="checkbox"/> Storage compartments	Yes
<input type="checkbox"/> Cup warming shelf	No
<input type="checkbox"/> Height adjustable coffee spout	Yes
<input type="checkbox"/> Thermal milk container	No

## Display and control

<input type="checkbox"/> Display type	Electronic Touch
<input type="checkbox"/> Display language setting	No
<input type="checkbox"/> 6 user profiles	Yes
<input type="checkbox"/> Descaling reminder / Cleaning reminder	Yes / Yes

## Maintenance and cleaning


<input type="checkbox"/> Descaling system / Auto Milk system cleaning function	Yes / No
<input type="checkbox"/> Removable brewer unit easily cleaned with water	Yes
<input type="checkbox"/> Removable drip tray	Yes

## Dimensions


<input type="checkbox"/> Appliance dimensions (H / W / D)	455 / 597 / 460 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	450 / 560 / 550 mm
<input type="checkbox"/> Length electrical cord	1500 mm

## Technical data

<input type="checkbox"/> Electrical connection	1350 W / 220-240 V / 50 Hz / 1-phase x 10 A
--	---



Detail from side



Appliance and built-in dimensions






# Hoods


---

The cooker hood is often the first thing your guests will notice in your kitchen. The hood is at eye level so it has to be something special. Our diagonal cooker hoods are, in addition to their stylish exterior, also effective and quiet. Perfect for modern, open kitchens.

## Installation features

**Extra high ceilings?**

If you have a high ceiling at home, you can use our chimney extension set to extend the chimney to fit ceiling heights from 2,5 meter up to 3,5 meter. This unique expansion system is easy to install.

**Hook and swing - easy to install**

The "hook-and-swing" solution makes the installation of our island cookers safe and simple. Just hook the upper chimney section on the mounting bracket - that you in a previous step has fastened - then swing it and will automatically lock to the bracket.




# CW4930G

Soft Black Glass with Pearl Effect Wall Mounted, 90 cm

**Article No.: 535.80.163**

## Key features

90 cm width, Energy class A++, Proximity sensor, Brushless motor, Perimeter Edge Extraction, Dishwasher proof stainless steel filters, LED strips, Dimmable lights, Cold to warm light adjustable



## Design and integration

<input type="checkbox"/> Surface & colour / Body factor	Soft black glass with pearl effect / T-shape
<input type="checkbox"/> Special installation feature	
<input type="checkbox"/> Concealed filter area / Visible filters	Yes / No
<input type="checkbox"/> Weight	33,0 Kg

## Display and control

<input type="checkbox"/> Control type	Touch with display
<input type="checkbox"/> Proximity sensor - controls only visible when approaching	Yes

## Use and flexibility

<input type="checkbox"/> Number of power levels / Boost function	9
<input type="checkbox"/> Air-vented / Re-circulation	Yes / Yes
<input type="checkbox"/> Timer / Clean air function	Yes / Yes
<input type="checkbox"/> Number of lights / Type of lights	2x5.8 W / Dimmable LED strips, cold to warm light adjustable
<input type="checkbox"/> Extraction system	Perimeter Edge Extraction
<input type="checkbox"/> Noise level min / max	44 / 69 dB(A)
<input type="checkbox"/> Extraction rate	793 m³/h

## Safety and maintenance

<input type="checkbox"/> Grease capturing / Dishwasher proof	7 layer Stainless Steel mesh / Yes
<input type="checkbox"/> Grease filter cleaning indication	Yes
<input type="checkbox"/> Easy to clean surfaces and panel	Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	85 / 898 / 534 mm
<input type="checkbox"/> Chimney height min / max	707 / 1252
<input type="checkbox"/> Niche dimensions (H / W / D)	-/-/- mm
<input type="checkbox"/> Length electrical cord	1500 mm

## Technical data


<input type="checkbox"/> Electrical connection	178 W / 220-240 V / 50 Hz / 10 A
<input type="checkbox"/> Motor type	Quiet and durable brushless motor
<input type="checkbox"/> Energy class (EU)	A++

## Optional accessories

<input type="checkbox"/> Re-circulation kit**	RMS104WSN
<input type="checkbox"/> Carbon filter**	ACC928 (washable)

\* No filter means need of less power to extract air.

\*\* Re-circulation kit and carbon filter are purchased separately.






# CI41230G

Soft Black Glass with Pearl Effect Island, 120 cm

**Article No.: 535.80.569**

## Key features

120 cm width, Energy class A+, Proximity sensor, Brushless motor, Perimeter Edge Extraction, Dishwasher proof stainless steel filters, LED strips, Dimmable lights, Cold to warm light adjustable



## Design and integration

□ Surface & colour / Body factor	Soft black glass with pearl effect / T-shape
□ Special installation feature	-
□ Concealed filter area / Visible filters	Yes / No
□ Weight	52,0 Kg

## Display and control

□ Control type	Touch with display
□ Proximity sensor - controls only visible when approaching	Yes

## Use and flexibility

□ Number of power levels / Boost function	9
□ Air-vented / Re-circulation	Yes / Yes
□ Timer / Clean air function	Yes / Yes
□ Number of lights / Type of lights	2 x 5,8 W / Dimmable LED strips, cold to warm light adjustable
□ Extraction system	Perimeter Edge Extraction
□ Noise level min / max	45 / 69 dB(A)
□ Extraction rate	926 m³/h

## Safety and maintenance

□ Grease capturing / Dishwasher proof	7 layer Stainless Steel mesh / Yes
□ Grease filter cleaning indication	Yes
□ Easy to clean surfaces and panel	Yes

## Dimensions

□ Appliance dimensions (H / W / D)	85 / 1198 / 708 mm
□ Chimney height min / max	830 / 1150
□ Niche dimensions (H / W / D)	- / - / - mm
□ Length electrical cord	1500 mm

## Technical data


□ Electrical connection	178 W / 220-240 V / 50 Hz / 10 A
□ Motor type	Quiet and durable brushless motor
□ Energy class (EU)	A+

## Optional accessories

□ Re-circulation kit**	RMS105ISN
□ Carbon filter**	ACC928 (washable)

\* No filter means need of less power to extract air.

\*\* Re-circulation kit and carbon filter are purchased separately.





# Refrigeration

To understand how our new Nordic Fresh fridges and freezers work, we must first learn from nature. For example, different plants need different environments to grow strong. Some need sun and a dry climate, others need shade and moisture.


The same principle applies to storing fresh food in a fridge or a freezer. We have mimiced nature to create microclimates within a single fridge, offering the best possible storage conditions for different types of food.

## Installation features




### Freestanding or slot-in

Our freestanding refrigerators are also possible to integrate. Follow the installation recommendations carefully and allow enough space for air to flow on the backside - this will ensure that the compressor works normally, and the energy consumption is as low as it is meant to be.




### Wheels for easy installation

All ASKO refrigerators have wheels for extra easy installation. In front you have two adjustable feet that you use to make the refrigerator in perfect level.



### Soft Closing doors

The soft-closing doors of the ASKO Nordic Fresh Exclusive line are easy to close even with your hands full. The smooth closing gives less rattle and mess inside the fridge as well as saves the door itself. And hey, now it is perfectly safe to grab that sandwich late at night.



### A wine centre in the kitchen

The Craft range Wine Cooler can be combined with a Fridge/Freezer and nicely put together with the Wine Centre joining kit that consists of a top cover in the same colours as the appliances and a joining kit that hides the gap between the two appliances. This adds a signature to your kitchen.

# RFN31842i

White Built-in Fridge / Freezer, 178 cm

**Article No.: 538.10.360**



## Key features

Energy class A++, No Frost, Dura Fresh zone, Auto Humidity Control, Soft Close door, Wooden breakfast tray, Cool Flow+, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	268 / 182 / 86 litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	3 / 4 / 2 / 3
<input type="checkbox"/> Door-to-door / Sliding Door	Yes / No
<input type="checkbox"/> Weight	-
<input type="checkbox"/> Max weight of custom door	20 kg

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Yes
<input type="checkbox"/> Fresh drawers	1 Meat / fish + 1 Fruit / vegetables
<input type="checkbox"/> Fast Freeze	Yes
<input type="checkbox"/> Fast Cooling	Yes
<input type="checkbox"/> Air distribution system	Cool Flow+
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	Yes / Yes
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Touch control
<input type="checkbox"/> Separate temperature controls for fresh drawers	Yes
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	No
<input type="checkbox"/> LED lights / Locations	3 LED Strips / Fridge, Dura Fresh and Freezer
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	Yes / Yes / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	1772 / 555 / 545 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	1775-1780 / 560-570 / 560 mm
<input type="checkbox"/> Length electrical cord	2000 mm

## Technical data

<input type="checkbox"/> Electrical connection	90 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++


## Included accessories

Wooden breakfast tray, Wooden bottle holder, Multi box with wooden lid


## Optional accessories

-

\* 0,75 litre standard Bordeaux bottles.



Appliance and built-in dimensions



Custom door dimensions

# R31842i

White Built-in Fridge, 178 cm  
Article No.: 538.10.350



reddot award 2018  
winner

## Key features

Energy class A++, Dura Fresh zone, Auto Humidity Control, Soft Close door, Wooden breakfast tray, Cool Flow+, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	305 / 305 / - litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	6 / 5 / - / -
<input type="checkbox"/> Door-to-door / Sliding Door	Yes / No
<input type="checkbox"/> Weight	71,5 kg
<input type="checkbox"/> Max weight of custom door	20 kg

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Not Applicable
<input type="checkbox"/> Fresh drawers	1 Meat / fish + 1 Fruit / vegetables
<input type="checkbox"/> Fast Freeze	No
<input type="checkbox"/> Fast Cooling	Yes
<input type="checkbox"/> Air distribution system	Cool Flow+
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	Yes / Yes
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Touch control
<input type="checkbox"/> Separate temperature controls for fresh drawers	Yes
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	No
<input type="checkbox"/> LED lights / Locations	5 LED strips / Fridge and Dura Fresh compartments
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	Yes / Yes / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions


<input type="checkbox"/> Appliance dimensions (H / W / D)	1772 / 555 / 545 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	1775-1780 / 560-570 / 560 mm
<input type="checkbox"/> Length electrical cord	2000 mm

## Technical data



<input type="checkbox"/> Electrical connection	85 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++

## Included accessories

Wooden breakfast tray, Wooden bottle holder, Multi box with wooden lid



Appliance and built-in dimensions



Custom door dimensions

# FN31842i

White Built-in freezer, 178 cm

**Article No.: 538.10.390**

## Key features

Energy class A++, No Frost, Soft Close door, Air Flow System, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	- / - / 235 litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	- / - / 8
<input type="checkbox"/> Door-to-door / Sliding Door	Yes / No
<input type="checkbox"/> Weight	66,0 Kg
<input type="checkbox"/> Max weight of custom door	20 kg

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Yes
<input type="checkbox"/> Fresh drawers	No
<input type="checkbox"/> Fast Freeze	Yes
<input type="checkbox"/> Fast Cooling	No
<input type="checkbox"/> Air distribution system	Air Flow System
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	No / No
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Touch control
<input type="checkbox"/> Separate temperature controls for fresh drawers	No
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	No
<input type="checkbox"/> LED lights / Locations	1 LED strip / On top in freezer
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	No / No
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	Yes / Yes / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions


<input type="checkbox"/> Appliance dimensions (H / W / D)	1772 / 555 / 545 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	1775-1780 / 560-570 / 560 mm
<input type="checkbox"/> Length electrical cord	2000 mm

## Technical data



<input type="checkbox"/> Electrical connection	80 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++

## Included accessories

Shelf for large cakes in freezer



Appliance and built-in dimensions



Custom door dimensions



# RFN31831i

White Built-in fridge/freezer, 178 cm

**Article No.: 538.10.380**

## Key features

Energy class A++, No Frost, Cool Flow, Adaptive Temperature Control



## Design and integration

□ Total volume / Fridge volume / Freezer volume	269 / 183 / 86 litre
---	----------------------

□ Shelves / Door shelves / Drawers in fridge / Compartments in freezer	3 / 4 / 1 / 3
--	---------------

□ Door-to-door / Sliding Door	Yes / No
-------------------------------	----------

□ Weight	68,0 kg
----------	---------

□ Max weight of custom door	20 kg
-----------------------------	-------

## Cooling and preservation systems

□ No Frost	Yes
------------	-----

□ Fresh drawers	1 Meat / fish + 1 Fruit / vegetables
-----------------	--------------------------------------

□ Fast Freeze	Yes
---------------	-----

□ Fast Cooling	Yes
----------------	-----

□ Air distribution system	Cool Flow
---------------------------	-----------

□ Adaptive Temperature Control / Auto humidity control	Yes / Yes
--	-----------

□ Climate Class	SN-T
-----------------	------

## Display and control

□ Type of display	Electronic button control
-------------------	---------------------------

□ Separate temperature controls for fresh drawers	No
---	----

□ Separate temperature controls for cooling and freezer compartments	Yes
--	-----

## Use and flexibility

□ Convertible compartment	No
---------------------------	----

□ LED lights / Locations	1 LED strip / On top in fridge
--------------------------	--------------------------------

□ Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
---	-----------

□ Soft Closing door / Soft closing drawers / Soft closing wine rack	No / No / No
---	--------------

□ Door open alarm / High temp alarm	Yes / Yes
-------------------------------------	-----------

## Dimensions

□ Appliance dimensions (H / W / D)	1772 / 555 / 545 mm
------------------------------------	---------------------

□ Niche dimensions (H / W / D)	1775-1780 / 560-570 / 560 mm
--------------------------------	------------------------------

□ Length electrical cord	2000 mm
--------------------------	---------




## Technical data

□ Electrical connection	90 W / 220-240 V / 50 Hz / 1-phase x 10 A
-------------------------	---

□ Energy rating (EU)	A++
----------------------	-----

## Included accessories

Multi box, Bottle rack



Appliance and built-in dimensions

Custom door dimensions



# R31831i

White Built-in Fridge, 178 cm

**Article No.: 538.10.370**

## Key features

Energy class A++, Cool Flow, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	305 / 305 / -
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	7 / 6 / 3 / -
<input type="checkbox"/> Door-to-door / Sliding Door	Yes / No
<input type="checkbox"/> Weight	61,0 kg
<input type="checkbox"/> Max weight of custom door	20 kg

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Not Applicable
<input type="checkbox"/> Fresh drawers	1 Meat / fish + 1 Fruit / vegetables
<input type="checkbox"/> Fast Freeze	No
<input type="checkbox"/> Fast Cooling	Yes
<input type="checkbox"/> Air distribution system	Cool Flow
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	Yes / Yes
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Electronic button control
<input type="checkbox"/> Separate temperature controls for fresh drawers	No
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	No
<input type="checkbox"/> LED lights / Locations	1 LED strip / On top in fridge
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	Yes / No / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions


<input type="checkbox"/> Appliance dimensions (H / W / D)	1772 / 555 / 545 mm
<input type="checkbox"/> Niche dimensions (H / W / D)	1775-1780 / 560-570 / 560 mm
<input type="checkbox"/> Length electrical cord	2000 mm

## Technical data


<input type="checkbox"/> Electrical connection	80 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++

## Included accessories

Multi box, Bottle rack



Appliance and built-in dimensions



Custom door dimensions



# R2282i

White Built-under Fridge, 82 cm

**Article No.: 538.10.400**

## Key features

Energy class A++, Fruit and vegetable bin, Removable serving tray



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	144 / - / - litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	4* / 1 / - / -
<input type="checkbox"/> Door-to-door / Sliding Door	No / No
<input type="checkbox"/> Weight	37,0 Kg
<input type="checkbox"/> Max weight of custom door	-

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Not Applicable
<input type="checkbox"/> Fresh drawers	Yes**
<input type="checkbox"/> Fast Freeze	No
<input type="checkbox"/> Fast Cooling	No
<input type="checkbox"/> Air distribution system	No
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	No / No
<input type="checkbox"/> Climate Class	SN-ST

## Display and control

<input type="checkbox"/> Type of display/control	Knob
<input type="checkbox"/> Separate temperature controls for fresh drawers	No
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	No

## Use and flexibility

<input type="checkbox"/> Convertible compartment	No
<input type="checkbox"/> LED lights / Locations	1***/Upper right
<input type="checkbox"/> Adjustable shelves / Removable shelves	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	No / No / No
<input type="checkbox"/> Door open alarm / High temp alarm	No / No

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	820-900 / 596 / 545
<input type="checkbox"/> Niche dimensions (H / W / D)	820-900 / 600 / 550 mm
<input type="checkbox"/> Length electrical cord	2050 mm

## Technical data


<input type="checkbox"/> Electrical connection	70 W / 220-230 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++

## Included accessories

\* Including one removable serving tray.

\*\* Fruit and vegetable bin located at bottom under the serving tray.

\*\*\* Halogen





# F2282i

White Built-under Freezer, 82 cm

**Article No.: 538.10.410**

## Key features

Energy class A++, Fast freeze



## Design and integration

□ Total volume / Fridge volume / Freezer volume	96 / - / - litre
□ Shelves / Door shelves / Drawers in fridge / Compartments in freezer	-/-/-/3
□ Door-to-door / Sliding Door	No / No
□ Weight	33,0 Kg
□ Max weight of custom door	-

## Cooling and preservation systems

□ No Frost	No
□ Fresh drawers	No
□ Fast Freeze	Yes
□ Fast Cooling	No
□ Air distribution system	No
□ Adaptive Temperature Control / Auto humidity control	No / No
□ Climate Class	SN-T

## Display and control

□ Type of display/control	Knob
□ Separate temperature controls for fresh drawers	No
□ Separate temperature controls for cooling and freezer compartments	No

## Use and flexibility


□ Convertible compartment	No
□ LED lights / Locations	No / -
□ Adjustable shelves / Removable shelves	No / No
□ Soft Closing door / Soft closing drawers / Soft closing wine rack	No / No / No
□ Door open alarm / High temp alarm	No / Yes

## Dimensions

□ Appliance dimensions (H / W / D)	820-900 / 596 / 545
□ Niche dimensions (H / W / D)	820-900 / 600 / 550 mm
□ Length electrical cord	2050 mm

## Technical data

□ Electrical connection	90 W / 220-230 V / 50 Hz / 1-phase x 10 A
□ Energy rating (EU)	A++





# RWFN2684BL

Black Steel Freestanding / Slot-in Wine chiller / Freezer, 185 cm

**Article No.: 538.10.310**

## Key features

Energy class A++, No Frost, Convertible freezer, Multi Air Flow System, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	333 / 235 / 98 (46 bottles*) litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	7 / - / - / 3
<input type="checkbox"/> Door-to-door / Sliding Door	No / No
<input type="checkbox"/> Weight	82,0 kg
<input type="checkbox"/> Max weight of custom door	-

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Yes
<input type="checkbox"/> Fresh drawers	No
<input type="checkbox"/> Auto Fast Freeze / Fast Freeze	No / Yes
<input type="checkbox"/> Auto Fast Cooling / Fast Cooling	No / No
<input type="checkbox"/> Air distribution system	Multi Air Flow System
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	Yes / No
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Touch
<input type="checkbox"/> Separate temperature controls for fresh drawers	No
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	Yes
<input type="checkbox"/> LED lights / Locations	2 LED strip + spot/On top + bottom part of wine chill compartment
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	No / No / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	1850-1880 / 600 / 627
<input type="checkbox"/> Niche dimensions (H / W / D)	1950-1980 / 605 / 677 mm
<input type="checkbox"/> Length electrical cord	1750 mm

## Technical data

<input type="checkbox"/> Electrical connection	120 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	-


## Included accessories

-


## Optional accessories

Top cover for wine center solution: AC212B, Linking kit for wine center solution: FSW60B


\* 0,75 litre standard Bordeaux bottles.



Appliance dimensions



Built in top view



Dimensions with top cover



# RFN2283B

Black Steel Freestanding / Slot-in Fridge / Freezer, 185 cm

**Article No.: 538.10.300**

## Key features

Energy class A++, No Frost, Multi Air Flow System, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	329 / 231 / 98 litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	4 / 3 / 2 / 3
<input type="checkbox"/> Door-to-door / Sliding Door	No / No
<input type="checkbox"/> Weight	67,5 kg
<input type="checkbox"/> Max weight of custom door	-

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Yes
<input type="checkbox"/> Fresh drawers	1 Meat / Fish + 1 Fruit / Vegetables
<input type="checkbox"/> Fast Freeze	Yes
<input type="checkbox"/> Fast Cooling	Yes
<input type="checkbox"/> Air distribution system	Multi Air Flow System
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	Yes / No
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Electronic button control
<input type="checkbox"/> Separate temperature controls for fresh drawers	No
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	Yes
<input type="checkbox"/> LED lights / Locations	1 LED strip / On top in fridge
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	No / No / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	1850-1880 / 600 / 627
<input type="checkbox"/> Niche dimensions (H / W / D)	1950-1980 / 605 / 677 mm
<input type="checkbox"/> Length electrical cord	2000 mm

## Technical data

<input type="checkbox"/> Electrical connection	120 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++


## Included accessories

Bottle rack, Multi box


## Optional accessories

Top cover for wine center solution: AC212B, Linking kit for wine center solution: FSW60B


\* 0,75 litre standard Bordeaux bottles.



Air ventilation



Appliance dimensions



Built in dimensions



# R2283B

Black Steel Freestanding / Slot-in Fridge, 185 cm

**Article No.: Article No.: 538.10.290**

## Key features

Energy class A++, Air Flow System, Adaptive Temperature Control



## Design and integration

<input type="checkbox"/> Total volume / Fridge volume / Freezer volume	370 / 370 / - litre
<input type="checkbox"/> Shelves / Door shelves / Drawers in fridge / Compartments in freezer	7 / 5 / 3 / -
<input type="checkbox"/> Door-to-door / Sliding Door	No / No
<input type="checkbox"/> Weight	68,5 kg
<input type="checkbox"/> Max weight of custom door	-

## Cooling and preservation systems

<input type="checkbox"/> No Frost	Not Applicable
<input type="checkbox"/> Fresh drawers	1 Meat / Fish + 2 Fruit / Vegetables
<input type="checkbox"/> Fast Freeze	No
<input type="checkbox"/> Fast Cooling	Yes
<input type="checkbox"/> Air distribution system	Air Flow System
<input type="checkbox"/> Adaptive Temperature Control / Auto humidity control	Yes / No
<input type="checkbox"/> Climate Class	SN-T

## Display and control

<input type="checkbox"/> Type of display	Electronic button control
<input type="checkbox"/> Separate temperature controls for fresh drawers	No
<input type="checkbox"/> Separate temperature controls for cooling and freezer compartments	Yes

## Use and flexibility

<input type="checkbox"/> Convertible compartment	Yes
<input type="checkbox"/> LED lights / Locations	1 LED strip / On top
<input type="checkbox"/> Adjustable shelves / Removable shelves (fridge compartment)	Yes / Yes
<input type="checkbox"/> Soft Closing door / Soft closing drawers / Soft closing wine rack	No / No / No
<input type="checkbox"/> Door open alarm / High temp alarm	Yes / Yes

## Dimensions

<input type="checkbox"/> Appliance dimensions (H / W / D)	1850-1880 / 600 / 627
<input type="checkbox"/> Niche dimensions (H / W / D)	1950-1980 / 605 / 677 mm
<input type="checkbox"/> Length electrical cord	2000 mm

## Technical data

<input type="checkbox"/> Electrical connection	60 W / 220-240 V / 50 Hz / 1-phase x 10 A
<input type="checkbox"/> Energy rating (EU)	A++




## Included accessories

Bottle rack, Multi box

## Optional accessories

Top cover for wine center solution: AC212B, Linking kit for wine center solution: FSW60B


\* 0,75 litre standard Bordeaux bottles.



**falmec**



# Cookerhoods





## SPAZIO

180 cm Suspended Hood

Motor

600 m3/h

Control

3 Speed + boost, electronic control

Filters

Aluminium mesh filter, Carbon Zeo filter

Lighting

4 x LED strip (3000K)

Finish

Black-painted Steel chassis

Sound Pressure level (min-max)

48dB(A) - 61dB(A)

**Minimum distance from Cooker Top**

Gas hob

65cm

Electric hob

52cm



Product Dimensions(WxHxD) in mm

1800 x 900-1550 x 600

Article No.

537.81.209

Installation Diagrams



\*Max height with rod  
extension: 1550 mm.








### NUVOLA 90

90 cm Ceiling Hood

Motor	950 m3/h
Control	4 speed electronic control
Filters	Aluminium mesh filter (Perimeter suction)
Lighting	Neon 2x39 W (6500 K)
Finish	Stainless Steel and Glass
Sound Pressure level (min-max)	50 dB(A) - 64 dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	150
Electric hob	150
Product Dimensions(WxHxD) in mm	973 mm X 343 mm X 540 mm
Article No.	537.81.574

#### Installation Diagrams



Cutout size


Motor for ceiling mounted hood (to be ordered separately)  
Article No.: 537.81.569

### NUVOLA 140



140 cm Ceiling Hood

Motor	950 m3/h
Control	4 speed electronic control
Filters	Aluminium mesh filter (Perimeter suction)
Lighting	Neon 2x58 W (6500 K)
Finish	Stainless Steel and Glass
Sound Pressure level (min-max)	50 dB(A) - 64 dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	150
Electric hob	150
Product Dimensions(WxHxD) in mm	1368 mm X 343 mm X 540 mm
Article No.	537.81.639

#### Under-roof/remote motor



#### Side view with junction



Cut-out size: 590mm X 1325mm






## STELLA 90

90 cm Ceiling Hood


Motor
Control
Filters
Lighting
Finish
Sound Pressure level (min-max)
<b>Minimum distance from Cooker Top</b>
Gas hob
Electric hob
Product Dimensions(WxHxD) in mm
Article No.

950 m3/h
4 speed electronic control
Aluminium mesh filter (Perimeter suction)
Dynamic LED light 4x3.6 W (2700-5600 K)
Stainless Steel
50 dB(A) - 64 dB(A)
150
150
973 mm X 338 mm X 540 mm
537.81.564


## Installation Diagrams




## Cutout size



## Onboard under-roof motor



## Slim motor (only onboard)



Motor for ceiling mounted hood  
(to be ordered separately) Article No.: 537.81.569




## DOWNDRAFT


90 cm Worktop hood

Motor	950 m3/h
Control	3 Speed + boost, Touch control + 24 h function
Filters	Aluminium mesh filter (Perimetric suction)
Lighting	Led strip 14 W (5500 K)
Finish	Stainless Steel and tempered black glass
Sound Pressure level (min-max)	51 dB(A) - 64 dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	6cm
Electric hob	6cm
Product Dimensions(WxHxD) in mm	798 mm X 400 mm X 109 mm
Article No.	537.81.643


### Installation Diagrams




Exhausting version  
(onboard 950 m3/h motor)



Side view, motor  
on the front



Side view, motor  
on the back







### VIRGOLA PLUS 60

60 cm Built-in Hood

Motor	600 m3h
Control	3 Speed + boost, electronic control
Filters	Aluminium mesh filter, Charcoal filter
Lighting	Dynamic LED Light 2 x 1.2W (3200K - 5500K)
Finish	Stainless steel
Sound Pressure level (min-max)	49dB(A)-65dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	52
Electric hob	52
Product Dimensions(WxHxD) in mm	563 mm X 340-700 mm X 310-350 mm
Article No.	537.81.551



Installation Diagrams



### VIRGOLA PLUS 90

90 cm Built-in Hood

Motor	600 m3h
Control	3 Speed + boost, electronic control
Filters	Aluminium mesh filter, Charcoal filter
Lighting	Dynamic LED Light 2 x 1.2W (3200K - 5500K)
Finish	Stainless steel
Sound Pressure level (min-max)	49dB(A)-65dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	52
Electric hob	52
Product Dimensions(WxHxD) in mm	863 mm X 340-700 mm X 310-350 mm
Article No.	537.81.123






## VIRGOLA PLUS 120

120 cm Built-in Hood

Motor	600 m3h
Control	3 Speed + boost, electronic control
Filters	Aluminium mesh filter, Charcoal filter
Lighting	Dynamic LED Light 4 x 1.2W (3200K - 5500K)
Finish	Stainless steel
Sound Pressure level (min-max)	49dB(A)-65dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	52
Electric hob	52
Product Dimensions(WxHxD) in mm	1163 mm X 340-700 mm X 310-350 mm
Article No.	537.81.128

Installation Diagrams







collection  
silence

### NRS ARIA 80 cm Wall Mounted Hood

Motor
Control
Filters
Lighting
Finish
Sound Pressure level (min-max)
<b>Minimum distance from Cooker Top</b>
Gas hob
Electric hob
Product Dimensions(WxHxD) in mm
Article No.

800 m3h
3 Speed + boost, Touch control + 24h function
Aluminium mesh filter
LED Strip 4 W (5500 K)
Black tempered glass
37dB(A)-45dB(A)
45
52
800 mm X 1076 - 1366 mm X 444 mm
532.88.326

#### Installation Diagrams







### NRS LUMINA 90

90 cm Island Hood

Motor	800 m3h
Control	3 Speed + boost, Touch control + 24h function
Filters	Aluminium mesh filter
Lighting	White Neon LED 2x21 W(6500 K)
Finish	Tempered glass with black finishing
Sound Pressure level (min-max)	37dB(A)-45dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	65
Electric hob	52
Product Dimensions(WxHxD) in mm	900 mm X 530 - 1095 mm X 480 mm
Article No.	537.81.603

#### Installation Diagrams



**LUCE 90**

90 cm Island Hood

Motor

800 m3h

Control

3 Speed + boost, Touch control

Filters

Aluminium mesh filter, Charcoal filter

Lighting

Neon LED 1x21 W (6500 K)

Finish

Stainless Steel with black glass front

Sound Pressure level (min-max)

49dB(A)-62dB(A)

**Minimum distance from Cooker Top**

Gas hob

63

Electric hob

52


Product Dimensions(WxHxD) in mm

900 mm X 600-1215 mm X 595 mm

Article No.

537.81.653

Installation Diagrams

**LUCE 90**

90 cm Wall Mounted Hood

800 m3h

3 Speed + boost, Touch control

Aluminium mesh filter, Charcoal filter

Neon LED 2x21 W (6500 K)

Stainless Steel with black glass front


49dB(A)-62dB(A)

63

52

900 mm X 520-1065 mm X 480 mm

537.81.313





### VERSO 85

85 cm Wall Mounted Hood

**Motor**

800 m3h

**Control**

3 Speed + boost, Touch control + 24h function

**Filters**

Aluminium mesh filter, Charcoal filter

**Lighting**

LED 2x1.2 W (3200 K)

**Finish**

Tempered Black glass

**Sound Pressure level (min-max)**

46dB(A)-58dB(A)

#### Minimum distance from Cooker Top

Gas hob

52

Electric hob

52




**Product Dimensions(WxHxD) in mm**

850 x 448 x 378


**Article No.**

537.81.613


#### Installation Diagrams



Side view



Rear view







### LUMEN 120

120 cm Wall mounted Hood

Motor	800 m³/h
Control	3 speed + boost, electronic control
Filters	Air Falmec filter, Charcoal filter
Lighting	Neon 1x28 W (6500 K)
Finish	Stainless steel
Sound Pressure level (min-max)	49dB(A)-62dB(A)
<b>Minimum distance from Cooker Top</b>	
Gas hob	63
Electric hob	52
Product Dimensions(WxHxD) in mm	1200 mm X 520-1060 mm X 480 mm
Article No.	537.81.108

Installation Diagrams




**Bellaria**

E.ion® Air Purifier

Type
Technology
Ionizer
Cellular Charcoal Filter
Dust filter
Finishing
Ambient Light
Product Dimensions(WxHxD) in mm
Article No.

Air Purification
E.ion® System
Yes
Yes
Yes
Handmade glass
Yes
259 x 273 x 261
537.81.424

Product Diagram






# Dishwashers


---

ASKO dishwashers are some of the most advanced in the world. They are packed with innovative features that make loading easy. Such as our Flexirack™ system, which allows you to change the load height to fit all sizes of pots, pans and serving platters.




#### Adjustable feet

The feet are made of long-lasting and sturdy stainless steel and are possible to adjust as much as 53 mm. Start the installation with adjusting the height with the two front feet. In next step you make the machine in perfect level with the rear foot, which is adjustable from the front - all this can be done when the machine is already pushed into the cabinet.



#### From front accessible door springs

When mounting a custom door on a fully integrated dishwasher you must balance the door to have it exactly in position when you open it. With an ASKO dishwasher this could be done even after the complete installation.



#### Sliding Door for total integration

The sliding door solution makes tight installation, without interference between the wooden front door and kitchen cabinetry, possible. When mounted, the wooden door will slide upwards when opening and downwards when closing. This function also secures a non-touching condition between the door and the kick plate in combination with long doors.



#### Integrated anti-siphon device

It is becoming more common to install the dishwasher at a higher level for improved ergonomics. With ASKO dishwashers this is simpler than ever since we have integrated a anti-siphon device which eliminates the need of having the drain hose in a high loop behind the dishwasher.



# DFI644G

Integrated Dishwasher, XL 82 cm

**Article No.: 535.20.560**

## Key features

14 loading capacity, 3 Level basket, 42 dB, 13 programs / 4 modes, 9 Spray, Status Light™, Turbo Drying Express™



## Programmes

ECO wash, Normal wash, Auto wash, Daily wash, Time program, Rinse and hold, Plastic wash, Hygiene wash, Crystal glass, Quick pro wash, Self-cleaning, Upper half wash, Lower half wash

## Modes

Green mode, Speed mode, Night mode, Intensive mode

## Design and integration

<input type="checkbox"/> Raised installation possible	Yes
<input type="checkbox"/> Weight	48,2 kg (without custom door)
<input type="checkbox"/> From the front adjustable door spring / Rear foot	Yes/Yes
<input type="checkbox"/> Silence level	42 dB(A)

## Control and interaction

<input type="checkbox"/> Display type / Program names / Icons	FSTN / Yes / Yes
<input type="checkbox"/> Status Light™	Yes

## Use and flexibility

<input type="checkbox"/> Basket class / Basket levels / Place settings	Premium / 3 / 14
<input type="checkbox"/> Top Tray / Upper basket / Middle basket / Lower basket	Yes / Yes / No / Yes
<input type="checkbox"/> Height adjustable upper basket / foldable pin rows	No / Yes

## Cleaning and drying

<input type="checkbox"/> Wide Spray™ for pots and pans / Jet Spray™ for bottles	Yes / No
<input type="checkbox"/> Spray Zones	9 Spray Zones
<input type="checkbox"/> Drying method	Turbo Drying Express


## Dimensions

<input type="checkbox"/> Appliance dimensions (H x W x D)	819-872 / 596 / 559 mm
<input type="checkbox"/> Niche dimensions (H x W x D)	820-875 / 600 / >560 mm
<input type="checkbox"/> Length electrical cord / Location	1825 mm / Rear right
<input type="checkbox"/> Length inlet hose / Nut size* / Location	1625 mm / ¾" / Rear left
<input type="checkbox"/> Length outlet hose / Diameter outlet / Location	1515 mm / 19,5 mm / Rear left
<input type="checkbox"/> Door height / Pivot point	-
<input type="checkbox"/> Fixed custom door / Pivot point	680-760/670 mm
<input type="checkbox"/> Sliding custom door	-


## Technical data

<input type="checkbox"/> Electrical connection	1,9 kW / 220 - 240 V / 50 Hz / 10A
<input type="checkbox"/> Water pressure	0.03-1.0 Mpa
<input type="checkbox"/> Water consumption	9,5 litre
<input type="checkbox"/> Cleaning / Drying / Energy (EU)	A / A / A+++


\* 3 / " to 1 / 2" adapter included



Detail from side



Backside



Built-in dimensions



# DFI676GXXL

Fully integrated, XXL 86 cm

Article No.: NEW

## Key features

17 loading capacity, 4 Level basket, 39 dB, 13 programs / 4 modes, 10 Spray, Status Light™, 2 inner lights and 2 outer lights, Turbo Drying Express™



## Programmes

ECO wash, Normal wash, Auto wash, Daily wash, Time program, Rinse and hold, Plastic wash, Hygiene wash, Crystal glass, Quick pro wash, Self-cleaning, Upper half wash, Lower half wash

## Modes

Green mode, Speed mode, Night mode, Intensive mode

## Design and integration

<input type="checkbox"/> Raised installation possible	Yes
<input type="checkbox"/> Weight	54,0 kg (without custom door)
<input type="checkbox"/> From the front adjustable door spring / Rear foot	Yes/Yes
<input type="checkbox"/> Silence level	39 dB

## Control and interaction

<input type="checkbox"/> Display type / Program names / Icons	FSTN / Yes / Yes
<input type="checkbox"/> Status Light™	Yes

## Use and flexibility

<input type="checkbox"/> Basket class / Basket levels / Place settings	Exclusive / 4 / 17
<input type="checkbox"/> Top Tray / Upper basket / Middle basket / Lower basket	Yes / Yes / Yes / Yes
<input type="checkbox"/> Height adjustable upper basket / foldable pin rows	Yes / Yes

## Cleaning and drying

<input type="checkbox"/> Wide Spray™ for pots and pans / Jet Spray™ for bottles	Yes / No
<input type="checkbox"/> Spray Zones	10 Spray Zones
<input type="checkbox"/> Drying method	Turbo Drying™ Express



## Dimensions

<input type="checkbox"/> Appliance dimensions (H x W x D)	859-912/596/559 mm
<input type="checkbox"/> Niche dimensions (H x W x D)	860-915 / 600 / >560 mm
<input type="checkbox"/> Length electrical cord / Location	1825 mm / Rear right
<input type="checkbox"/> Length inlet hose / Nut size* / Location	1625 mm / 3/4" / Rear left
<input type="checkbox"/> Length outlet hose / Diameter outlet / Location	1515 mm / 19,5 mm / Rear left
<input type="checkbox"/> Door height / Pivot point	-
<input type="checkbox"/> Fixed custom door / Pivot point	700-800/710 mm
<input type="checkbox"/> Sliding custom door	-


## Technical data

<input type="checkbox"/> Electrical connection	1,9 kW / 220 - 240 V / 50 Hz / 10A
<input type="checkbox"/> Water pressure	0,03-1,0 Mpa
<input type="checkbox"/> Water consumption	9,9 litre
<input type="checkbox"/> Cleaning / Drying / Energy (EU)	A / A / A+++

\* 3 / " to 1 / 2" adapter included



Backside



Built-in dimensions

# W2086C.W

Freestanding Washing Machine

**Article No.: 535.90.460**



## Key features

Freestanding, 8kg load, 1600 rpmw, 15 programs, White Colour
Installation type
Interface type
Capacity (kg)
Spin speed (rpm)
Sound level (dB (A))
Energy class (EU)

## CONSTRUCTION

Quattro construction	•
Steel Seal™ seal without rubber bellow	•
Outer/inner drum material	•
Cast iron counterweights	•
Active Drum technology	•

## PROGRAMMES

Everyday wash / Standard cotton	• / •
Mix & synthetic / Wool & hand	• / •
Dark wash / Time programme	• / •
Auto / Quick	• / •
Heavy / Easy care	• / •
Quick Pro	•

## RUN MODES


Normal mode	•
Green mode	•
Intensive mode	•

## OPTIONS

Pre-wash	•
High water level	•
Anti-crease	•
Super rinse	•
Delayed start	•
Save favourite programme	•

## TECHNICAL DATA

Max connection rating (W)	2200
Voltage (V)	220-240
Frequency (Hz)	50
Fuse (A)	10



\* With door

\*\* With open door

# T208C.W

Freestanding Dryer  
**Article No.: 535.90.680**

## Key features

Freestanding, 8 kg load, 9 programs, White Colour	
Installation type	Freestanding
Interface type	Classic (FSTN)
Capacity (kg)	8
Dryer type	Condenser
Sound level (dB (A))	65
Energy class (EU)	B

## CONSTRUCTION

Stainless steel drum	•
Steel base and steel feet	•
Brushless motor and drain pump	•
Butterfly drying with Air Lift paddles	•
Soft Drum	•

## FILTERS

Lint Trap in door	•
Front Filter	•

## PROGRAMMES


Auto dry / Auto normal dry	• / •
Auto iron dry / Auto synthetic	• / •
Bedding	•
Quick Pro / Airing	• / •

## OPTIONS

Extra dry / Gentle dry / Anti-crease	• / • / •
Setting load size	•
Delayed start	•
Save favourite programme	•

## TECHNICAL DATA

Max connection rating (W)	2800
Voltage (V)	220-240
Frequency (Hz)	50
Fuse (A)	16




# DC7784V

Drying Cabinet

**Article No.: 533.94.889**

Colour	White
Installation type	Freestanding
Interface type	LCD
Capacity (kg)	4
Dryer type	Vented
<b>CONSTRUCTION &amp; PERFORMANCE</b>	
Body material	Painted steel
Handle	Brushed stainless steel
Reinforced and sound-proofed door	•
Door guide for perfect alignment	•
Direct blowing into compartment	•
Dewatering capacity (g/min)	17.5
Total drying length (m)	16
Fan capacity (m <sup>3</sup> /h)	180
<b>USE &amp; FLEXIBILITY</b>	
Super careful drying of all fabrics	•
Foldable pull-out hangers	•
Door hanger	• 2
Glove hanger	•
Bar for hangers	• 2
Auto programmes	•
<b>INTERACTION &amp; CONTROL</b>	
Display type	LCD/Electronic
Program selector and option keys	•
Time selection	•
Temperature selection	•
Remaining time indication	•
End of programme indicator	•
Programme memory	•
<b>PROGRAMMES</b>	
Auto extra dry	•
Auto cupboard dry	•
Auto normal dry	•
Warm towels	•
Timed dry	•
Cold dry	•
<b>OPTIONS</b>	
Normal temperature	•
High temperature	•
Delayed start	•
<b>TECHNICAL DATA</b>	
Max connection rating (W)	2000
Voltage (V)	220-240
Frequency (Hz)	50
Fuse (A)	10



# HI1153W

Hidden Helpers- Pull-out Ironing board


**Article No.: 562.62.760**

Description	Pull-out Ironing board
Colour	White
Installation type	Integrated
Size (height)	15 cm
Material	Painted steel
Integration with washer & dryer	•
<b>USE &amp; FLEXIBILITY</b>	
Push / pull opening	•
Hidden ironing board	•
Maximum load	10 kg
<b>UNOPENED DIMENSIONS</b>	
Height	150
Width	595
Depth	587
Weight	21
<b>OPENED DIMENSIONS</b>	
Height	90
Width	310
Depth	930
Work height	1042-1072*

\* Installed on top of washer

We assume no liability for printing errors.

The manufacturer reserves the right to alter specifications without prior notice.





**Mumbai Design Centre:**

Haji Moosa Patrawala Ind. Estate (SOBO),  
Near Famous Studio, Mahalaxmi (West),  
Mumbai - 400 011.  
Tel.: 2262647100.

**Mumbai Design Centre:**

#2 Filix Building, Opp. Asian Paints,  
L.B.S. Marg, Bhandup (West),  
Mumbai - 400 078.  
Tel.: 022 2596 9660/ 2596 9787/  
2594 7305.

**Mumbai Regional Office:**

Unit No. 205 Wing "E"  
2nd Floor, Corporate Avenue,  
Chakala, Andheri (East)  
Mumbai – 400093.  
Tel.: 022 61197800.

**New Delhi Design Centre:**

D-89 , 1st Floor, Okhla Phase-I,  
New Delhi - 110 020.  
Tel.: 011-66574999 • Fax: 011-41605482.

**Hafele Design Centre, Colombo:**

No. 52, Nandana Gardens, Colombo - 04  
(On Duplication Road), Sri Lanka.  
Tel.: +94 112 500 501.  
Fax: +94 112 500 553.

**Hafele Design & Training Centre,  
Moratuwa:**

448, Galle Road,  
Rawathawatta, Moratuwa, Sri Lanka.  
Tel.: +94 112 644 600.

**Hafele Boutique, Kandy:**

747A, Sirimavo Bandaranayaka, Mawatha,  
Mulgampola, Kandy, Sri Lanka.  
Tel./Fax: +94 812 223 338.

**Bangalore Design Centre:**

Incubex Nestavera Spaces Pvt Ltd,  
No:13, Langford Place, Langford Road,  
Shanti Nagar. Bangalore-560025.  
Tel.: 080 4132 6116 • Fax: 080 4132 6226.

**Hyderabad Design Centre:**

Park Side, 8-2-348/3/4, Road No. 3,  
Above Almond House, Banjara Hills,  
Hyderabad - 500 034.  
Tel.: 040 6666 8851 • Fax: 040 6666 8852.

**Kolkata Design Centre:**

PS PACE, Premises No. 1/1A,  
Mahendra Roy Lane, Topsia,  
Kolkata - 700 046.  
Mob.: 033 40086814 / 033 40089268.  
• Fax: 033 24988020.

**Chennai Design Centre:**

#24, 1st Floor, College Road,  
Nungambakkam, Next to Prince Towers.  
Chennai - 600006.  
Tel.: 044 - 4855 3353/ 044 4858 5525.  
• Fax: 044 2446 0922.

**Pune Design Centre:**

Showroom no. 2, Ground Floor,  
F P no. 403, A/2, ICC Trade Tower,  
Senapati Bapat Marg, Shivaji Nagar,  
Pune - 411016.  
Tel.: +91 20 2563 3301.  
• Fax: +91 20 2563 3302.

**Pune Office:**

Office No. 12, Vastushree Complex,  
Survey No.587, Near Hyde Park,  
Gultekdi, Market Yard,  
Pune - 411 037.  
Tel.: 020 2426 6264.  
• Fax: 020 2426 6274.

**Ahmedabad Office:**

Office No. 302, 3rd Floor,  
Shangrila Arcade, Near Shyamal  
Cross Road, Satellite,  
Ahmedabad - 380015.  
Tel.: +91 79695 55505/ 8866220505.

**Nepal:**

Monika Home Decor  
Kathmandu Plaza, Kamaldhi,  
Kathmandu, Nepal.  
Tel.: 00 9851 030 556/  
00 977 9818496082/  
00 977 9851030556.

**Bhutan:**

S C & K Marketing and Sales  
First Floor, Hotel 89 Building,  
Chorten Lam, Thimphu, BHUTAN.  
Tel.: 975 2 333419 / 77114228 /  
17600663.



# HÄFELE

## Mumbai Corporate Office:

Office No. 3, Building "A", BETA,  
I Think Techno Campus, Off J.V.L.R.,  
Opp. Kanjur Marg East, Mumbai – 400 042.  
Tel.: 022 6142 6100 • Fax: 022 6702 0531.

## For Enquiries SMS "HÄFELE" to 56070

Toll Free Customer Care: 1800 266 6667  
Customer Care WhatsApp: +91 97691 11122  
[customercare@hafeleindia.com](mailto:customercare@hafeleindia.com)  
[info@hafeleindia.com](mailto:info@hafeleindia.com)

Follow us on

