





The LED lighting system

for furniture and rooms. Profiles for linear lights









$L \bigcirc 5$



We have spent about 100,000 hours working with LED lights, we have developed and researched, we have had many valuable discussions with partners in trade and industry – and we have learned a great deal. The market is demanding digital answers. The result after four generations of Loox LED lights is therefore not simply further development, but a new level. Our development has accelerated. Because the world is accelerating, and the demands of our customers are growing at an equally rapid rate.

The essence of four generations.

We are driven by the same questions time and time again.

How can it be made easier? How can it be made better? How can it be made more intelligent?



The essence of our experience therefore has a new face.

Welcome to Loox5.





















Linear light

For universal use in furniture.



Good reasons.

- > Continuous light line with homogeneous light distribution
- > Minimalistic design
- > Virtually invisible, glare-free light source
- > Easy installation

For every situation.

- > Radiant task light for work spaces
- > Discreet ambient light for wellness zones
- > Plastic profiles for vertical illumination in storage spaces
- > Aluminium profiles in trendy colours for top-of-the-line design demands


Profiles for recess mounting

Aluminium


Häfele Loox5 profile 1104 / 1103



Häfele Loox5 profile 1104



Häfele Loox5 profile 1103



Material:	
	Material:

- > Finish/colour:
- > Length:
- > Diffuser width:
- > Supplied with:
- Profile: Aluminium, Diffuser: Plastic Profile: Anodized, Diffuser: White opal, transmittance 70–80 % 3000 mm Profile 1104: 8 mm, Profile 1103: 11 mm 1 aluminium profile 1 diffuser white opal


_				
Colo	our		Profile 1104	Profile 1103
Blac	k		833.95.725	833.95.723
Silve	er coloured		833.95.724	833.95.722
Note Profile 1104 is usable for LED strip lights up to max. 5 mm width.				5 mm width.
End caps for Häfele Loox5 profile 1104, 1103				
U	> Material:	Plastic		
	> Version:	With cable outle	et	
	> Supplied with:	5 pairs of end c	aps	
	Colour		End can	End can
	Colour		End cap 1104	End cap 1103
	Colour Black			1103
			1104	1103
	Black		1104 833.95.769	1103 833.95.767
•	Black	invisible from 120	1104 833.95.769 833.95.768	1103 833.95.767 833.95.766
•	Black Silver coloured Diffusers The diffuser creates The LED points are If required, please o	invisible from 120	1104 833.95.769 833.95.768	1103 833.95.767 833.95.766



Profiles for recess mounting

Aluminium

Häfele Loox5 profile 1107 / 1106



Häfele Loox5 profile 1107, with asymmetric light distribution



Häfele Loox5 profile 1106, with asymmetric light distribution





10.5

> Material: > Finish/colour:	Profile: Aluminium, Diffuser: Plastic Profile: Anodized, Diffuser: White opal,
	transmittance 70–80 %
> Length:	3000 mm
> Diffuser width:	Profile 1107: 8 mm, Profile 1106: 11 mm
> Supplied with:	1 aluminium profile
	1 diffuser white opal

Colour	Profile 1107	Profile 1106
Black	833.95.731	833.95.729
Silver coloured	833.95.730	833.95.728

Profile 1107 is usable for LED strip lights up to max. 5 mm width. Glare-free light, ideal for vertical installation in wardrobes.

End caps for Häfele Loox5 profile 1106

> Material:	Plastic
> Version:	With ca

- With cable outlet
- > Mounting: For screw fixing > Supplied with: 5 pairs of end caps with screws

Colour	Article No.
Black	833.95.773
Silver coloured	833.95.772

Diffusers

0

The diffuser creates a uniform light. If required, please order alternative diffuser in black opal separately.

Diffusers see page 19

Profiles for surface mounting

Aluminium

Häfele Loox5 profile 2102



Häfele Loox5 profile 2102



-13-

Flush recess

mounted diffuser



2.5

> Material:

- > Finish/colour:
- > Length:
- > Diffuser width:
- > Supplied with:
- Profile: Aluminium, Diffuser: Plastic Profile: Anodized, Diffuser: White opal, transmittance 70-80 % 3000 mm 11 mm 1 aluminium profile

833.95.779

1 diffuser white opal

Colour	Profile 2102
Black	833.95.735
Brushed stainless steel coloured	833.95.763

Diffusers A

0

The diffuser creates a uniform light. The LED points are invisible from 120 LEDs/m. If required, please order alternative diffuser in black opal separately.

Diffusers see page 19

End caps for Häfele	Loox5 profile 2	2102
> Material:	Plastic	
> Version:	With drill mark f	or cable outlet
> Supplied with:	5 pairs of end c	aps
Colour		End cap 2102
Black		833.95.778

Brushed stainless steel coloured



Adhesive tape for Häfele Loox5 profile 2102



> Area of application:	For fixing aluminium on wood, metals, or plastics
> Version:	Double-sided, high instant adhesion, high temperature resistance
> Length:	33 m
> Width:	10 mm
> Thickness:	0.6 mm
	Article No.
Adhesive tape	833.89.266




Profiles for surface mounting

Aluminium

Häfele Loox5 profile 2104, with concealed fixing



Häfele Loox5 profile 2104, with asymmetric light distribution







2.5

- > Finish/colour:
- > Length:
- > Diffuser width:
- > Supplied with:
- Profile: Aluminium, Diffuser: Plastic Profile: Anodized, Diffuser: White opal, transmittance 70–80 % 3000 mm
- 11 mm
- 1 aluminium profile
 - 1 diffuser white opal

Colour	Profile 2104
Black	833.95.739
Brushed stainless steel coloured	833.95.765

Ω

C

Order reference Please order (mandatory) mounting bracket separately.

Diffusers The diffuser creates a uniform light. The LED points are invisible from 120 LEDs/m. If required, please order alternative diffuser in black opal separately.

Diffusers see page 19

)	End caps for Häfele Loox5 profile 2104	
,	> Material:	Plastic
	> Version:	With drill mark for cable ou

Brushed stainless steel coloured

> Version:	With drill mark for cable outlet	
> Supplied with:	5 pairs of end caps	
Colour		End cap 2104
Black		833.95.784

833.95.785



Häfele Loox5 profile 2104, with concealed fixing



Ø4 1

Mounting bracket for concealed fixing


-	→ <<u>04.1</u> 	
7		
5 🗕		

Mounting bracket	
> Material:	S
> Mounting:	F
> Supplied with:	5
Mounting bracket	

Stainless steel For screw fixing

pairs of mounting brackets

Article No.
833.95.761




Profiles for recess mounting

Plastic


Häfele Loox5 profile 1102 / 1101



Häfele Loox5 profile 1102



Häfele Loox5 profile 1101



> Material:	
- matonai.	

- > Finish/colour:
- > Length:
- > Supplied with:
- Plastic White & Black Opal 3000 mm 1 plastic profile

Colour	Transmittance	Profile 1102	Profile 1101
Black	~20 %	833.95.741	833.72.899
White	70-80 %	833.95.740	833.72.898



Profiles 1102 and 1101 are usable for LED strip lights up to max. 9.6 W/m.

Profile 1102 is usable for LED strip lights up to max. 5 mm width. Profile 1101 is usable only for LED strip lights with a width of precisely 8 mm.

The diffuser creates a uniform light. The LED points in the white version are invisible from 120 LEDs/m.



Diffusers

Häfele Loox5 diffusers for profiles for recess mounting 1103 / 1104 / 1106 / 1107 as well as for profiles for surface mounting 2102 & 2104



Dimensions		
22		
بلے جے		
- 8 -		
m i		
يتعمي الم		
→ 11→		

Dimensions

Material:Length:Supplied with:	Plastic 3000 mm 1 diffuser	
Width mm		Transmittance black, ~25 %
8 11		833.95.758 833.95.759
	nts are invisible from 120 Ll	

The LED points are invisible from 120 LEDs/m. When using the black diffuser, LED points may be visible.



Mumbai Corporate Office:

Office No. 3, Building "A", BETA, I Think Techno Campus, Off J.V.L.R, Opp. Kanjurmarg East, Mumbai – 400 042. Tel.: 022 6142 6100 • Fax: 022 6702 0531.

For Enquiries SMS "HAFELE" to 56070 Toll Free Customer Care: 1800 266 6667 customercare@hafeleindia.com info@hafeleindia.com



0

in



https://www.linkedin.com/company/hafele-india

https://www.instagram.com/hafele_india/

Available on the App Store



@hafeleindia

You Tube https://www.youtube.com/c/HafeleInd



